

Sl. No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
1	A. S. M. Circuits Pvt. Ltd.	H11 -1392	31.03.2022	06.04.2018	Collected	Not required	SCN issued	1-2
2	Aadya Industries	G1 -405	28.02.2022	13.04.2018	Not required	Not Applied	SCN issued	3-4
3	Aakaar Iron Creations Pvt. Ltd.	G-734	31.07.2018	25.04.2018	Not required	Not required	Not required	5-6
4	Aakaar Iron Creations Pvt. Ltd.	812/E-12(B)	31.07.2018	10.04.2018	Collected	Applied	SCN issued	7-8
5	Aakriti Prime Products	G -947	Acknowledgement	09.04.2018	Not required	Applied	SCN issued	9-10
6	Ace Garments Accessories Pvt. Ltd.	812/H -56 (A)	Acknowledgement	10.04.2018	Not required	Not required	SCN issued	11-12
7	Acro Paints Ltd (Unit-I)	A -115 A	31.03.2021	04.04.2018	Not Collected	Applied	SCN issued	13-14
8	Acro Paints Ltd., (Unit-II)	F -475	31.10.2018	26.04.2018	Collected	Applied	SCN issued	15-16
9	Agarsain Enterprises	G1 -703	30.06.2018	06.03.2018	Not required	Not required	SCN issued	17-19
10	Agroha Colourtech Pvt Ltd.	F -83 A,B	28.02.2023	21.02.2018	Not required	Applied	Not required	20-21
11	Ahlcon Parenterals (India) Ltd	SP-917 & 918	30.06.2020	12.04.2018	Collected	Applied	SCN issued	22-25
12	Ajanta Chemicals Industries	812/E-11	31.05.2020	10.04.2018	Collected	Applied	Not required	26-27
13	Ajanta Soya Ltd.	SP -916	28.02.2022	12.04.2018	Collected	Applied	SCN issued	28-30
14	Aksh Optifibre Ltd.	F -1075 TO	31.12.2026	16.02.2018	Not required	Applied	Not required	31-32
15	Alok Industries	A -1120	28.02.2021	03.04.2018	Not Collected	Applied	Not required	33-34
16	Alpha Services	SP -531	31.12.2020	19.02.2018	Not required	Applied	Not required	35-36
17	Alpha Woven Labels (India) Pvt. Ltd.	B -1127	31.07.2024	04.04.2018	Not required	Not applied	SCN issued	37-38
18	Alvar Pigments Pvt. Ltd.	812/G-21	31.03.2019	25.04.2018	Not required	Not Applied	SCN issued	39-40
19	Anshul Strips Pvt Ltd.	812/G1 -62, 63	28.02.2019	16.04.2018	Collected	Applied	SCN issued	41-42
20	Apex Plastics Pvt. Ltd.	B-495	30.06.2022	25.04.2018	Collected	Applied	Not required	43-44
21	Aravali Premium Packaging Pvt Ltd.	H-885	Acknowledgement	25.04.2018	Not required	Not required	Not required	45
22	Arham Enterprises	G -971	30.04.2027	09.04.2018	Not required	Applied	Not required	46-47
23	Arhant Roller Flour Mills Pvt. Ltd.	G -969	Acknowledgement	09.04.2018	Closed	Closed	Closed	48-49
24	Arya Alloys Pvt. Ltd.	B -824	31.05.2018	25.04.2018	Not Collected	Applied	Not required	50-51
25	Aryan Industries	J -1299 (D)	31.05.2027	05.04.2018	Not required	Not required	Not required	52-53
26	Asha Enterprises	G1 -1283	Acknowledgement	05.04.2018	Not required	Not required	Not required	54-55
27	Ashirwad Oils Private Limited	E-374	31.03.20122	23.05.2018	Not Collected	Applied	Not required	56-57
28	Ashish Pigments and Alloys Pvt. Ltd.	G1 -691	31.03.2019	06.03.2018	Not Collected	Not required	SCN issued	58-59
29	Ashiyana Ispat Ltd	A -1116	31.12.2017	09.01.2018	Not required	Applied	Not required	60-62
30	Asiatic Drugs & Pharmaceuticals Pvt. Ltd.	C -826	30.09.2021	03.04.2018	Collected	Applied	Not required	63-65
31	ASP Enterprises	G1 -1208.	31.10.2019	24.04.2018	Not Collected	Applied	Not required	66-68
32	B. S. Air-Tech Pvt Ltd.	H -715	30.06.2021	15.03.2018	Not required	Not required	Not required	69-70
33	Baddi Foils Pvt. Ltd.	A -590 B	31.03.2020	15.03.2018	Not required	Not required	Not required	71-72
34	Badri Vishal Steel Pvt. Ltd.	F -440	28.02.2019	20.04.2018	Collected	Not Applied	SCN issued	73-75
35	Balar Marketing Pvt. Ltd.	E -8, E -8 (A)	31.01.2021	16.02.2018	Not required	Applied	Not required	76-77
36	Balkrishna Industries Limited	SP -923	30.04.2019	25.04.2018	Collected	Applied	Not required	78-80
37	Bambino Agro Industries Ltd.	G-1-395	31.12.2020	13.04.2018	Not required	Not required	Not required	81-82
38	Banwari Chemicals Pvt. Ltd.	B -522	31.01.2020	26.04.2018	Not required	Not Applied	SCN issued	83-84
39	Bhandari Homocopathis Pvt. Ltd.	G -679	Acknowledgement	06.03.2018	Not required	Not required	Not required	85
40	Bhansali Cable & Conductors Pvt. Ltd.	B -816	30.09.2020	21.03.2018	Not required	Applied	Not required	86-88
41	Bhiwadi Metal Roll Well Pvt. Ltd	A -1131	30.09.2022	25.04.2018	Not Collected	Applied	Not required	89-91

Sl. No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
42	Bhiwadi Polymers Ltd.	G1 -284	31.03.2019	06.04.2018	Not Collected	Applied	SCN issued	92-93
43	Bhushan Building Systems Pvt. Ltd.	J -1413	Acknowledgement	09.05.2018	Not required	Not required	Not required	94-95
44	Bonlon Steels Pvt. Ltd.	G -663	31.07.2022	06.03.2018	Not required	Applied	Not required	96-97
45	Bonton Cables India Pvt Ltd.	A-114-115	28.02.2027	04.04.2018	Not required	Not required	Not required	98-99
46	BRC Metals Pvt. Ltd.	G1 -391	30.06.2026	13.04.2018	Not required	Not Applied	SCN issued	100-101
47	Bright Thermopack Pvt. Ltd.	F 448	31.03.2020	20.04.2018	Not required	Not Applied	SCN issued	102-103
48	British Health Products (India) Ltd.	A -581 B	30.06.2018	19.02.2018	Not required	Not required	Not required	104
49	Bry-Air (Asia) Pvt. Ltd.	A -351	Acknowledgement	12.04.2018	Not required	Not required	Not required	105-106
50	Bunty Steels Pvt. Ltd.	G -1006	30.06.2019	11.04.2018	Not required	Applied	SCN issued	107-108
51	C. L. Industries	G1 -425	31.03.2020	20.04.2018	Not required	Not required	SCN issued	109-110
52	Cachete Pharmaceutical Ltd.	C-582	31.12.2017	25.04.2018	Not required	Not required	Not required	111-112
53	Capital Ispat Ltd.	E 135-36	30.06.2027	04.04.2018	Not required	Applied	Not required	113-114
54	Capri Transformers Pvt. Ltd.	G -1055	Acknowledgement	14.02.2018	Not required	Applied	Not required	115-116
55	Care Utility Products Pvt. Ltd.	E -1263	Acknowledgement	21.03.2018	Not required	Not applied	SCN issued	117-118
56	Casablanca Industries Pvt. Ltd.	SP -500 B	31.12.2017	05.04.2018	Collected	Applied	Not required	119-120
57	Chakradhari Wheels Pvt. Ltd.	SPL -1 (K)	Acknowledgement	05.04.2018	Not required	Not required	Not required	121-122
58	Chandrababhu Industries Pvt. Ltd.	E -1111 A & B	Acknowledgement	12.03.2018	Not required	not required	Not required	123-124
59	Chawla Polymers	F -1041	31.01.2018	11.04.2018	Not required	Applied	SCN issued	125-127
60	Cheffline Associates Pvt. Ltd.	812/ E -12 (A-	31.10.2020	11.04.2018	Not required	Not required	Not required	128-129
61	Chemcaps Limited	C -584	31.10.2026	19.02.2018	Not required	Not required	Not required	130
62	Chetna Polytex Pvt. Ltd.	A -105	Acknowledgement	04.04.2018	Not required	Applied	Not required	131-132
63	CNC Machining Technology	C -696	Acknowledgement	06.03.2018	Not required	Not required	Not required	133-134
64	Continantal Engg. Ltd.	A-88	31.12.2017	14.01.2018	Not Collected	Applied	Not required	135-137
65	Coster India Packaging Pvt. Ltd.	G1 -1339	31.12.2020	06.04.2018	Not required	Applied	SCN issued	138-139
66	Crystal Metal Industries	G -732	31.08.2022	15.03.2018	Not required	Not required	Not required	140-141
67	D. L. Steels Pvt. Ltd.	F -671	31.01.2019	06.03.2018	Not Collected	Applied	Not required	142-143
68	Dalas Biotech Ltd.	E -292	30.04.2018	10.04.2018	Collected	Not required	Not required	144-145
69	Deepak Industries	G -1009	30.11.2026	11.04.2018	Not required	Applied	Not required	146-147
70	Delite Hi-Tech Furniture	A -1163	30.06.2021	15.03.2018	Not Collected	Applied	Not required	148-149
71	Denex International	812/ G1 -31	Acknowledgement	11.04.2018	Not required	Applied	SCN issued	150-151
72	Deven Textile Industries Pvt Ltd.	G1 -423	Acknowledgement	16.04.2018	Not required	Not required	Not required	152-153
73	Dhruv Techengineers Pvt Ltd.	G1 -1209	31.07.2018	02.04.2018	Not required	not required	Not required	154-155
74	Disha Dye Chem Pvt. Ltd.	E -1160	30.09.2021	04.04.2018	Not Collected	Applied	Not required	156-157
75	Divya Aanchal Re-Rolling Pvt. Ltd.	G -1004	28.02.2019	23.04.2018	Collected	Applied	Not required	158-160
76	Dr. Oetkar India Pvt. Ltd.	G -389	31.12.2019	13.04.2018	Not required	Not required	Not required	161
77	Drawmet Wires Pvt. Ltd.	B 482	30.09.2021	24.04.2018	Not required	Applied	Not required	162-163
78	DSR Steels Pvt. Ltd.	812/B -4-5	30.11.2018	10.04.2018	Not required	Applied	Not required	164-165
79	Durga Industries	H1 -1042 (R )	Acknowledgement	09.04.2018	Not required	Not applied	SCN issued	166-167
80	Ekaksh Polymers	J -1431	30.11.2021	09.05.2018	Not required	Applied	SCN issued	168-169
81	Emvee Auto Forge Pvt. Ltd.	H1 -871	Acknowledgement	03.04.2018	Not required	Not applied	SCN issued	170-171
82	Everest Udyog	G1 -636	31.05.2020	06.03.2018	Not required	Not required	Not required	172
83	Evergreen Chemicals India	H -555	30.09.2019	19.02.2018	Not required	Not required	Not required	173
84	Exclusive Food Product Pvt. Ltd.	E -678	30.06.2021	06.03.2018	Not Collected	Not required	SCN issued	174-175
85	Exclusive Lead Alloys Pvt. Ltd.	G1 -690	31.01.2019	06.03.2018	Not Collected	Not required	SCN issued	176-177

Sl. No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
86	Expo Fasteners Pvt. Ltd.	G1 -683	30.04.2021	06.03.2018	Not required	Not required	Not required	178-179
87	Feather Touch Ceramics Pvt. Ltd.	A -146 G	30.06.2018	04.04.2018	Not required	Applied	Not required	180-181
88	Federal Mogul Goetze India Ltd.	SP -1240, 1244	31.05.2021	23.03.2018	Collected	Applied	Not required	182-183
89	Federal Mogul Ignition Products India Ltd.	812/B-1 & 2	31.12.2018	11.04.2018	Collected	Applied	Not required	184-185
90	Federal Mogul PTSB India Pvt Ltd.	SPL-1240-1244	Acknowledgement	23.03.2018	Not required	not required	Not required	186-187
91	Flexipol Foams Pvt. Ltd.	E -1162	30.01.2021	08.01.2018	Not required	Applied	Not required	188-189
92	Flow-Well Profiles	F -1255	Acknowledgement	21.03.2018	Not required	Not required	SCN issued	190-191
93	G. D. Industries	G -959	29.02.2021	23.04.2018	Not required	Applied	Not required	192-193
94	G. K. Auto	E-929	30.09.2019	11.04.2018	Not required	Not required	Not required	194-195
95	G. P. Auto Industries	G -978	31.05.2027	12.04.2018	Not required	Applied	Not required	196-197
96	Galaxy Industries	H1 -878	31.07.2019	03.04.2018	Not required	Not required	SCN issued	198-199
97	Galaxy Taps Pvt. Ltd.	H2 -1134 (B)	30.06.2019	12.03.2018	Not required	Applied	Not required	200-201
98	Garg Ispat Udyog Ltd.	F -459 to 462	31.05.2021	20.04.2018	Not required	Not required	SCN issued	202-203
99	Gemscab Industries Ltd.	SP -1192 (K)&	31.03.2019	23.04.2018	Collected	Applied	Not required	204-205
100	Gillette India Ltd.	SP -65 A	31.05.2019	21.02.2018	Not Collected	Applied	Not required	206-207
101	Global Engineering Ltd.	A-808, 809	30.06.2019	21.03.2018	Not required	Not required	Not required	208-209
102	Gold Star Garment Accessories Pvt. Ltd.	812/E-27(B)	31.08.2019	05.02.2018	Not Collected	Applied	Not required	210-211
103	Golden Bottling Pvt. Ltd.	C -780	28.02.2022	15.03.2018	Not Collected	Applied	SCN issued	212-213
104	Gopal Enterprises	812/G-32	31.05.2021	16.04.2018	Not required	not applied	Not required	214-215
105	Gracure Pharmaceuticals Ltd.	E -1105, 06	31.01.2019	24.04.2018	Collected	Applied	Not required	216-217
106	Gulshan Chemicals Ltd.	A -594-95 &	30.06.2022	13.04.2018	Not required	Applied	Not required	218-219
107	Gupta Industries	E-366	31.10.2021	05.02.2018	Not required	Not required	Not required	220-221
108	Gyanjyoti Enterprises Pvt Ltd	F-142	Acknowledgement	25.04.2018	Not required	Not required	Not required	222-223
109	Hari Darshan Re-Roller Pvt. Ltd.	G -1066	28.02.2019	15.02.2018	Collected	Not required	Not required	224-225
110	Hariom Metal Finishers	SPL -1	31.08.2018	16.02.2018	Collected	Not required	SCN issued	226-227
111	Himank Industries	F-447	Acknowledgement	25.04.2018	Not required	Not required	Not required	228-229
112	Himskaf Systems Pvt. Ltd.	B -815	30.04.2026	21.03.2018	Not required	Not required	SCN issued	230-231
113	Hi Set Polymers	G1 -1210	Acknowledgement	02.04.2018	Not required	not applied	SCN issued	232-233
114	Hi-Tech Chemical Pvt. Ltd.	G1 -989	30.06.2021	23.04.2018	Not required	Not required	Not required	234-235
115	Hi-Top Battery Industry	H1 -862	28.02.2019	03.04.2018	Not required	Not required	SCN issued	236-238
116	Hotel Regency	F-86 (A)	Acknowledgement	27.04.2018	Not required	Applied	Not required	239-240
117	Indo Allsys Industries Ltd.	SP 333	31.01.2019	05.04.2018	Collected	Applied	Not required	241-243
118	Indus Towers Ltd.	H1 -847 (A)	Acknowledgement	03.04.2018	Closed	Closed	Closed	244-245
119	Infinity Polyrub Pvt. Ltd.	H1 -851	Acknowledgement	21.03.2018	Not required	Not required	Not required	246-248
120	Innovative Resins Pvt Ltd.	G -730	31.01.2018	03.12.2017	Not required	Not required	SCN issued	249-250
121	Inter Films India Pvt. Ltd.	F -436, 37	Acknowledgement	16.04.2018	Not required	Not Applied	SCN issued	251-252
122	Island Stone India Pvt. Ltd.	E -1217, 1218	30.06.2026	02.04.2018	Not required	Not required	Not required	253
123	J. D. Industries (India) Ltd.	SP 288,298	31.03.2022	27.04.2018	Collected	Applied	SCN issued	254-256
124	J. M. T. Plasp Pvt. Ltd.	E -1159	Acknowledgement	12.03.2018	Not required	Applied	Not required	257-258
125	J. S. Filaments (India)	F -1092	Acknowledgement	26.04.2018	Not required	Not applied	SCN issued	259-260
126	Jagdambe Industries	H1 -898	30.04.2019	04.04.2018	Collected	Applied	SCN issued	261-263
127	Jai Shree Polyplast Pvt. Ltd.	C -583	Acknowledgement	19.02.2018	Not required	Not required	Not required	264
128	Jai Surgicals Ltd	A -146 (I)	30.09.2025	04.05.2018	Not required	Applied	SCN issued	265-267

Sl No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
129	Jaquar & Co. Pvt. Ltd (Unit-I)	E-53 & SP-54 B & A-65-66	30.11.2018	16.02.2018	Not Collected	Applied	Not required	268-269
130	Jaquar & Company Pvt. Ltd. (Unit-I)	SP-496 B	31.03.2022	05.04.2018	Not Collected	Applied	Not required	270-272
131	Jay Complex Pvt. Ltd.	A-99	31.03.2018	04.04.2018	Not required	Not Applied	SCN issued	273-274
132	Jaybee Esco Engg. Pvt. Ltd.	F-431	Acknowledgement	16.04.2018	Not required	Not required	Not required	275-276
133	JAMV Automobiles Pvt. Ltd.	A-108	30.11.2018	04.04.2018	Not required	Not Applied	SCN issued	277-278
134	Jogindra Engineering Works Pvt. Ltd.	A-586	31.03.2027	19.02.2018	Not required	Not applied	SCN issued	279-280
135	Johnsons Paint Co.(Unit-II)	G-1260. Ghatal	31.05.2020	21.03.2018	Not required	Not required	SCN issued	281-282
136	Jyotika Strips Pvt. Ltd.	812/G1-64, 65	31.05.2018	16.04.2018	Collected	Applied	Not required	283-284
137	K. G. Enterprises	E-365	31.05.2021	11.04.2018	Not Collected	Applied	Not required	285-286
138	K. K. Metals Pvt. Ltd.	SP-1192 (G)	30.09.2026	24.04.2018	Not required	Applied	SCN issued	287-288
139	Kaenat Glass Industries	F-1119 /F-2	Acknowledgement	12.03.2018	Not required	Not required	SCN issued	289-290
140	Kandhenu Ispat Ltd.	A-111 to 114	31.08.2022	05.04.2018	Not required	Applied	Not required	291-292
141	Kapbros Engg. Industries Ltd.	E-375	31.03.2018	12.04.2018	Not Collected	Not Applied	SCN issued	293-294
142	Karnani Pharmaceuticals Pvt. Ltd.	F-67	Acknowledgement	21.02.2018	Not required	Not Applied	SCN issued	295-296
143	Kautilya Industries Pvt Ltd.	C-781	31.01.2021	15.03.2018	Not required	Applied	Not required	297-298
144	KEI industries Ltd (Unit-II)	SP-919	31.10.2019	11.04.2018	Not Collected	Applied	Not required	299-300
145	KEI Industries Ltd.	SP-922	30.09.2021	11.04.2018	Not Collected	Applied	Not required	301-302
146	KEI Industries Ltd., (Unit-III)	SP-920	28.02.2022	11.04.2018	Not Collected	Applied	Not required	303-305
147	King Auto Tubes Pvt Ltd.	812/G-15	28.02.2026	11.04.2018	Not required	Applied	Not required	306-307
148	Kiwi Alloys Ltd.	F-1084	31.12.2018	13.04.2018	Not required	Applied	Not required	308-309
149	Konark Manufacturing Pvt. Ltd.	SPL-1 (F)	Acknowledgement	16.02.2018	Not required	Not Applied	SCN issued	310-311
150	Kumar Enterprises	SP-1293/H 1-3	31.05.2027	25.04.2018	Closed	Closed	Closed	312-313
151	Kunsons Metals Limited	F-472	31.08.2022	26.04.2018	Not required	Not required	Not required	314-315
152	Lark Laboratories Ltd.	SP-1192 (E)	30.09.2020	23.04.2018	Collected	Not applied	SCN issued	316-318
153	Leel Electricals Ltd.	A-146 D	31.12.2021	04.05.2018	Not Collected	Applied	Not required	319-320
154	Linde India Ltd	B-821	31.05.2026	21.03.2018	Not required	Applied	Not required	321-323
155	Lord Engining Company	J-1160 (I)	31.08.2022	04.04.2018	Not required	Not required	Not required	324-325
156	Lotus Auto Engineering Ltd.	SP-501 B	31.12.2021	26.04.2018	Collected	Applied	SCN issued	326-327
157	Lucky Plast Ltd	B-485-486	31.10.2022	24.04.2018	Not required	Applied	Not required	328-329
158	M.R. Polytech	H-1-861	31.07.2027	19.04.2018	Not required	Not required	Not required	330-331
159	Madhav Auto Forge Pvt. Ltd.	G1-401	31.01.2018	13.04.2018	Not required	Not required	SCN issued	332-333
160	Magadh Plast Pvt. Ltd.	G-957	Acknowledgement	09.04.2018	Not required	Not required	Not required	334-335
161	Mahadev Enterprises	812/F-43	30.11.2019	23.05.2018	Not required	Not applied	SCN issued	336-338
162	Maharaja Cables	E-93 A	31.03.2021	26.02.2018	Not required	Not Applied	SCN issued	339-340
163	Maharia Electronics Pvt. Ltd.	G1-410	31.08.2018	13.04.2018	Not required	Not required	Not required	341-342
164	Malbros Marble & Granite Industries	SP-1192 (I)	31.05.2018	24.04.2018	Not required	Not required	Not required	343-344
165	Manu Paper Coat	F-1097	Acknowledgement	15.02.2018	Not required	Not applied	SCN issued	345-346
166	Mars Forging	G-1-976	30.06.2021	19.04.2018	Not required	Applied	Not required	347-348
167	Mars Packaging Pvt Ltd	E-293	31.12.2020	10.04.2018	Not required	Applied	Not required	349-350
168	Mars Packaging Pvt. Ltd.	B-1126	31.07.2021	04.04.2018	Not required	Applied	Not required	351-352
169	Mass Wire and Steels Pvt Ltd.	SP-149 D & E	30.04.2026	04.05.2018	Not required	Applied	SCN issued	353-354
170	Mayur Industries Pvt Ltd.	B-484	31.01.2032	24.04.2018	Not required	Not required	Not required	355-356
171	MEC Bearings Pvt. Ltd.	G-949	30.06.2019	09.04.2018	Not Collected	Applied	Not required	357-358
172	Medicamen Biotech Ltd.	SP-1192 (A &	30.04.2018	23.04.2018	Collected	Applied	SCN issued	359-361



Sl. No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
173	Mecnakashi Strips Pvt. Ltd.	G - 1043, 44	28.02.2019	15.02.2018	Collected	Not required	Not required	362-363
174	Megatech International Pvt. Ltd.	J - 1428	30.06.2027	09.05.2018	Not required	not applied	SCN issued	364-365
175	Mehar Enterprises	1119/J-12	Acknowledgement	13.04.2018	Not required	Not required	SCN issued	366-367
176	Mehar Polymers	J - 1299 (C)	31.05.2027	05.04.2018	Not required	Not applied	SCN issued	368-369
177	Mehar Tableware Pvt. Ltd.	C-827	30.11.2020	03.04.2018	Not required	Applied	Not required	370-371
178	Metallic Rolls	G-970	31.12.2017	09.01.2018	Not required	Applied	Not required	372-374
179	Mica Industries	G - 1031 & 1032	31.12.2017	04.01.2018	Not Collected	Applied	Not required	375
180	Mohit Metals Pvt. Ltd.	G1 - 1208 (B &	30.04.2021	24.04.2018	Not Collected	Applied	Not required	376-378
181	Natraj drum industries Pvt Ltd.	G - 271, 72	31.08.2018	06.04.2018	Not required	Not Applied	SCN issued	379-380
182	Naulakha Specialities	E - 906	Acknowledgement	04.04.2018	Not required	Not applied	SCN issued	381-382
183	Naveen Industries	B - 814	31.12.2018	21.03.2018	Not Collected	Applied	Not required	383-385
184	Neel Enterprises	G1-790(A)	Acknowledgement	23.04.2018	Not required	Not required	Not required	386-387
185	Neeraj Plastics	G - 1037	30.06.2022	09.04.2018	Not required	Applied	Not required	388-389
186	New Samrat Hotel	15-16, Dhaba Complex	Acknowledgement	04.05.2018	Not required	Not required	Not required	390-391
187	Nidhi Cables Pvt Ltd	E - 1109	31.05.2027	12.03.2018	Not required	Applied	Not required	392-393
188	Nissim India Pvt. Ltd.,	G - 285	31.08.2018	06.04.2018	Not Collected	Applied	SCN issued	394-395
189	Northern Casting Pvt. Ltd.	H - 34	28.02.2019	15.02.2018	Not required	Not required	Not required	396-398
190	Nuance Fabriks Pvt. Ltd.	H - 1119 /F -28	Acknowledgement	12.03.2018	Not required	Not required	Not required	399-400
191	Nu-Cork Products Pvt. Ltd	E - 370	Acknowledgement	11.04.2018	Not required	Not required	Not required	401-402
192	Ocap Chessis Parts	A - 1221, 30	31.01.2018	16.01.2018	Not required	Applied	Not required	403-405
193	Odision Engineering Works	J - 1345	Acknowledgement	06.04.2018	Not required	Not required	Not required	406-407
194	Om Sai Enterprises	H1 - 1387	30.09.2018	06.04.2018	Not required	Not required	SCN issued	408-409
195	Orient Abratech Pvt Ltd.	F - 623	Acknowledgement	27.02.2018	Not required	Not required	Not required	410-411
196	Orient Cables (India) Pvt. Ltd.	A - 784	31.10.2019	15.03.2018	Not required	Not applied	SCN issued	412-413
197	Orient Coated Pvt. Ltd.	F - 625	Acknowledgement	27.02.2018	Not required	Not required	Not required	414-415
198	Orient Refractories Ltd.	SP - 148 A,B	30.09.2018	05.04.2018	Not Collected	Applied	Not required	416-417
199	Orient Resin & Pigments	F - 78	31.05.2026	21.02.2018	Not required	Not required	Not required	418-419
200	Orient Syntex	SP - 147	30.04.2022	04.05.2018	Not Collected	Applied	Not required	420-421
201	Orion Enterprises Pvt Ltd.	SP-55	31.03.2022	05.04.2018	Not required	Applied	Not required	422-423
202	P. B. V. Techno- Ceramics Pvt Ltd.	F - 434	30.06.2027	16.04.2018	Not required	Applied	Not required	424-425
203	Paragon Autotech Product Pvt. Ltd.	E - 1161	Acknowledgement	15.03.2018	Not required	Applied	SCN issued	426-427
204	Param Industries	J-1042(L1)	Acknowledgement	19.04.2018	Not required	Not required	Not required	428-429
205	Paramount Surgimed Ltd.	A - 106	31.12.2024	04.04.2018	Not required	Applied	SCN issued	430-432
206	Paras Laminates Pvt Ltd.	B - 492	31.05.2019	24.04.2018	Not collected	Applied	Not required	433-434
207	Patel Industries	812/H - 55 (A)	Acknowledgement	10.04.2018	Not required	not applied	SCN issued	435-436
208	Pelican Ceramics	A-100 to 103	31.03.2018	10.01.2018	Not required	Applied	Not required	437-439
209	Periwal Polymers Pvt. Ltd.	F - 443 A	Acknowledgement	20.04.2018	Not required	Not required	Not required	440-441
210	Perma Engineering & Trading Co. Pvt. Ltd.	G - 468,469	28.02.2019	20.04.2018	Collected	Applied	SCN issued	442-444
211	Petropol India Ltd.	A - 1121	30.06.2021	25.04.2018	Not required	Applied	Not required	445-446
212	Pine Plywood Pvt. Ltd	812/B-3	31.12.2021	10.04.2018	Not required	Applied	Not required	447-448
213	Powerlite Manufacturing Co. Pvt.	F - 1231	Acknowledgement	02.04.2018	Not required	Not required	Not required	449-450
214	Pragjyoti Syntex Ltd.	SP - 498	28.02.2018	25.04.2018	Not Collected	Applied	SCN issued	451-452
215	Prayag Polytech Pvt Ltd.	C - 585 B	31.01.2026	19.02.2018	Not required	Applied	Not required	453-454
216	Precon Technology & Casting Ltd.	B - 480 A, B	31.03.2022	24.04.2018	Not required	Applied	Not required	455-456
217	Prime Industries (Unit-II)	G-1-960-961	31.03.2022	13.04.2018	Not required	Applied	Not required	457-458

Sl. No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
218	Proderna Biotech Pvt Ltd	C - 584	Acknowledgement	19.04.2018	Not required	Not required	SCN issued	459-460
219	Prosafe International Pvt. Ltd.	E - 345	31.05.2031	11.04.2018	Not required	Not required	Not required	461-462
220	Puneet Steels & Alloys Pvt. Ltd.	SP - 289 A,B	30.06.2022	06.04.2018	Not Collected	Applied	Not required	463-464
221	Purma Plast Pvt. Ltd.	B - 495	Acknowledgement	24.04.2018	Not required	Not Applied	SCN issued	465-466
222	Pyush Enterprises	H-1-724	31.05.2018	19.04.2018	Not required	Not applied	SCN issued	467-468
223	R. S. Plastics	G1 -1322	30.11.2026	05.04.2018	Collected	Not required	SCN issued	469-470
224	R.K. Enterprises	H-1-1324 (A)	Acknowledgement	13.04.2018	Not required	not required	Not required	471
225	Race Cable Pvt. Ltd.	A - 316 B	31.08.2018	10.04.2018	Not required	Not required	Not required	472
226	Radiant Complast Pvt. Ltd.	A - 591 to 93	31.05.2018	13.04.2018	Not required	Not applied	SCN issued	473-474
227	Rajasthan Antibiotics Ltd. (Unit-	A-619 & 630	30.06.2021	13.04.2018	Collected	Not required	SCN issued	475-476
228	Rajasthan Neel Udyog Pvt. Ltd.,	E - 362	28.02.2018	11.04.2018	Not required	Applied	Not required	477-478
229	Rajendra Prestress Concrete	A - 117	Acknowledgement	04.04.2018	Not required	Not required	Not required	479-480
230	Rakesh Techno Pvt. Ltd.	F - 1082	31.12.2017	16.02.2018	Not required	Applied	SCN issued	481-483
231	Ramco Metal	H-704	30.04.2019	24.04.2018	Not required	Not applied	Not required	484-485
232	Rampur Engineering Co. Ltd.	SP - 150	28.02.2027	04.05.2018	Not required	Applied	Not required	486-487
233	Rashi Cable Pvt Ltd	G-731	30.04.2021	24.04.2018	Not required	Not required	Not required	488-489
234	Rathi Graphics Technologies Pvt.	SP - 921	31.03.2019	11.04.2018	Not required	Applied	Not required	490-491
235	Rayban Sun Optics India Ltd.	SP - 810,811	31.05.2022	21.03.2018	Not Collected	Applied	Not required	492-495
236	Reby Casting Pvt Ltd	A - 360	31.07.2021	04.05.2018	Not required	Applied	Not required	496-497
237	Relaxo Footwears Ltd. (Unit - III)	A-1130 &	31.07.2020	03.04.2018	Collected	Applied	Not required	498-499
238	Remistar Electric Pvt. Ltd.	H1 - 727	30.04.2019	15.03.2018	Not required	Not required	Not required	500
239	Revex Enterprises Pvt. Ltd.	A - 1118 A	30.09.2026	04.04.2018	Not required	Not applied	SCN issued	501-502
240	Revex Plasticizer Pvt. Ltd.	F - 466, 467	31.03.2022	20.04.2018	Not required	Applied	Not required	503-504
241	Rishabh Pipes Pvt. Ltd.	E - 1248	Acknowledgement	23.03.2018	Not required	Not applied	SCN issued	505-506
242	RNG Impex Pvt Ltd.	G1 - 1282	29.02.2019	05.04.2018	Not required	Not required	SCN issued	507-508
243	RNT Wires Pvt. Ltd.	G - 956	31.03.2019	09.04.2018	Not required	Applied	SCN issued	509-510
244	Rohan Metal Pvt.Ltd.	G - 733	31.12.2017	15.03.2018	Not Collected	Not required	SCN issued	511-512
245	Rosa Herbal Care Pvt. Ltd.	A - 1133	28.02.2027	12.03.2018	Not collected	Applied	Not required	513
246	Ruptex Mineral Water Pvt. Ltd.	G - 974	30.11.2018	09.04.2018	Not required	Applied	Not required	514-516
247	Ruptex Mineral Water Pvt. Ltd.	G - 962	31.05.2031	09.04.2018	Not required	Applied	Not required	517-518
248	Rustagi Impex Pvt. Ltd.	A - 581 A	31.05.2020	19.02.2018	Not required	Not applied	SCN issued	519-520
249	Rustagi Plastic Industries Private	812/E - 8-9	31.03.2019	10.04.2018	Not required	not applied	SCN issued	521-522
250	S O Gas Products Private Ltd.	E - 130	30.06.2018	04.04.2018	Not required	Applied	Not required	523-524
251	S. K. Industries	J - 1311	31.03.2022	05.04.2018	Not required	Not applied	SCN issued	525-526
252	S. M. Herbals Pvt. Ltd.	A - 1132	30.11.2018	12.03.2018	Not Collected	Not applied	SCN issued	527-529
253	S. R. Readings Pvt. Ltd.	E - 1227 (A)	Acknowledgement	02.04.2018	Not required	Not applied	Not required	530-531
254	S. R. Polytech (SARV Polytech)	H1 - 1406	30.06.2019	06.04.2018	Not required	Not required	SCN issued	532-533
255	S. R. V. International Pvt. Ltd.	J - 1429	31.05.2027	09.05.2018	Not required	not applied	SCN issued	534-535
256	Sachdeva Fabric World Pvt. Ltd.	A - 116	31.03.2018	04.04.2018	Not required	Applied	Not required	536-537
257	Sakata Inx (India) Ltd.	E - 1245, 1246	31.05.2021	17.01.2018	Not Collected	Applied	Not required	538-540
258	Sabhnath Industries India Pvt Ltd	E-531	31.03.2027	13.04.2018	Not required	Applied	Not required	541-542
259	Samde Aromatic Pvt Ltd.	E - 46 (B)	31.03.2021	15.02.2018	Not required	Not required	SCN issued	543-544
260	Sant Aluminium Pvt Ltd.	E-340	31.07.2018	27.04.2018	Not required	Applied	Not required	545-547
261	Sapna Rubber Industries	H1 - 1212 (B &	30.06.2027	02.04.2018	Not required	Applied	SCN issued	548-550
262	Sapphire (India) Pvt. Ltd.	B - 491	31.08.2019	24.04.2018	Not required	Applied	SCN issued	551-552
263	Saras Poly Product	J - 905 (B)	31.01.2026	04.04.2018	Not required	Applied	SCN issued	553-554
264	Saraswati Polymers	H - 561	Acknowledgement	19.02.2018	Not required	Not required	Not required	555-556
265	Saroj Industries	A 807 (A-1)	Acknowledgement	26.04.2018	Not required	Not required	Not required	557-558

Sl. No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
266	Sarathi Rubber Industries Pvt Ltd.	E - 910	28.02.2019	03.04.2018	Collected	Applied	Not required	559-561
267	Satelite Cable Pvt. Ltd.	F - 626	31.03.2027	27.02.2018	Not required	Applied	Not required	562-563
268	Satra Industries (Unit-II)	G1 - 1271	31.03.2019	05.04.2018	Not required	Not applied	SCN issued	564-565
269	Saxon Fluid Sealing Devices.	F - 618 (A)	31.03.2020	27.02.2018	Not required	Not required	Not required	566-567
270	Seagull Pharmaceuticals Pvt. Ltd.	E - 1190	30.11.2020	23.04.2018	Not required	Not applied	SCN issued	568-569
271	Sega Gears	SP - 531 D	30.04.2021	19.02.2018	Not required	Not applied	SCN issued	570-571
272	Shakti Mattresses & Gears Pvt.	F - 81	Acknowledgement	26.04.2018	Not required	Not Applied	SCN issued	572-573
273	Sharad International	G1 - 637	Acknowledgement	06.03.2018	Not required	Not applied	SCN issued	574-575
274	Sharp Global Ltd	F - 73 & F - 74	30.11.2021	06.04.2018	Not Collected	Applied	Not required	576-577
275	Shilpi Cabletronics Pvt Ltd.	E - 138	31.08.2018	04.05.2018	Not required	Not required	Not required	578
276	Shinewell Industries	G-1-1423	30.06.2027	09.05.2018	Not required	Not required	Not required	579-580
277	Shiv Industries	G1 - 994, 995	31.10.2018	09.04.2018	Collected	Applied	Not required	581-583
278	Shivom industries Pvt Ltd.	G1 - 400	30.11.2019	13.04.2018	Not required	Not Applied	SCN issued	584-585
279	Shree Jagdamba Metals	E - 132 A	31.08.2018	04.04.2018	Not required	Not Applied	SCN issued	586-588
280	Shree Jagdambay Casting Pvt. Ltd.	E - 803	30.11.2018	15.03.2018	Not required	Not required	Not required	589
281	Shree Ram Enterprises	H-1-1369	Acknowledgement	25.04.2018	Not required	Not required	Not required	590-591
282	Shree Umesh Gupta Enterprises	E - 799	28.02.2019	15.03.2018	Not Collected	Not required	SCN issued	592-593
283	Shri Balaji Ceramic Products	E - 49 (B)	31.08.2018	15.02.2018	Collected	Not Applied	SCN issued	594-595
284	Shri Balaji Chemicals	812/ F-47	31.03.2018	11.04.2018	Not required	Applied	Not required	596-597
285	Shri Giriraj Steels Pvt. Ltd.	F - 932	28.02.2019	23.04.2018	Collected	Applied	Not required	598-600
286	Shri Laxmi Vijay Steels Pvt. Ltd.	F - 435	28.02.2019	16.04.2018	Not Collected	Applied	Not required	601-603
287	Shri Laxmi Vijay Strips Pvt. Ltd.	G-1-378	28.02.2019	12.04.2018	Collected	Applied	SCN issued	604-606
288	Shri Shyam Kripa Steel Pvt. Ltd.	B - 493	28.02.2018	24.04.2018	Not required	Applied	Not required	607-608
289	Shukla E- Waste Processors	H - 309 B	30.04.2019	26.04.2018	Not required	Not required	Not required	609
290	Shuvan Valves Ltd.	SP - 314 A,B	31.05.2021	10.04.2018	Not required	Applied	Not required	610-611
291	Siddhi Vinayak Extrusion	F-450	31.01.2022	25.04.2018	Not required	Applied	SCN issued	612-613
292	Simera Industries Pvt. Ltd.	E - 369	Acknowledgement	11.04.2018	Not required	Not Applied	SCN issued	614-615
293	Simran International Exports (India) Pvt. Ltd.	G1 - 697	Acknowledgement	06.03.2018	Not required	Not required	Not required	616-617
294	Singh Plasticisers and Resins (I) Pvt Ltd	E- 9-10 (A & B)	30.11.2019	20.02.2018	Collected	Applied	Direction issued	618-620
295	Siris Engineering Co.	G1 - 508	Acknowledgement	26.04.2018	Not required	Not Applied	SCN issued	621-622
296	Sirocco Cab N Cords	J - 1432	30.08.2021	09.05.2018	Not required	Applied	Not required	623-624
297	Skipper Electricals (India) Ltd., (Unit-I)	F - 667, 668	31.03.2018	06.03.2018	Not required	Not required	Not required	625
298	Skipper Electricals India Ltd. (Unit-II)	B - 825	30.06.2020	03.04.2018	Not required	Not applied	SCN issued	626-628
299	Skipper Electricals India Ltd. (Unit-IV)	H-1-1212	30.09.2020	03.04.2018	Not required	Not required	Not required	629-630
300	SNS Containers	H1 - 899	31.01.2021	04.04.2018	Not Collected	Not required	Not required	631-633
301	Soma Industries	H1 - 1375	Acknowledgement	06.04.2018	Not required	Not applied	SCN issued	634-635
302	Special Ceramics Pvt. Ltd.	H1-607, 608	30.04.2019	15.03.2018	Not required	Applied	Not required	636-637
303	Sumati Plastic Pvt. Ltd.	G - 1019	Acknowledgement	09.04.2018	Not required	Applied	Not required	638-639
304	Sumetco Alloys Pvt Ltd	G-740	31.12.2017	05.01.2018	Not required	Applied	Not required	640-641
305	Sun Anodising Pvt Ltd.	E-50(B)	30.04.2022	15.02.2018	Collected	Not required	Not required	642-643
306	Sun Sands Pvt. Ltd.	B - 520	31.05.2020	26.04.2018	Not required	Applied	SCN issued	644-646
307	Sunrise Metachem India Ltd.	F - 1205-1206	30.06.2022	24.04.2018	Not required	Not required	SCN issued	647-648
308	Suntag India Pvt. Ltd.	G - 968	Acknowledgement	09.04.2018	Closed	Closed	Closed	649-650


Sl. No	Name of industry	Address	Validity	Date of inspection	Status of sample collection (Collected/ Not collected/ Not required)	Status of CGWA Application (Applied/ Not applied/ Not required)	Action taken (SCN issued/ Not required)	Inspection Report (page no)
309	Super Mica Pvt. Ltd.	E - 1102 & E - 1103	30.06.2021	25.04.2018	Not required	Applied	SCN issued	651-653
310	Super Nova Tech Craft	A - 535(B)	31.12.2019	19.02.2018	Not Collected	Not applied	SCN issued	654-655
311	Surya Alumex	F - 1089	30.11.2018	13.04.2018	Not required	Not applied	SCN issued	656-658
312	Surya Corporation	J - 1267 (B)	Acknowledgement	05.04.2018	Not required	Not required	SCN issued	659-660
313	Swaraj Paint Pvt. Ltd.	G - 64 B	30.09.2019	21.02.2018	Not required	Not required	Not required	661-662
314	Tannmay Plastics	G - 981	30.06.2027	09.04.2018	Not required	Applied	Not required	663-664
315	Taurus India Ltd.	B - 331, 32	31.07.2020	27.04.2018	Not required	Applied	Not required	665-666
316	Techno Thermal Treaters Pvt. Ltd.	H - 571	31.03.2019	19.02.2018	Not required	Applied	Not required	667-668
317	The Sheelta Abrasive	J - 1303	Acknowledgement	05.04.2018	Not required	Applied	Not required	669-670
318	Ultra Tech Cement Ltd.	A - 783	30.09.2025	15.03.2018	Not required	Applied	Not required	671-672
319	Unipatch Rubber Ltd.	E - 89 & 90 A	30.04.2019	26.02.2018	Not Collected	Applied	Not required	673-674
320	Unique Packaging	H1 - 1368	Acknowledgement	06.04.2018	Not required	Not required	SCN issued	675-676
321	Uniwire Cables India Pvt Ltd.	A - 590 (D)	Acknowledgement	25.04.2018	Not required	Not required	SCN issued	677-678
322	Usha Fiensta System Pvt. Ltd.	J - 1421	Acknowledgement	09.05.2018	Not required	Not required	Not required	679-680
323	Uttam Poly Rubs India Pvt Ltd.	G - 1060	30.06.2018	15.02.2018	Not required	Not required	SCN issued	681-682
324	V. V. Enterprises	B - 479	Acknowledgement	20.04.2018	Not required	Applied	Not required	683-684
325	Vardhman Hoses Pvt Ltd. (Unit-II)	F - 1259	31.07.2019	21.03.2018	Not required	Not required	Not required	685-686
326	Vardhman Hoses Pvt.Ltd..	E - 1249	30.06.2018	23.03.2018	Not required	Not applied	SCN issued	687-688
327	Vardhman Hydraulic Hoses Ltd.	F - 621	Acknowledgement	27.02.2018	Not required	Not required	Not required	689-690
328	Vechem Organics Pvt. Ltd.	B - 825 (A)	30.09.2018	03.04.2018	Not required	Applied	Not required	691-692
329	Vedicare Ayurveda Pvt Ltd.	H1 - 496 H	Acknowledgement	25.04.2018	Not required	Not required	Not required	693
330	Vedicare Ayurveda Pvt. Ltd.	812/ G 1-19	31.05.2026	11.04.2018	Not required	Not required	SCN issued	694-695
331	Veromaco Engineers	H - 536	30.06.2019	19.02.2018	Not required	Not applied	SCN issued	696-697
332	Vidya Metal Mfg Co. Pvt Ltd.	812/ G1 -39, 40	31.05.2021	11.04.2018	Collected	Applied	SCN issued	698-699
333	Vimal Enterprises	E - 1107	30.06.2026	04.04.2018	Not required	Applied	Not required	700-701
334	Vinita Enterprises	G - 464	31.08.2022	25.05.2018	Not required	Not required	Not required	702
335	VLS Foods Pvt. Ltd.	H - 550	31.05.2020	19.02.2018	Not required	Applied	Not required	703-704
336	VNG Brakes	812/F - 42	Acknowledgement	11.04.2018	Not required	not applied	SCN issued	705-706
337	VSI Granurubr Pvt. Ltd.	F - 444	Acknowledgement	20.04.2018	Not required	Not required	Not required	707
338	Vulcan Electro Control Pvt. Ltd.	F - 628	31.08.2019	27.02.2018	Not required	Applied	Not required	708-709
339	Warm Gears Pvt Ltd.	A - 1118 F	31.12.2017	04.04.2018	Not required	not required	Not required	710
340	Waves Aircon Pvt Ltd.	G1 - 793	31.07.2027	15.03.2018	Not Collected	Not required	Not required	711-712
341	Western Energetics Ltd.	G1 - 982	Acknowledgement	09.04.2018	Closed	Closed	Closed	713-714
342	Wheel O City	E-7 (D-A)	31.01.2019	16.02.2018	Not required	Not Applied	SCN issued	715-716
343	Yamuna Synthetics Pvt. Ltd.	G - 735	30.09.2020	15.03.2018	Not Collected	Not applied	SCN issued	717-718
344	Yazaki India Private Ltd.	A - 120-121	31.08.2025	04.04.2018	Not Collected	Not required	Not required	719-720
345	Zeniya Electech Pvt. Ltd.	F - 1098	31.01.2018	14.02.2018	Not Collected	Not applied	SCN issued	721-723
346	3R Polymers Pvt. Ltd.	E- 74	Acknowledgement	26.02.2018	Not required	Not required	Not required	724-725

INSPECTION REPORT

1	Name & address of the industry	A.S.M. Circuits Pvt. Ltd., H1-1392, Phase -V, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( $^{\circ}$ N)-28.194562 Longitude ( $^{\circ}$ E) -76.871498
3	Date of inspection	06.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Rama Shanker (Worker)-9928395456
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	MCPCB for LED light (Electrical Circuits) 15,000 SQM/Year
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water Supply
(b)	Whether water meter installed for measuring quantity of water consumed	Yes
(c)	Details of water consumption by industry	Process. - Circuit washing areas (0.2 KLD) Domestic. -toilet and utility (0.4 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Different types of washing like NaOH, Ferric chloride (to the circuit) and detergent washing to the frame. Other Effluents- NA
		Domestic -Toilet/ Utilities
(b)	Control measures	Trade - Physicochemical treatment by ETP Domestic- Septic tank and soak pit

*For*

(c)	Operational Status of treatment facility	ETP, Operational  STP, NA
(d)	Whether sample of effluent collected, if yes, point of collection	Yes
(e)	Mode of disposal of effluent	Trade – Reused after treatment in washing  Domestic– Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	Nil
13	Consent status	The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/5040 (1)/2017-2018/427-428 dated 16.11.2017 which is valid up to 31.03.2022.  Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 551742 on dated 05.01.2018.
14	Status of compliance of consent condition	Industry is complying with the consent conditions.
15	Recommendations	Nil

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures


  
(KC Gupta)  
Regional Officer





INSPECTION REPORT

1	Name & address of the industry	M/s Aadhya Industries , G1-405 , RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.68097)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 25.44394"N 76° 51' 51.98568"E
3	Date of inspection	13/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Ravi Gupta 9119176162
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Red Industries or process involving <u>as Basic chemicals and electro chemicals and its derivatives including manufacturing of Acids</u> at serial no. 6 of red category (Annexure II) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Moulding powder @ 450.00 MT/Day.
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	No water meter at borewell
(c)	Details of Water consumption by industry	Process. No Effluent Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	No
11	Effluent management	
(a)	Source of generation	Process effluents- No Effluent Other Effluents- No Effluent.

		: Domestic – Toilets & Utilities (.50KLD)
(b)	Control measures	: NA
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	: NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	: No
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/5002(1)/2017-2018/333-334 dated 13/09/2017 and valid upto 28/02/2022.
14	Remarks	Representative was advised to apply for NOC from CGWA for withdrawal of ground water and provide water meter at tube well & maintain records now onwards.
15	Environment compensation	Unit have been deposit environment compensation of Rs 50000/- vide DD no 397311 of Bank of Maharashtra dated 05/01/2018.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi


  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	Aakaar Iron Creations Pvt. Ltd., G-734, Phase -1, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.206020 Longitude ( <sup>0</sup> E) -76.863689
3	Date of inspection	:	25.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Mr. Krishan (Guard)-9991806058
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green
8	Product with consented capacity	:	Corrugated Boxes
9	Operational status	:	Closed
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	NA
(b)	Whether water meter installed for measuring quantity of water consumed	:	NA
(c)	Details of water consumption by industry	:	Process: -NA Domestic: -NA
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NA
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- NA
		:	Other Effluents- NA
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - NA
		:	Domestic- septic Tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Not applicable STP: Not applicable
(d)	Whether sample of effluent collected, if yes , point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade - NA
		:	Domestic-Septic Tank and Soak pit



12	Any shortcoming observed by joint team during inspection	:	Industry hasn't deposited the Environmental Compensation of Rs. 10,000.
13	Consent status		Acknowledgement has been granted to the Industry vide letter no. F (Ack)/Alwar/Tijara/2980(1)/2016-2017/8068-8070 on dated 03.11.2016. Industry hasn't deposited the Environmental Compensation of Rs. 10,000.
14	Status of compliance of consent condition	:	NA
15	Remarks , if any		Industry found closed

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures


  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	Aakaar Iron Creations Pvt Ltd., 812/E-12 (B), Phase -III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( $^{\circ}$ N)-28.202338 Longitude ( $^{\circ}$ E) -76.852422
3	Date of inspection	10.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Anuj Diwan (Director)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	Iron Fabrication & Handicraft Items 1.7 MTPD
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	No
(c)	Details of water consumption by industry	Process. - (5.0 KLD) Domestic. -toilet and utility (5.0 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, 15 KLD permission application applied vide application no. 21-4/1445/RJ/IND/2017
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Electroplating, Phosphating and paint booth having waterscrubber. Other Effluents- NA Domestic -Toilet/ Utilities
(b)	Control measures	Trade - Physicochemical treatment to the effluent Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP: Operational STP: NA
(d)	Whether sample of effluent collected,	Yes, Collection tank of ETP outlet



	if yes , point of collection	
(e)	Mode of disposal of effluent	Trade –After treatment at ETP water is being used for paint booth and gardening purposes.
		Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	<ol style="list-style-type: none"> <li>1. ETP outlet water meter is not working.</li> <li>2. High mist/VOC's emission from paint booth at ground floor.</li> <li>3. No stack at Diesel fired oven (without consent).</li> <li>4. No stack at powder coating sections (2<sup>nd</sup> floor) and DG set of 200 KVA.</li> <li>5. No dust collector for glass grinding section.</li> <li>6. No water meter at bore well.</li> <li>7. Rainwater harvesting structure is under poor conditions.</li> </ol>
13	Consent status	<p>The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/2724 (1)/2016-2017/239-240 on dated 08.06.2016 which is valid up to 31.07.2018.</p> <p>Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 503939 on dated 03.01.2018.</p>
14	Status of compliance of consent condition	Industry is not complying with the consent conditions.
15	Remarks/Recommendations	<p>Industry has been advised to install water at bore well and ETP outlet and provide stacks at paint booth (ground floor), powder coating sections and diesel fired oven, DG set of 200 KVA and maintain the rainwater harvesting structure.</p> <p>As the industry is not complying with the consent conditions, Show Cause Notice on the basis of above deficiencies may be issued to the industry.</p>

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sohan Lal)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer



## INSPECTION REPORT

1	Name & address of the industry	M/s Aakriti Prime Products, G-947, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.195523 Longitude: 76.861782
3	Date of inspection	09.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Akshit, Director
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green
8	Product with consented capacity	Corrugated boxes-1000MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Borewell- 1 No.
(b)	Whether water meter installed for measuring quantity of water consumed	Not Installed
(c)	Details of water consumption by industry	Process.- Not used Domestic.-Drinking/Toilets/other utilities Other.- Cooling
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application no. 21-4/598/RJ/IND/2017 DATED 13.07.2017 for 2KLD
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Not generated
		Other Effluents- Not generated
		Domestic -Toilets/other utilities

(b)	Control measures	Trade –NA
		Domestic- Septic tank & Soak pit
(c)	Operational Status of treatment facility	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade –Not Applicable
		Domestic- Septic Tank & Soak Pit
12	Any shortcoming observed by joint team during inspection	<ul style="list-style-type: none"> <li>Water meter not installed on borewell.</li> <li>Industry has installed DG set of 100 KVA without prior Consent of Board.</li> <li>DG set is non acoustic with no stack height.</li> </ul>
13	Consent Status	<p>Acknowledgement issued to the industry vide RO letter no. RPCB/AEEO/BWD/Green cat-1344/115-116 dated 05.04.2013</p> <p>Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.-394884, Date-29.12.2017, Bank-Yes Bank)</p>
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	Ace Garments Accessories Pvt. Ltd., 812/H-55 (B) and 56 (A), Phase -III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.204066 Longitude ( <sup>0</sup> E) -76.848068
3	Date of inspection	:	10.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Salim Ali (Manager)-9214009177
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green
8	Product with consented capacity	:	Plastic buttons from Urea Powder 1.89 Lacs/Annum
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Process: - NA Domestic: -toilet and utility (2.0 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NA
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- NA Other Effluents- NA
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - NA Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes, point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade -NA Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	:	Industry has 2 DG sets of 75 KVA and 7.5 KVA without canopies and adequate stacks.



13	Consent status	The acknowledgement was issued to the industry vide letter no. RPCB/RO/BWD/OTR-432/107-08 on dated 16.12.2014. Industry has submitted the Environmental Compensation of Rs. 10,000 via DD no. 835982 on dated 30.12.2017.
14	Status of compliance of consent condition	: Industry is not complying with the consent conditions.
15	Recommendations	As per deficiency noted above in point no. 12, Show Cause Notice may be issued to the industry.

*h.s.s.d.s.*  
*8/6/18*  
(Mahipal Singh)  
RIICO Limited (Unit-I)

*Sohan Lal*  
(Sohan Lal)  
RSPCB, Bhiwadi


Countersignatures


*KC Gupta*  
(KC Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	M/s Acro Paints Ltd..(Unit-I), A-115, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id:14695)
2	Coordinates of industry (in terms of latitude and longitude)	28.21404264 N 76.85775807 E
3	Date of inspection	04/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh R. K. Sharma 9214338264
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Orange Industries or process involving <u>as Manufacturing of paints, varnishes, pigments and intermediates (blending and mixing only)</u> at serial no. 49 of Orange category (Annexure II) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Dry paints and Liquid Paints @ 35 MT /Day.
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes, but records are not maintained on daily basis.
(c)	Details of Water consumption by industry	Process. Water is Water based paints, Washing of tanks and floor. Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied vide application No. 21-4/5116/RJ/IND/2017 for abstraction of 8 KLD water.
11	Effluent management	
(a)	Source of generation	Process effluents- Washing of tanks and floor(1-1.5KLD) Other Effluents- No Effluent.

		Domestic – Toilets & Utilities
(b)	Control measures	Psycho- Chemical based ETP(10KLD)
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Operational
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	ETP treated water reused in plant , used in gardening ,plantation and surplus water drained in CETP drain after primary treatment.
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	Unit has not maintained logbook of chemical dosing, operation of ETP. Unit has not maintained records of abstraction of ground water.
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/2638 (1)/2015-2016/215-216 dated 01/06/2016 and valid upto 31.03.2021.
14	Environment Compensation	Environment compensation of Rs 30000/- has been deposited vide DD no. 202928 dated 03/01/2018 of ICICI Bank.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi


C/S  
  
 (KC Gupta)  
 Regional Officer



## INSPECTION REPORT

1	Name & address of the industry	M/s Acro Paints Ltd. (P) Ltd.(Unit-II), G1-475B, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.1306)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 54.99886"N 76° 51' 1.91059"E
3	Date of inspection	26/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh R. K. Sharma 9214338264
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Orange Industries or process involving <u>as Manufacturing of paints, varnishes, pigments and intermediates (blending and mixing only)</u> at serial no. 49 of Orange category (Annexure II) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes, but records are not maintained on daily basis.
(c)	Details of Water consumption by industry	Process. Water is Water based paints, Washing of tanks and floor. Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied vide application No. 21-4/5122/RJ/IND/2017 for abstraction of 6 KLD water.
11	Effluent management	
(a)	Source of generation	Process effluents- Washing of tanks and floor

		Other Effluents- No Effluent.
		Domestic – Toilets & Utilities
(b)	Control measures	Chemical based ETP(10KLD)
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Operational
(d)	Whether sample of effluent collected, if yes, point of collection	Yes, outlet of ETP
(e)	Mode of disposal of effluent	ETP treated water reused in plant , used in gardening ,plantation and surplus water drained in CETP drain after primary treatment
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	Unit has not maintained logbook of chemical dosing, operation of ETP. Unit has not maintained records of abstraction of ground water.
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in revised CTO letter issued to unit vide letter no F(Tech)/Alwar(Tijara)/598(1)/2010-2011/1673-1674/1055-56 dated 25/01/2016 and valid up to 31/10/2018.
14	Environment compensation	Environment compensation of Rs 30000/- has been deposited vide DD no. 202929 dated 03/01/2018 of ICICI Bank.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	:	M/s Agarsain Enterprises, Plot no.-G-1-703, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'21.90388"N and 76°51'57.50435"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi, Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Sanjay Agarwal (supervisor) 9351254563
6	Purpose of inspection	:	1. Verification of compliance of conditions of consent issued by State Board 2. Contents of consent application under Water Act'74 and Air Act'81
7	Category	:	Red (R-6) i.e. basic chemicals as per categorization dt 16.03.2018.
8	Product with consented capacity	:	Thermosetting moulding powder@480 MTPA
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	:	No
(c)	Details of water consumption by industry	:	Process: Nil Domestic: 0.8 KLD (as per CTO application dt26/02/2018)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Not applicable
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- there is no waste water generated from the process. Other Effluents- cooling water kept in recirculation.
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - N.A.
		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP.

		Not required
		STP: Not required
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade ---
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	--
13	Consent status	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/546(1)/ 2010-2011/1661-1663 dated 20/01/2016 is valid upto 30/06/2018.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied in respect of effluent generation, treatment & disposal
15	Environment compensation	50,000/- vide DD No- 20597 dt 30.12.2017

16						
Emission management						
Sr. No.	Source of emission	Capacity	Fuel & qty	APCM	Stack height	Remarks
1	Thermic fluid heater	4 LacKCal/hr	Wood, 600 Kg/day	Cyclone	Stack of about 70 feet from GL	Inadequate stack height (Monitoring facility provided)
2.	Pulveriser (1 no)	--	Electricity	Cyclone, bag filter	--	--
3.	Ball mill (4 no)	--	Electricity	Close circuit	--	--

3.	DG set	160 KVA	HSD	Stack	stack of about 1.5 mt from roof level	Acoustic enclosure provided	
----	--------	---------	-----	-------	--	-----------------------------------	--

16. Additional information/ shortcomings as observed by joint team during inspection :-

1. Industry was operational during inspection.
2. Unit has not provided scrubber to trap the fumes of formaldehyde.
3. Unit has not submitted affidavit regarding storage quantity of formaldehyde.

  
(Praveen Kumawat)

ASE, RIICO (Unit-I), Bhiwadi

  
(Yogyata Singh)

RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)


Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Agroha Colourtech (P) Ltd., F-83 (A&B), RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.77123)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 38.23207"N 76° 51' 40.97178"E
3	Date of inspection	21/02/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh.D.K. Gupta (HR Executive) 9034236474
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Green All the industries which are not covered under list of red, orange and green category as at serial no. 88 of Green category (Annexure III) of Office Order no. F.14 (23) Policy/RPCB/Plg/10548-10587 dated 07/03/2013 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Mater Batch(12000MT/ANNUM)
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Ground water, 2 Nos bore well(1 Nos was not operational )
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Water meter provided at one bore well. Representative advised to maintained record now onwards.
(c)	Details of Water consumption by industry	Process, cooling purpose
		Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for NOC from CGWA for abstraction of 5KLD vide application NO.21-4/1472/RJ/IND/2017.
11	Effluent management	
(a)	Source of generation	Process effluents-No process effluent



		Other Effluents-Nil
		: Domestic – Toilets & Utilities
(b)	Control measures	: NA
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Operational
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	: NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	: NO
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by letter no F(Tech)/Alwar (Tijara)/2749(1)/2016-2017/243-244 dated 09/06/2016 valid upto 28.02.2023.

  
(Gurmeet Singh)  
RIICO Limited (Unit-I)

  
(Anil Bairwa)  
JSO RSPCB, Bhiwadi

  
(ShivLehari Meena)  
JEE RSPCB, Bhiwadi

  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT


1	Name & address of the industry	M/s Ahlcon Parenterals, SP-917 & 918, Pahse-III, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.196361 Longitude: 76.863628
3	Date of inspection	12.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <del>Junior Engineer</del> <sup>AJE</sup> , RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Shiv Raj, Assistant Manager
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (Pharmaceutical formulation)
8	Product with consented capacity	Ear/Eye Drops-1300Lac/Annum I.V. Fluids-1000Lac/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well- 3 Nos.
(b)	Whether water meter installed for measuring quantity of water consumed	Installed, Reading observed at 1 <sup>st</sup> meter =92752KL Reading observed at 2 <sup>nd</sup> meter=41213 KL Reading observed at 3 <sup>rd</sup> meter= 2454KL As per log book, average water consumption is around 486 KLD. Consented quantity of water consumption is 513 KLD.
(c)	Details of water consumption by industry	Process.-Formulation of Ear/Eye Drops & I.V. Fluids/Equipments washing Domestic.-Drinking/Toilets/Canteen/Other utilities. Other.-Cooling & Boiler
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application No. 21-4/1143/RJ/IND/2017 dated 25.03.2017 for 513 KLD
11	Effluent management	

(a)	Source of effluent generation	Process Effluent- Equipments/Vessels Washing
		Other Effluents- Effluent generated from boiler blow down, cooling tower bleeds, softener regeneration & Fresh water RO rejects
		Domestic -From Toilets/other utilities
(b)	Control measures	Trade - Industry has provided physico-chemical & Biological treatment based Effluent Treatment Plant of capacity 100 KL for the treatment of process & other effluents. ETP comprises of Collection Tank, Chemical Dosing Tanks (for the dosing of Caustic, Alum & Polyelectrolyte), Primary Tube Settler, Buffer Tank, Anaerobic Upflow Sludge Blanket Reactor (USB), Moving Bed Biofilm Reactors, Secondary Clarifier, Clear Water Tank, Activated Carbon Filter, Multi Grade Filter, Treated Water Collection Tank. Industry has provided Filter Press for dewatering of Sludge. Water meters have been provided at inlet & outlet of ETP. Reading observed at inlet of ETP- 29398.8 KL. Reading observed at outlet of ETP- 19553.3 KL
		Domestic-Industry has provided biological treatment based Sewage treatment Plant comprises of Collection Tank, Equalisation Tank, Primary Settling Tank, MBBR 1, MBBR 2, Secondary Clarifier, Activated Carbon Filter and Multi Grade Filter. Filter press has been provided for dewatering of sludge. Industry has provided water meter at the outlet of STP (Reading observed=8761.2 KL).
(c)	Operational Status of treatment facility	ETP. Operational STP. Operational
(d)	Whether sample of effluent collected, if yes, point of collection	Yes, Outlet of ETP & Outlet of STP
(e)	Mode of disposal of effluent	Trade -Plantation/Surplus discharged into RIICO drain (industry has taken membership from CETP)

		Domestic- Plantation/Horticulture
12	Any shortcoming observed by joint team during inspection	<ul style="list-style-type: none"> <li>• Industry has not provided monitoring facilities at the common stack attached with 20 Ton/Hr &amp; 10 Ton/Hr Boiler.</li> <li>• Industry is generating Hazardous waste (category- 35.3, chemical sludge from waste water treatment) but has not taken authorisation from Board.</li> <li>• Industry is not maintaining log book of water meters installed at Outlet of ETP &amp; Outlet of STP.</li> </ul>
13	Consent Status	<p>Consent was issued to the industry vide RO letter no. F(Tech)/Alwar(Tijara)/2047(1)/2014-2015/212-214 dated 31.05.2016 valid upto 30.06.2020</p> <p>Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 30000/-, DD no.- 843940, Date-30.12.2017, Bank-Syndicate Bank)</p>
14	Status of compliance of consent condition (specifically relating to water pollution)	<p>Industry is not complying following Consent conditions.</p> <ul style="list-style-type: none"> <li>• Condition no. 13- <i>That the total water consumption shall not exceed from 513 KLD and industry shall obtain permission from Central Ground Water Authority for abstraction of Ground Water. In CGWA application form, industry has mentioned total fresh water requirement as 518KLD (513 KLD Ground Water &amp; 5KLD water supply from any other agency)</i></li> <li>• Condition no. 14- <i>That the industry shall achieve zero liquid discharge outside the premises by installation of Tertiary Reverse Osmosis and reject disposal system. Industry has not installed TRO and reject disposal system</i></li> <li>• Condition no. 17- <i>That the industry</i></li> </ul>

		<p><i>shall complete the remaining work of TRO &amp; reject disposal system and commence the same latest by 31.07.2016 to achieve ZLD, else the guarantee money of RS, 20,000/- be forfeited and stern action may be initiated against the industry. Industry never even initiated installation work of TRO &amp; reject disposal system &amp; hence bank guarantee may be forfeited.</i></p>
--	--	---

  
 (Praveen Kumawat)  
 RILCO Limited (Unit-I)

  
 (Neha Agarwal)  
 RSPCB, Bhiwadi

Countersignatures


  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	Ajanta Chemical Industries, 812/E-11, Phase -III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( $^{\circ}$ N)-28.203538 Longitude ( $^{\circ}$ E) -76.852404
3	Date of inspection	10.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. S.D. Bhardwaj (R&D Partner)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	Food Additives 120 MTPM
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well (02 Nos.)
(b)	Whether water meter installed for measuring quantity of water consumed	Yes
(c)	Details of water consumption by industry	Process. - (15 KLD) Boiler/Cooling. -(41 KLD) Domestic. -toilet and utility (5.0 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, 96 KLD permission application applied vide application no. 21-4/1202/RJ/IND/2017 dated 27.03.2017
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Supernatant after coupling process and allied activities (5.5 KLD)
		Other Effluents- Cooling of Machines (30 KLD)



		Domestic –Toilet/ Utilities (2.5 KLD)
(b)	Control measures	Trade – Carbon treatment to the TRO permeate and concentration to the RO rejects.
		Domestic– Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP, Operational  STP, NA
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, from the collection tank of carbon treatment facility for colour.
(e)	Mode of disposal of effluent	Trade –After carbon treatment industry use it for gardening and discharging in to RIICO drain whereas the hot water from boiler re-circulated after cooling.
		Domestic– Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	No water meter at inlet and outlet of ETP (carbon based treatment unit).
13	Consent status	The last CTO was issued to the industry vide letter no. F (SCMG)/Alwar (Tijara)/334 (1)/2016-2017/7837-7839 dated 20.10.2016 which is valid up to 31.05.2020. Industry has submitted the Environmental Compensation of Rs. 30,000 via DD no. 503912 on dated 28.12.2017.
14	Status of compliance of consent condition	Industry is complying with the consent conditions.
15	Remarks, if any	Industry has been advised to install water meter at inlet and outlet of ETP.

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer



## INSPECTION REPORT


1	Name & address of the industry	M/s Ajanta Soya Ltd., SP-916, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.197954 Longitude: 76.865537
3	Date of inspection	12.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Arun Tyagi, Senior Manager
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (Vegetable oils including solvent extraction and refinery/hydrogenated oils)
8	Product with consented capacity	Plastic Containers-1000 Nos./Day (15 Kg capacity each) Spent Earth-0.50TPD Tin Box-4000Nos./Day (15 Kg Capacity each) Vanaspati & Refined Oil-440TPD
9	Operational status	Operational (trial basis) Major fire accident occurred in industry in May-2017 causing huge loss to the plant & machinery. Industry recently resumed production activities on trial basis.
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well- 1No.
(b)	Whether water meter installed for measuring quantity of water consumed	Installed, Reading observed= 97901.10 KL
(c)	Details of water consumption by industry	Process.- Vessels washing/Floor Washing Domestic.-Drinking/Toilets/Other utilities. Other.- Cooling & Boiler
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application No. 21-4/4602/RJ/IND/2017 dated 29.06.2017 for 90 KLD



11	Effluent management	
(a)	Source of effluent generation	Process Effluent- From Vessels washing/ Floor washing
-		Other Effluents- Effluent generated from boiler blow down, cooling tower bleeds & Fresh water RO rejects
		Domestic -From Toilets/other utilities
(b)	Control measures	Trade – Industry has provided physico-chemical & biological treatment based Effluent Treatment Plant. ETP comprises of Collection Tank, O/G trap, Equalisation Tank, Dosing tanks, Primary Clarifier, Aeration Tank, Secondary Clarifier, Pressure Sand Filter & Activated carbon filter. Filter press is provided for dewatering of sludge. Industry has provided water meter at the outlet of ETP (Reading observed=4160.4 KL).
		Domestic-Industry has provided biological treatment based Sewage treatment Plant comprises of Collection Tank, MBBR, Buffer Tank, Pressure Sand Filter, Disinfection tank, Treated water collection Tank. STP was not operational at the time of inspection as industry is not operating on full capacity, for time being industry is discharging domestic effluent in septic tank followed by soak pit.
(c)	Operational Status of treatment facility	ETP. Operational STP. Non Operational
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, Outlet of ETP
(e)	Mode of disposal of effluent	Trade –Plantation/Horticulture. Surplus may be discharged into RIICO drain as industry has taken membership from CETP
		Domestic- STP treated water for Plantation/Horticulture. At present-Septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	<ul style="list-style-type: none"> <li>Industry is not maintaining log book of daily water abstraction &amp; ETP.</li> </ul>

		<ul style="list-style-type: none"> <li>Industry has installed one PNG fired Thermosiphon of 15 LacKCal/Hr without prior Consent of Board.</li> </ul>
13	Consent Status	<p>Consent was issued to the industry vide HO letter no. F(MUID)/Alwar(Tijara)/17(1)/2012-2013/3153-3155 dated 07.07.2017 valid upto 28.02.2022</p> <p>Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.- 27330, Date-05.01.2018, Bank-HDFC)</p>
14	Status of compliance of consent condition (specifically relating to water pollution)	As industry was not operating on full capacity, all consent conditions could not be verified.

  
 (Praveen Kumawat)  
 RIICO Limited (Unit-I)

  
 (Neha Agarwal)  
 RSPCB, Bhiwadi


Countersignatures


  
 (KC Gupta)  
 Regional Officer

### INSPECTION REPORT

1	Name & address of the industry	:	M/s Aksh Optifibre. Ltd., Plot no.- F-1075-1081, Phase- III, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°11'53.97997"N and 76°51'24.75983"E
3	Date of inspection	:	16/02/2018
4	Name & designation of inspecting official (s)	:	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Sanjeev Pathak (Process Associate- HR) 9649903377
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange (OR-23) i.e. DG set of capacity >1MVA <5 MVA as per office order dated 08/05/2018.
8	Product with consented capacity	:	Optical fibre @ 2500000 KM/ Annum Optical fibre cable @180000 KM/ Annum
9	Operational status	:	Operational
10	Raw/ fresh water management		
(a)	Source of raw/fresh water	:	i. RIICO water supply connection ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	:	Water meter provided at bore well and RIICO connection
(c)	Details of water consumption by industry	:	<b>Process:</b> Water is not directly used in the process. Allied activities/operations utilizing water are cooling tower and RO plant. <b>Domestic:</b> Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, Applied for abstraction of 18 KLD ground water vide application no. 21-4/2671/RJ/IND/ 2017 dated 30/05/2017.
11	Effluent management		
(a)	Source of effluent generation	:	Process Effluent- No effluent is generated from the process. Other Effluents- cooling tower blow down and RO plant regeneration
-		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade – NA Domestic- Currently industry is utilizing septic tank and soak pit for domestic wastewater and proposed to install STP of 30 KLD capacity, civil work of which has started.
(c)	Operational Status of treatment facility	:	ETP: Not required  STP: Not installed
(d)	Whether sample of effluent collected, if yes, point of collection	:	NA

(e)	Mode of disposal of effluent	:	Trade –Plantation & horticulture
			Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	:	
13	Consent status		CTO under Water & Air Act was issued vide RO letter no. F(Tech)/Alwar(Tijara)/659(1)/ 2010-2011/518-519 dated 17/10/2016 that is valid up to 31/12/2026.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Complied
15	Other observations		Industry has deposited environmental compensation of Rs. 30000/- (vide DD no. 760215 dated 06/01/2018, Union bank) in compliance to NGT orders.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi

Countersignatures  
 (KC Gupta)  
 Regional Officer


## INSPECTION REPORT

1	Name & address of the industry	M/s Alok Industries., Plot no.- A-1120, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	--
3	Date of inspection	03/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Anil Sharma (Accounts Manager) 9828865433
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green
8	Product with consented capacity	Plastic granules/polymers /master batch / compound @ 25380 MT PER ANNUM
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO Supply ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is not used in the process. Cooling water gets re circulated through chiller. Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 15 KLD ground water vide application no. 21-4/6403/RJ/IND/ 2017 dated 19/12/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- No effluent is generated from the process.
		Other Effluents- NA

		Domestic - Toilet /utilities
(b)	Control measures	Trade - NA
		Domestic-industry has installed STP of 05 KLD capacity for treatment of domestic waste water. Representative was advised to install water flow meter at inlet and outlet of STP.
(c)	Operational Status of treatment facility	ETP. Not required STP. Non- operational
(d)	Whether sample of effluent collected, if yes , point of collection	As STP was non operational during inspection, sample could not be collected.
(e)	Mode of disposal of effluent	Trade - NA
		Domestic- Plantation/ horticulture
12	Any shortcoming observed by joint team during inspection	No
13	Consent status	Consent under Water and Air Act was issued vide RO letter no. F (Tech)/Alwar (Tijara) /2428(1)/2015-2016/52-53 dated 18/03/2016 that is valid up to 28/02/2021.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 10000/- (vide DD no. 74164 dated 05/01/2018, Indian Overseas Bank) in compliance to NGT orders.

  
(Mahipal Singh)

RIICO Limited (Unit-I)

  
(Sharmila)  
RSPCB, Bhiwadi


Countersignatures


  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	:	M/s Alpha Services Pvt. Ltd., Plot no.- SP-531, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'27.20466"N and 76°50'57.92078"E
3	Date of inspection	:	19/02/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi S. S. Khoria , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Ganesh Baeja (AGM Administration) 9414013094
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange (G-23) i.e. Engineering and fabrication
8	Product with consented capacity	:	EOT Hot & Gantry crane @ 30 nos/year Fabrication and assembly work@ 1 per hr Mining and earth moving machinery @ 50 nos/year Mobile crane/ telescopic tower @ 100 nos/year
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply connection ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	:	No water meter provided at bore well
(c)	Details of water consumption by industry	:	<b>Process.</b> water is not used in the process. <b>Domestic.</b> As industry has not provided water meter at bore well, quantity of ground water abstracted for domestic purposes cannot be measured. Industry has been advised to install suitable water quantity measuring device/ meter. It is pertinent to mention that no condition in respect of quantity of water consumption/ abstraction has been imposed in CTO letter.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, Applied for abstraction of 4 KLD ground water vide application no. 21-4/4199/RJ/IND/ 2017 dated 12/06/2017.

11	Effluent management		
(a)	Source of effluent generation	:	Process Effluent- No effluent is generated from the process.
			Other Effluents- Not applicable as there is no source of effluent generation
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - NA
		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP. Not required  STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	:	NA
(e)	Mode of disposal of effluent	:	Trade -NA
			Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	:	
13	Consent status		CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/2646(1)/ 2015-2016/34-35 dated 11/03/2016.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Complied

  
 (S. S. Khoria)  
 DIC, Bhiwadi

  
 (Yogyata)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer




## INSPECTION REPORT

1	Name & address of the industry	M/s Alpha Woven Labels (India) Pvt. Ltd., Plot no.- B-1127, Phase- III, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°12'4.58687"N and 76°51'25.45042"E
3	Date of inspection	04/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Shiv Charan Singh Negi (Manager) 9166345349
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green
8	Product with consented capacity	Lace Embroidery @ 15,825,000.00 METER/ANNUUM
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	No water meter provided at bore well
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. water is not used in the process. Industry has not provided water meter at bore well, quantity of ground water abstracted for domestic purposes cannot be measured. Industry has been advised to install suitable water quantity measuring device/ meter.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not applied

Sharmila

†1	Effluent management	
(a)	Source of effluent generation	Process Effluent- No effluent is generated from the process.
		Other Effluents- Not applicable as there is no source of effluent generation
		Domestic - Toilet /utilities
(b)	Control measures	Trade – NA
		Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP. Not required STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade –NA
		Domestic- Septic tank and soak pit
12	Consent status	CTO under Water & Air Act was issued vide RO letter no. F (Tech)/Alwar (Tijara)/3975(1)/2016-2017/600-601 dated 28/12/2016 that is valid up to 31/07/2024.
13	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
14.	Remarks	Industry has not deposited environmental compensation in compliance to Hon'ble NGT orders for which SCN intending closure directions dated 19/04/2018 has been issued to the unit.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi


Countersignatures

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	M/s Alwar Pigments , 812/G-21 , RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.15805)
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 8.07458"N 76° 51' 3.08182"E
3	Date of inspection	:	25/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh Om Pal Singh 9214380900
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	Red
8	Product with installed capacity	:	Lead Oxide @ 2500MTPA.
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	No water meter at borewell
(c)	Details of Water consumption by industry	:	Process: No Effluent
		:	Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	No
11	Effluent management	:	
(a)	Source of generation	:	Process effluents- No Effluent
		:	Other Effluents- No Effluent.
		:	Domestic – Toilets & Utilities
(b)	Control measures	:	NA
		:	Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	:	NA
(d)	Whether sample of effluent collected, if yes, point of collection	:	NO

(e)	Mode of disposal of effluent	:	NA
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	:	No
13	Status of compliance of consent condition.		<p>Industry is complying with the conditions (specifically relating to water pollution) mentioned in revised CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/662(1)/2010-2011/1946-1948/963-964 dated 25/01/2016 and valid upto 31/03/2019.</p> <p>Industry also applied for CTE of enhance its production vide application no 199235 dated 13/12/2017</p>
14	Remarks		Representative was advised to apply for NOC from CGWA for withdrawal of ground water and provide water meter at tube well & maintain records now onwards.
15	Environment compensation		Unit have been deposit environment compensation of Rs 50000/- vide DD no 886389 of PNB dated 03/01/2018.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

631

## INSPECTION REPORT

1	Name & address of the industry	Anshul Strips Pvt. Ltd., SP-812/G1-62-63, Phase III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( $^{\circ}$ N)-28.204815 Longitude ( $^{\circ}$ E) -76.848258
3	Date of inspection	16.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Suresh Yadav (Accountant) 8432556599
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	S.S. Sheets (Patta Patti) 3120 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply connection ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Yes (bore well have digital meter but not working)
(c)	Details of water consumption by industry	Process : 18 KLD Domestic : 2.5 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, 8.50 KLD permission application applied vide application no. 21-4/1417/RJ/IND/2017 dated 01/04/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Pickling, S.S. sheet washing and rinsing. Other Effluents- Machine cooling Domestic -Toilet/ Utilities
(b)	Control measures	Trade - 1. Spent acid. - it is transported to SANF facility of CETP and is treated there. 2. Washing/rinsing water. - Physico-chemical treatment at effluent treatment plant. Domestic- septic Tank and soak pit
(c)	Operational Status of treatment facility	ETP: Operational



		STP. Not applicable
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, collection tank of ETP Outlet (collected on 26.04.2018)
(e)	Mode of disposal of effluent	Trade –Reused in washing/rinsing and cooling of machine and surplus/excess effluent is discharged in to RIICO drain leading to CETP.
		Domestic-Septic Tank and Soak pit
12	Any shortcoming observed by joint team during inspection	<ol style="list-style-type: none"> <li>1. DG set of 320 KVA doesn't have adequate stack.</li> <li>2. High smoke emission from liquid oil (LSHS) fired annealing furnace during the power failure.</li> <li>3. One Pickling section is running without proper scrubbing facility of acid fumes.</li> <li>4. ETP inlet has no water meter.</li> </ol>
13	Consent status	<p>The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijar)/2260(1)/2015-2016/214-216 on dated 27.04.2015 valid up to 28.02.2019.</p> <p>Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 82678 on dated 28.12.2017</p>
14	Status of compliance of consent condition	Industry is not complying with the consent conditions.
15	Recommendations	As per deficiencies noted above in point no. 12, Show Cause Notice may be issued to the industry.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sohan Lal)  
 RSPCB, Bhiwadi

Countersignatures


  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	Apex Plastics Pvt Ltd., B-495, Phase -I, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( <sup>o</sup> N)-28.214936 Longitude ( <sup>o</sup> E) -76.840234
3	Date of inspection	25.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Banwari Lal (Plant Head) 9828300245
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	Phenol Formaldehyde Resin 2400 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Yes
(c)	Details of water consumption by industry	Process, - 7 KLD Domestic, - 5 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, 12 KLD permission application applied vide application no. 21-4/1509/RJ/IND/2017 on dated 20.04.2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Reactor and washing and fume scrubber.
		Other Effluents- NA
		Domestic -Toilet/ Utilities
(b)	Control measures	Trade - Physicochemical treatment to the effluent
		Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP, Effluent generated was being stored / collected in the collection tank for onward treatment in ETP after collecting adequate quantity of effluent from one batch. STP, NA
(d)	Whether sample of effluent collected, if yes, point of collection	Yes, Two samples were collected 1 <sup>st</sup> Treated effluent collection tank and 2 <sup>nd</sup> outlet Activated charcoal



		filter.
(e)	Mode of disposal of effluent	Trade –After treatment at ETP water is being used for gardening purposes.
		Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	Nil
13	Consent status	The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/5020 (1)/2017-2018/6009-6011 on dated 26.09.2017 which is valid up to 30.06.2022. Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 012767 on dated 01.01.2018.
14	Status of compliance of consent condition	Industry is <del>not</del> complying with the consent conditions.
15	Remarks, if any	Nil

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures  
  
(KC Gupta)  
Regional Officer



1607

## INSPECTION REPORT

1	Name & address of the industry	:	M/s Aravali Premium Packing Pvt. Ltd., H-885, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 11' 54.92681"N 76° 52' 9.7252"E
3	Date of inspection	:	25/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Mr . Manoj (Representative of the new unit(Global Rotographics Pvt Ltd.) established on this plot )
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green
8	Product with consented capacity	:	
9	Operational status	:	Closed, Global Rotographics Pvt Ltd. established on this plot and the same has been applied for CTE and CTO under water act and Air Act on date 15/01/2018 with unit id 90995
10	Any shortcoming observed by joint team during inspection	:	--
11	Consent status	:	Acknowledgment under Water & Air Act was issued vide letter no. RPCB/AEEO/BWD/G-1607/909-910 dated 29/09/2013.
12	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	---

(Gurmeet Singh)  
RIICO Limited (Unit-I)

(KC Gupta)  
Regional Officer

(ShivLehari Meena)  
JEE RSPCB, Bhiwadi

## INSPECTION REPORT

1	Name & address of the industry	M/s Arham Enterprises, G1-971, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.196883 Longitude: 76.862579
3	Date of inspection	09.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Sharad Jain, Owner
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (Plastic Recycling)
8	Product with consented capacity	PVC Pipes-300MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well- 1 No. ii. RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	Yes, installed, Reading observed= 1263.26 KL
(c)	Details of water consumption by industry	Process.- No use Domestic.- Water is used for drinking/toilets/other utilities. Other.- Cooling tower
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application No. 21-4/4257/RJ/IND/2017 for 3 KLD

11	Effluent management		
(a)	Source of effluent generation	,	Process Effluent-Not generated
			Other Effluents- Not generated
		,	Domestic -From Toilets/other utilities
(b)	Control measures	,	Trade - NA
		,	Domestic-Septic Tank & soak pit
(c)	Operational Status of treatment facility	,	ETP. NA STP. NA
(d)	Whether sample of effluent collected, if yes , point of collection	,	No
(e)	Mode of disposal of effluent	,	Trade -NA
			Domestic- septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	,	--
13	Consent Status		Consent was issued vide RO letter no. F(Tech)/Alwar(Tijara)/4922(1)/2017-2018/203-204 dated 31.07.2017 valid upto 30.04.2027
14	Status of compliance of consent condition (specifically relating to water pollution)	,	Complied

RIICO Limited (Unit-I)

RSPCB, Bhiwadi

Countersignatures

(KC Gupta)

Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Areehant Roller Mills (P) Ltd., G-969, RIA, Bhiwdai
2	Coordinates of industry (in terms of latitude and longitude)	—
3	Date of inspection	09.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	—
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green (as per Acknowledgement letter)
8	Product with consented capacity	Aata, Suji, Maida-14250MT/annum
9	Operational status	Closed Industry was locked from outside. It seems no activity was going inside
10	Raw/ fresh water management	NA
(a)	Source of raw/fresh water	—
(b)	Whether water meter installed for measuring quantity of water consumed	—
(c)	Details of water consumption by industry	—
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	—
11	Effluent management	NA
(a)	Source of effluent generation	Process Effluent-
		Other Effluents-

		,	Domestic –
(b)	Control measures	,	Trade – NA
		,	Domestic-NA
(c)	Operational Status of treatment facility	,	NA
(d)	Whether sample of effluent collected, if yes , point of collection	,	NA
(e)	Mode of disposal of effluent	,	Trade –NA
			Domestic- NA
12	Any shortcoming observed by joint team during inspection	,	–
13	Consent Status	,	<ul style="list-style-type: none"> <li>• Acknowledgement was issued to the industry vide RO letter no. RPCB/RO/BWD/OR/1376/168-169 dated 27.01.2015</li> <li>• Industry has deposited Environmental compensation in compliance of NGT order dated 12.12.2017. (Amount- 10000, DD No. 394923, Date- 05.01.2018, Bank-Yes Bank)</li> </ul>
14	Status of compliance of consent condition (specifically relating to water pollution)	,	Industry was Closed

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures


  
(KC Gupta)  
Regional Officer


## INSPECTION REPORT


1	Name & address of the industry	M/s Arya Alloys (P) Ltd., B-824, Phase-II, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.202011 Longitude: 76.866369
3	Date of inspection	25.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. S.S. Khoria, DIO, DIC, Bhiwadi Sh. Praveen Kumawat, Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Rajkumar Bansal, Director
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (Industries engaged in recycling/reprocessing/recovery/reuse of hazardous waste under schedule IV of HW (M, H & TBM) Rules, 2008)
8	Product with consented capacity	Lead Alloys/Refined Lead-17,770 MTPA Lead Oxide-1500 MTPA
9	Operational status	Non Operational (owing to market recession)
10	Raw/ fresh water management	NA
(a)	Source of raw/fresh water	(i) Borewell- 1 No. (ii) RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	Installed, Reading observed-8694.5 KL In absence of log book, daily water abstraction cannot be estimated
(c)	Details of water consumption by industry	Process, Battery Washing Other, Scrubber Domestic, Toilets/Other Utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, applied Application no. 21-4/6292/RJ/IND2017 dated 17.12.2017 for 3.6 KL
11	Effluent management	NA



(a)	Source of effluent generation	Process Effluent- Batter Breaking, Washing
		Other Effluents-from scrubber
		Domestic -Toilets/other Utilities
(b)	Control measures	Trade - For treatment of trade & other effluents, industry has provided physico chemical based ETP comprises of collection tank, dosing tanks, settling tank, treated water collection tank, Pressure sand filter & carbon filter. Sludge drying beds for drying of sludge.
		Domestic-Septic Tank & Soak pit
(c)	Operational Status of treatment facility	ETP, Non Operational STP,NA
(d)	Whether sample of effluent collected, if yes , point of collection	No
(e)	Mode of disposal of effluent	Trade -NA
		Domestic- NA
12	Any shortcoming observed by joint team during inspection	Industry has been advised to maintain log book of daily water abstraction
13	Consent Status	Consent issued by HO letter no. G(HSW)/1000/3064(1)/2016-2017/7027-7029 dated 22.09.2016 valid upto 31.05.2018 Industry has deposited Environmental compensation in compliance of NGT order dated 12.12.2017 (Amount-50000, DD No.-7355, Date-04.01.2018, Bank-HDFC)
14	Status of compliance of consent condition (specifically relating to water pollution)	As industry was lying non operational from many days, all Consent conditions could not be verified

  
(S.S. Khorla)  
DIC, Bhiwadi

  
(Praveen Kumawat)  
RIICO Limited, Bhiwadi

  
(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer



## INSPECTION REPORT

1	Name & address of the industry	Aryan Industries, J-1299 (D), Phase -V, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( $^{\circ}$ N)-28.196403 Longitude ( $^{\circ}$ E) -76.872321
3	Date of inspection	05.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Mhommad Jafir Khan (Worker)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	Rubber compound and Rubber sheets 62 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	Yes
(c)	Details of water consumption by industry	Process. -NA Domestic. -0.3 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA
		Other Effluents- Cooling of machine





		,	Domestic –Toilet/ Utilities
(b)	Control measures	,	Trade – NA
		,	Domestic- septic Tank and soak pit
(c)	Operational Status of treatment facility	,	ETP, Not applicable  STP, Not applicable
(d)	Whether sample of effluent collected, if yes , point of collection	,	No
(e)	Mode of disposal of effluent	,	Trade – Recycling of hot water for reuse
			Domestic-Septic Tank and Soak pit
12	Any shortcoming observed by joint team during inspection	,	Fugitive emission in the open environment
13	Consent status		The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/4968 (1)/2017-2018 on dated 04.09.2017 which is valid up to 31.05.2017. Industry has submitted the Environmental Compensation of Rs. 30,000 via DD no. 797754 on dated 01.01.2018.
14	Status of compliance of consent condition	,	Industry is complying with the consent conditions
15	Recommendations		Industry has been advised to curb the fugitive emission while putting screen at chemical mixing area.

  
 8/6/18  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sohan Lal)  
 RSPCB, Bhiwadi

Countersignatures  
  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	Asha Enterprises, G1-1283, Phase -V, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.197393 Longitude ( <sup>0</sup> E) -76.871398
3	Date of inspection	:	05.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Fagu Ji (Guard)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green
8	Product with consented capacity	:	Jobbing and machining
9	Operational status	:	Closed
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Process: -NA Domestic: -NA
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NA
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- NA Other Effluents- NA
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - NA Domestic- septic Tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Not applicable STP: Not applicable
(d)	Whether sample of effluent collected, if yes, point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade - NA Domestic-Septic Tank and Soak pit

*[Signature]*

12	Any shortcoming observed by joint team during inspection	:	Industry doesn't submit the Environmental Compensation of Rs. 10,000.
13	Consent status		The acknowledgement was issued to the industry vide letter no. F (Ack) Alwar (Tijara)/29 (1)/2016-2017/2291-2292 on dated 24.05.2016. Industry doesn't submit the Environmental Compensation of Rs. 10,000.
14	Status of compliance of consent condition	:	Industry is closed.

*W. S. Singh*  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)

*Sohan Lal*  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures

*KC Gupta*  
(KC Gupta)  
Regional Officer


## INSPECTION REPORT

1	Name & address of the industry	M/s Ashirwad Oils Pvt. Ltd., Plot no.- E-374, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°12'16.19644"N and 76°52'3.67007"E
3	Date of inspection	23/05/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Mohit Kochar 9810125277
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	Jams/ Tomato / Ketchup / Sauces @ 600.00 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Yes
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is used for vessel washing and floor washing in the plant. Allied activities utilising water are cooling tower and RO plant Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Applied
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- vessel washing & floor washing. Other Effluents- Cooling tower (blow down), RO plant (regeneration)
		Domestic - Toilet /utilities
(b)	Control measures	Trade -Industry has installed ETP of 500 Litres/

		Batch capacity for treatment of trade effluent
		Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP. Non-Operational as ETP runs as batch type treatment system and at the time of inspection, there was insufficient quantity of wastewater in collection tank to run the ETP. STP. Not required
(d)	Whether sample of effluent collected, if yes, point of collection	Not collected
(e)	Mode of disposal of effluent	Trade -Plantation/ Horticulture etc
		Domestic- Septic tank and soak pit
12	Consent status	Consent to Operate under Water & Air Act was issued vide RO letter no. F (Tech)/Alwar (Tijara) /4959(1) /2017-2018/215-216 dated 16/08/2017 that is valid up to 31/03/2022.
13	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied, except submission of analysis report of treated waste water after installation of ETP. Representative was advised to submit analysis report within 15 days time to this office.
14	Remarks	Industry has deposited environmental compensation of Rs. 30000/- (vide DD no. 394904 dated 04/01/2018, Yes Bank) in compliance to NGT orders.

  
(Mahipal Singh)

RIICO Limited (Unit-I)

  
(Sharmila)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)

Regional Officer


2170.

# INSPECTION REPORT


1	Name & address of the industry	:	M/s Ashish Pigments and alloys P. Ltd, Plot no.-G-1/691, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'18.05483"N and 76°51'59.51376"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi , Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Prakash (supervisor) 9810021119 9Sh Kamal Kumar, owner)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red (R-34) i.e. hazardous waste reprocessing as per categorization dt 16.03.2018.
8	Product with consented capacity	:	Lead Ingots and lead alloys@7.5 TPD
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	:	--
(c)	Details of water consumption by industry	:	Process. 0.5 KLD (as per CTO application dt 29/11/2015)  Domestic. 01 KLD (as per CTO application dt 29/11/2015)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	--
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- waste water is generated from alkaline scrubber  Other Effluents- Not applicable as there is no source of effluent generation
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - Effluent treatment plant  Domestic-Septic tank and soak pit

(c)	Operational Status of treatment facility	:	ETP: Dismantled STP: Not required
(d)	Whether sample of effluent collected, if yes , point of collection	:	NA
(e)	Mode of disposal of effluent	:	Trade –plantation and other uses
			Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	:	Too much fugitive emissions were observed during inspection.
13	Consent status		CTO under Water & Air Act was issued vide HO letter no. F(HSW)/Alwar(Tijara)/1(1)/ 2008-2009/3153-3155 dated 08/06/2016 is valid upto 31/03/2019.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Not complying with condition no-11, 12, 13, 14, 15, 17, 19, 20, 21 of CTO letter dt. 08/06/2016.
15	Environment compensation		50,000/- vide DD no-960259 dt 03.01.2018.

  
 (Praveen Kumawat)  
 ASE, RIICO (Unit-I), Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures


  
 (KC Gupta)  
 Regional Officer


# INSPECTION REPORT


1	Name & address of the industry	Ashiana Ispat Limited , A-1116, Phase III, RIA, Bhiwadi. (industry id. 17518)
2	Date of inspection	09/01/2018
3	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB Mahipal Singh (Planning Assit), RIICO, Unit-I Dr. Ranjana (Deputy Director) DIC, Bhiwadi
4	Name & designation of person in presence of whom inspection is conducted	Sh. B.L. Goyal (Personal Manager)
5	Purpose of inspection	Verification of consent application under Water Act'74 and Air Act'81
6	Category	Red
7	Product with installed capacity	MS twisted Bars angle and Channel (450 TPD) Ingots (84 TPD)
8	Operational status	Operational
9	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well and RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes, water meter at Borewell and RIICO supply
(c)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, application no. 21-4/1444/RJ/IND/2017 submitted on 03/04/2017 for 22 m3/day
10	Consent Status	Last CTO was issued vide letter no-F(TechO/Alwar(Tijara)/678(1)/2010-2011/959-961 dated 26/08/2011 was valid up to 31.03.2016. Unit has applied for renewal of CTO on 27.09.2017.
11	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Unit is complying with conditions of last CTO.
12	Effluent management	
(a)	Source of generation	Trade- Water softener, cooling tank, induction




		furnace blow down.																				
		Domestic –toilet /utilities																				
(b)	Control measures	Trade – Neutralization																				
		Domestic- septic tank / Soak pit																				
(c)	Mode of disposal of effluent	Trade – Used for coal ash and ingot quenching																				
		Domestic- Gardening																				
13	Whether member of CETP	Yes																				
(a)	Status of payment of CETP O&M Charges	Industry has deposited for financial year 2017-18 to the BJPNT.																				
14	Emission management																					
(a)	Sources of air emission	Point Sources , 1. D.G. set 250 KVA 2. Induction furnace 3. Coal fired gasifire																				
		Fugitive Sources , Coal dumping yard without Screen																				
(b)	Emission control system	Adequate stacks and, Canopy																				
<table border="1"> <thead> <tr> <th>Source of emission</th> <th>Capacity</th> <th>Fuel &amp; qty</th> <th>Control measure</th> <th>Stack height &amp; infrastructure facility</th> </tr> </thead> <tbody> <tr> <td><i>Induction furnace</i></td> <td><i>8 TPH</i></td> <td><i>Electricity</i></td> <td><i>Stack</i></td> <td><i>Adequate</i></td> </tr> <tr> <td><i>DG</i></td> <td><i>250 kVA</i></td> <td><i>HSD</i></td> <td><i>Canopy and Stack</i></td> <td><i>Adequate</i></td> </tr> <tr> <td><i>Gasifire</i></td> <td><i>---</i></td> <td><i>Coal</i></td> <td><i>Stack</i></td> <td><i>adequate</i></td> </tr> </tbody> </table>			Source of emission	Capacity	Fuel & qty	Control measure	Stack height & infrastructure facility	<i>Induction furnace</i>	<i>8 TPH</i>	<i>Electricity</i>	<i>Stack</i>	<i>Adequate</i>	<i>DG</i>	<i>250 kVA</i>	<i>HSD</i>	<i>Canopy and Stack</i>	<i>Adequate</i>	<i>Gasifire</i>	<i>---</i>	<i>Coal</i>	<i>Stack</i>	<i>adequate</i>
Source of emission	Capacity	Fuel & qty	Control measure	Stack height & infrastructure facility																		
<i>Induction furnace</i>	<i>8 TPH</i>	<i>Electricity</i>	<i>Stack</i>	<i>Adequate</i>																		
<i>DG</i>	<i>250 kVA</i>	<i>HSD</i>	<i>Canopy and Stack</i>	<i>Adequate</i>																		
<i>Gasifire</i>	<i>---</i>	<i>Coal</i>	<i>Stack</i>	<i>adequate</i>																		
15	Any shortcoming observed by joint team during inspection	Nil																				
16	Other observation	Industry has deposited environmental compensation of Rs. 50,000/- in compliance to NGT orders on dated 12.12.2017.																				

  
Dr. Ranjana  
Dy. Director  
DIC, Bhiwadi

  
Mahipal Singh  
Planning Assistant  
RICO Limited (Unit-I)

  
Sohan Lal  
Jr. Scientific Officer  
RSPCB, Bhiwadi

**Recommendations.** In View of the above it is recommended that industry's application for consent to operate under Water Act, 1974 and Air Act, 1981 may be considered for grant with conditions as deemed appropriate.

  
(KC Gupta)  
Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Asiatic Drugs & Pharmaceuticals (P) Ltd., C-826, RIA, Phase-II, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates could not be taken as internet facility was suspended by Government on the date of inspection
3	Date of inspection	03.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Dr. Jagdeep Singh, President Technical
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (Pharmaceuticals excluding formulation)
8	Product with consented capacity	6 APA Intermediate-135 TPA 7 ADCA-100 TPA Amoxycillin Trihydrate-116.80 TPA Ampicillin Trihydrate-29.20 TPA Cephalexin Monohydrate-14.60 TPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well- 1 No. ii. RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	Installed, Reading observed= 2651 KL. As per log book, water consumption is around 6 KLD. Consented quantity of water consumption is 12 KLD.
(c)	Details of water consumption by industry	Process.- Water is used for material mixing/product washing/vessel washing/floor cleaning Domestic.- Drinking/Toilets/Other utilities.

		Other- Cooling, Boiler
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application No. 21-4/2970/RJ/IND/2017 for 12 KLD
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Effluent is generated from product washing/vessel washing/floor cleaning
		Other Effluents- Effluent generated from boiler blow down, cooling tower bleeds, scrubber rejects, softener regeneration
		Domestic -From Toilets/other utilities
(b)	Control measures	Trade - Industry has provided physico-chemical & biological treatment based Effluent Treatment Plant for the treatment of trade & other effluents. ETP comprises of Equalisation tank, Neutralization tank (dosing of caustic/acid for pH correction), Filter press (for dewatering of sludge generated from neutralisation), collection tank, dosing tanks (dosing of lime, polyelectrolyte& alum), Primary Clarifier, Surface aeration tank, Secondary clarifier, Pressure Sand Filter, Carbon filter, collection tank followed by Primary & Secondary RO. Permeate of both RO's is reused in plant. RO rejects are disposed through Solar cum forced evaporation with electric heaters. Sludge generated in treatment process is sent to CTDF, Udaipur  Industry has provided water meter at the inlet of ETP (Reading observed=1682 KL) & at the outlet of ETP (Reading observed=453 KL). As per log book, effluent generation is around 4-5 KLD
		Domestic-Septic Tank & soak pit
(c)	Operational Status of treatment	ETP. Operational

	facility	STP, NA
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, Outlet of ETP
(e)	Mode of disposal of effluent	Trade –Industry is maintaining ZERO liquid discharge system and reusing treated effluents in plant.
		Domestic- septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	-
13	Consent Status	Consent was issued to the industry vide HO letter no. F(SCMG)/Alwar(Tijar)/333(1)/2016-2017/8581-8583 dated 30.11.2016 valid upto 30.09.2021 Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.-082774, Date-04.01.2018, Bank-HDFC)
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

  
(Praveen Kumawat)  
RIICO Limited (Unit-I)

  
(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s ASP Enterprises (Old name-Rachna Strips Pvt. Ltd.). Plot no.- 1208 & 1208(A), RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°12'4.42066"N and 76°52'16.24058"E
3	Date of inspection	24/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Pulkit Garg (Senior Manager) 9999928272
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	S S SHEETS (PATTA PATTI) @ 3,000.00 TPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well ii. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	<b>Domestic-</b> Drinking, toilets & utilities <b>Process.</b> Water is used in pickling section (for preparation of pickling bath, alkaline scrubber, rinsing of pickled sheets, floor washing etc). Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 22 KLD ground water vide application no. 21-4/1140/RJ/IND/ 2017 dated 25/03/2017.


Sharmila

11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Process effluent is generated from pickling section as Spent acid & rinsing water, from floor washing and from alkaline scrubber effluent.
		Other Effluents- NA
		Domestic - Toilet /utilities
(b)	Control measures	Trade – Spent acid is transported to SANF facility of CETP and is treated there. Industry has installed physico- chemical based ETP of 05 KL/ Batch capacity for treatment of remaining wastewater. Water meter (turbine type) at recycle line of ETP has been installed by the industry and maintaining log book.
		Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP. Non-Operational STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	Not collected
(e)	Mode of disposal of effluent	Trade – Spent acid is transported to SANF facility of CETP and is treated there. Major portion of ETP treated waste water and sludge filtrate (after filter press) is recycled for washing/ rinsing, & other gainful purposes, and surplus treated water is drained out to RIICO drain leading to CETP.
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	No shortcoming was observed in respect of effluent generation, treatment & disposal
13	Consent status	Consent to Operate under Water & Air Act was issued vide RO letter no. F (Tech)/Alwar (Tijara) /3948(1)/2016-2017/504-505 dated 05/10/2016 that is valid up to 31/10/2019.


Shamili

14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 50000/- (vide DD no. 8883 dated 15/01/2018, HDFC Bank) in compliance to NGT orders.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi

Countersignatures


  
 (KC Gupta)  
 Regional Officer




## INSPECTION REPORT

1	Name & address of the industry	:	M/s B.S. Air-Tech P. Ltd, Plot no.-H-715, Sector-25, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'22.86504"N and 76°51'53.97042"E
3	Date of inspection	:	15/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi, S. S. Khoria, DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Jighar Singh (Supervisor)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange (OR-39) i.e. heavy engineering
8	Product with consented capacity	:	Air filters@ 4000 Nos/Annum Sheet metal fabrication@720MTPA
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	:	---
(c)	Details of water consumption by industry	:	Process: Water is not used for process. Domestic: 1 KLD as per CTO application dt 26.02.2016)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	--
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- N.A. Other Effluents- N.A. Domestic - Toilet /utilities
(b)	Control measures	:	Trade - N.A. Domestic-septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Not required  STP: Not required

(d)	Whether sample of effluent collected, if yes , point of collection	:	NA
(e)	Mode of disposal of effluent	:	Trade –N.A.
			Domestic– Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	:	--
13	Consent status		CTO under Water & Air Act was issued vide RO letter no. F(Tech)/Alwar(Tijara)/2694(1)/ 2016-2017/61-62 dated 28/04/2016 is valid upto 30/06/2021.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Complied in respect of effluent generation, treatment & disposal

  
 (S. S. Khoria)  
 DIC, Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi


Countersignatures


  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	M/s Baddi Foils Pvt. Ltd., Plot no.-A-590 B, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°13'11.35723"N and 76°51'9.1668"E
3	Date of inspection	15/03/2018
4	Name & designation of inspecting official (s)	Yogyata Singh, JEE, RPCB, Bhiwadi S. S. Khorla , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Satish Arora (Unit Head)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (OR-38) i.e. Gravure printing
8	Product with consented capacity	Aluminium blister foil@ 800 TPD Aluminium foil & laminates@800 TPD Slitted /printed GIP Paper@125 TPD
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	--
(c)	Details of water consumption by industry	Process, water is not used in the process. Domestic, 1.61 (as per CTO letter dt 30/11/2014)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	---
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- No effluent is generated from the process. Other Effluents- Not applicable as there is no source of effluent generation
		Domestic - Toilet /utilities
(b)	Control measures	Trade - NA Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP: Not required

		STP, Not required
(d)	Whether sample of effluent collected, if yes, point of collection	NA
(e)	Mode of disposal of effluent	Trade -NA
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	
13	Consent status	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/1825(1)/ 2015-2016/1893-1894 dated 22/01/2016..
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied in respect of effluent generation, treatment & disposal

  
 (S. S. Khorla)  
 DIC, Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures


  
 (KC Gupta)  
 Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Badri Vishal Steel Pvt. Ltd., F-440, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.11586 )
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 30.89308"N 76° 52' 1.58304"E
3	Date of inspection	20/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Mukesh Kumar 9261290737
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Red</u> Industries or process involving <u>metal surface treatment</u> or process such as pickling/plating/ electroplating/ paint stripping/ heat treatment/ phosphating or finishing and <u>anodizing/ enameling/galvanizing</u> as at serial no. 36 of Red category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	S.S. Sheets @ 3000 MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Tube well
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes, Industry has provided water meter at Tube well.
(c)	Details of Water consumption by industry	Process. Pickling Section(Spent Acid) and rinsing section(11KLD) Domestic.- toilet & utilities(2.5 KLD)
(d)	Whether application for withdrawal of ground water	No

	submitted to CGWA, if yes, details thereof		
11	Effluent management		
(a)	Source of generation		Process effluents- Pickling Section(Spent Acid) and rinsing section
			Other Effluents- cooling section
			Domestic – Toilets & Utilities
(b)	Control measures		Trade – Pickling Section (Spent Acid- the entire Effluent sent to SANF (Spent acid neutralisation Facility) for treatment and records Of effluent sent to SANF were maintained by the unit. Rinsing section :- Physio-chemical based ETP (10 KLD)
			Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility		Operational
(d)	Whether sample of effluent collected, if yes, point of collection		Yes, Outlet of ETP Sample submitted to Lab and analysis report awaited
(e)	Mode of disposal of effluent		Trade – Pickling Section(Spent Acid- the entire Effluent sent to SANF(Spent acid neutralisation Facility) for treatment Rinsing section: - A part of treated water is reuse and being used for other gainful purposes. Sludge generated from ETP disposed at CTDF, Udaipur.
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection		1. Maintenance of ETP was poor and Logbook of ETP, records of chemical dosing has not maintained. 2. Records of water abstraction from ground by tube well have not maintained

		3. Unit has not obtained NOC from CGWA for abstraction of ground water till date.
13	Status of compliance of consent condition.	Industry is complying with the conditions (specially related water pollution) mentioned in CTO letter issued by HO vide letter no F(MUID)/Alwar(Tijara)/362(1)/2013-2014/111-113/216-217 dated 06/05/2016 and valid up to 28/02/2019.
14	Environment compensation	Environment compensation of Rs 50000/- has been deposited vide DD no. 587220 dated 28/12/2017 of Kotak Mahindra Bank.

  
(ShivLehari Meena)  
JEE RSPCB, Bhiwadi

  
(Gurmeet Singh)  
RIICO Limited (Unit-I)

C/s

  
(KC Gupta)  
Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	M/s Balar Marketing (P) Ltd., E-8, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id:15774 )
2	Coordinates of industry (in terms of latitude and longitude)	Couldn't be taken due to network problem
3	Date of inspection	16/02/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Praveen Kumawat (ASE RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh. Aashish Jain (GM).
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Orange Wire Drawing and Netting as at serial no. 88 of Orange category (Annexure II) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Wire & Cables @ 500000 Metre/Day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well, Applied for NOC of abstraction of ground water(2 KLD) from CGWA vide application No. 21-4/6039/RJ/IND/2017
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	No flow meter at bore well
(c)	Details of Water consumption by industry	Process: NA Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	



(a)	Source of generation		Process effluents- Nil
			Other Effluents- cooling tower
(b)	Control measures	:	Domestic – Toilets & Utilities
		:	Trade –NA
			Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility		Operational
(d)	Whether sample of effluent collected, if yes, point of collection		NO
(e)	Mode of disposal of effluent	:	NA
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	:	NO
13	Status of compliance of consent condition.	:	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued this office letter no F(Tech)/Alwar(Tijara)/1(1)/2010-2011/200-201 dated 27/05/2016 valid upto 31/05/2021.
14	Environment compensation		Environment compensation of Rs 30000/- has been deposited vide DD no. 082683 dated 28/12/2017 of HDFC Bank.
15	Remarks	:	Representative was advised to provide water meter at tube well & maintain records now onwards.

  
 (Praveen Kumawat)  
 (ASE RIICO Bhiwadi Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (Anil Bairwa)  
 JSO RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT


1	Name & address of the industry	M/s Balakrishna Industries Ltd., SP-923, RIA, Phase-III, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude. 28.19782 Longitude. 76.865785
3	Date of inspection	25.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. S.S. Khoria, DIO, DIC, Bhiwadi Sh. Praveen Kumawat, Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Dr. Neeraj Zutshi, GM-HR
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Not identified
8	Product with consented capacity	Automotive Tyres- 11,40,800 Nos./Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well- 2 Nos.
(b)	Whether water meter installed for measuring quantity of water consumed	Installed, Reading observed- 284 KL and 2458KL respectively. As per log book, water consumption is around 160 KLD. Consented quantity of water consumption is 176 KLD.
(c)	Details of water consumption by industry	Process.- Water not used in process Domestic.-Drinking/Toilets/Canteen/Other utilities. Other.- Cooling & Boiler
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application No. 21-4/4927/RJ/IND/2017 for 176 KLD
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Not Generated


		Other Effluents- Effluent generated from boiler blow down, cooling tower bleeds, softener regeneration & RO rejects (Fresh water RO & Treated water RO)
-		Domestic -From Toilets/other utilities
(b)	Control measures	Trade - Industry has provided physico-chemical based Effluent Treatment Plant for the treatment of other effluents. ETP comprises of Collection Tank, O/G trap, Equalisation Tank, Dosing tank, tube settler, Buffer Tank, Dual Media Filter, Activated carbon filter followed by IInd stage RO. Industry has provided water meter at the outlet of ETP (Reading observed=9728 KL). As per log book, effluent generation is around 7-8 KLD. Consented Quantity is 9.5 KLD
-		Domestic-Industry has provided biological treatment based Sewage treatment Plant comprises of Bar Screen, O/G trap, Aeration Tank, Equalisation Tank, 2 Nos. Tube settler, Activated sludge settler, Treated water storage tank followed by Multi Grade Filter & Activated Charcoal filter. Industry has provided water meter at the outlet of ETP (Reading observed=2040.6 KL). As per log book, effluent generation is around 15 KLD. Consented Quantity is 17 KLD
(c)	Operational Status of treatment facility	ETP, Operational STP, Operational
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, Outlet of ETP & Outlet of STP
(e)	Mode of disposal of effluent	Trade -Reuse in boiler & cooling tower
		Domestic- Plantation/Horticulture RO rejects from treated water RO plant is also used for plantation
12	Any shortcoming observed by joint team during inspection	-


*[Signature]*

*[Signature]*

13	Consent Status	Consent was issued to the industry vide HO letter no. F(SCMG)/Alwar(Tijar)/2(1)/2010-2017/6640-6642 dated 14.09.2016 valid upto 30.04.2019 Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.- 489908, Date-02.01.2018, Bank-HDFC)
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

  
(S.S. Khoria)  
DIC, Bhiwadi

  
(Praveen Kumawat)  
RIICO Limited (Unit-I)

  
(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures


  
(KC Gupta)  
Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Bambino Agro Industries Ltd., G1-395, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.36116)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 22.93074"N 76° 52' 0.81494"E
3	Date of inspection	13/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Mr. Appalachari 8503881456
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Orange</u> Food and food processing units
8	Product with installed capacity	Pasta and pasta packaging (Roasted vermicelli and its packaging) @ 600 MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	NA
(c)	Details of Water consumption by industry	Process. Nil
		Others :- washing of floors
		Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of generation	Process effluents- Nil
		Other Effluents- washing of floors
		Domestic - Toilets & Utilities(1.6KLD)
(b)	Control measures	Trade -NA

		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	NO
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by HO vide letter no F(Tech)/Alwar(Tijara)/2640 (1)/2015-16/7-8/21-22 dated 05/04/2016 and valid up to 31/12/2020.
14	Environment compensation	Environment compensation of Rs 30000/- has been deposited vide DD no. 996709 dated 01/05/2018 of IOB Bank.

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi


  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (KC Gupta)  
 Regional Officer


INSPECTION REPORT

1	Name & address of the industry	:	M/s Banwari Chemicals Pvt. Ltd , B-522 , RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar Unit Id-15743
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 26.82652"N 76° 50 '52.85483"E
3	Date of inspection	:	26/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. D C Goyal (Plant Head) 9950014106
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	Red Industries or process involving <u>as Basic chemicals and electro chemicals and its derivatives including manufacturing of Acids</u> at serial no. 6 of red category (Annexure II) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	:	Essential oil and aromatic chemicals @ 5.20 tonne/day
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	Not installed
(c)	Details of Water consumption by industry	:	Process. No Effluent Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	No
11	Effluent management	:	
(a)	Source of generation	:	Process effluents- No Effluent

		Other Effluents- No Effluent.
		: Domestic – Toilets & Utilities(1.6 KLD)
(b)	Control measures	: NA
		Domestic-Septic tank & soak pit(1.6 KLD)
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	: NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	: No
13	Status of compliance of consent condition.	: Industry is complying with the conditions (specifically relating to water pollution) mentioned in Acknowledgment (letter issued to unit vide letter no F(CPM)/Alwar (Tijara)/2129(1)/2014-2015/1977-78 dated 18/03/2015 and valid up to 31/01/2020.
14	Environment compensation	Unit have been deposit environment compensation of Rs 50000/- vide DD no 044988 of Axis Bank dated 05/01/2018.
15	Remarks	Representative was advised to obtain NOC from CGWA for abstraction of ground water and provide water meter at tube well & maintain records now onwards.

  
(Gurmeet Singh)  
RIICO Limited (Unit-I)

  
(ShivLehari Meena)  
JEE RSPCB, Bhiwadi

C/S  
  
(KC Gupta)  
Regional Officer




## INSPECTION REPORT

1	Name & address of the industry	M/s Bhandari Homeopaths P. Ltd, Plot no.-G-1-679 RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°12'14.43283"N and 76°52'0.68725"E
3	Date of inspection	06/03/2018
4	Name & designation of inspecting official (s)	Yogyata Singh, JEE, RPCB, Bhiwadi, Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Supervisor (Shri.Suresh) was present. Construction work was going on. He informed that industry is sold to M/S <u>Rising projects India P. Ltd.</u>
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green (GR-5) i.e. ayurvedic and homeopathic medicine without boiler
8	Product with consented capacity	Homeopathic medicine
9	Operational status	Non-Operational
10.	Observations	Supervisor (Shri.Suresh) was present. Construction work was going on. He informed that industry is sold to M/S <u>Rising projects India P. Ltd.</u>
11.	Consent status	Acknowledgement for CTO under Water & Air Act was issued vide letter no. RPCB/RO/BWD/31/84-85 dated 14/05/2015.



(Praveen Kumawat)  
ASE, RIICO (Unit-I), Bhiwadi



(Yogyata Singh)  
RSPCB, Bhiwadi

## Countersignatures



(KC Gupta)

Regional Officer


## INSPECTION REPORT

1	Name & address of the industry	Bhansali Cables & Conductors (P) Ltd, B-816, Phase-II, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.203263 Longitude: 76.857325
3	Date of inspection	21.03.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <del>Junior Engineer</del> , RIICO Ltd., Unit-I, Bhiwadi <b>ASE</b>
5	Name & designation of person in presence of whom inspection is conducted	Sh. Sanjeev Kumar, DGM, Finance & Commercial
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (Wires & Cables)
8	Product with consented capacity	Co-Axial Cable- 7,130 Core Km/Annum PVC Copper Cable-5,630 Core Km/Annum Telecommunication Cable-3,000Core Km/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well- 1 No.
(b)	Whether water meter installed for measuring quantity of water consumed	Water meter was installed but it was not working at the time of inspection.
(c)	Details of water consumption by industry	Water is used for Drinking/Toilets/Other utilities Cooling water is recirculated & makeup is through distil water procured from outside
(d)	Whether application for	Submitted, Application No.

-	withdrawal of ground water submitted to CGWA, if yes, details thereof		21-4/6261/RJ/IND/2017
11	Effluent management		
(a)	Source of effluent generation	,	Process Effluent- Not generated
			Other Effluents- Not generated
		,	Domestic -From Toilets/Utilities
(b)	Control measures	,	Trade -Not Applicable
		,	Domestic-Industry has provided septic tank & soak pit.
(c)	Operational Status of treatment facility	,	Not Applicable
(d)	Whether sample of effluent collected, if yes , point of collection	,	No
(e)	Mode of disposal of effluent	,	Trade-Not Applicable
			Domestic- Industry has provided septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	,	Water meter installed at borewell was not working. Industry has been advised to replace the meter
13	Consent Status	,	CTO issued to the industry vide RO letter no. F(Tech)/Alwar(Tijara)/2623(1)/2015-2016/1659-1660 dated 20/01/2016 valid upto 30.09.2020

14	Status of compliance of consent condition (Specifically to water pollution)	Complied
----	---	----------

  
RIICO Limited (Unit-I)

  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer


## INSPECTION REPORT


1	Name & address of the industry	M/s Bhiwadi Metal Roll Well Pvt. Ltd. Plot no.- A-1131, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°12'3.76981"N and 76°51'10.52158"E
3	Date of inspection	25/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh.Varinder Single (Director) 9251051131
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	COLD ROLLED COILS @ 3,000.00 TON PER YEAR
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well ii. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	Electromagnetic water meter installed at bore well (30.05 m <sup>3</sup> )
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is used in :- 1) Pickling section (for preparation of pickling bath, alkaline scrubber, rinsing of pickled sheets, floor washing etc). 2) Cold rolling machine Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details	Yes, Applied for abstraction of 52 KLD ground water vide application no. 21-4/1225/RJ/IND/ 2017 dated 28/03/2017.

	thereof		
11	Effluent management		
(a)	Source of effluent generation		<p>Process Effluent- Process effluent is generated from pickling section, from floor washing and from alkaline scrubber.</p> <p>Aqueous coolant (mixed with cutting oil) gets re circulated at cold rolling machine.</p>
			Other Effluents- NA
			Domestic - Toilet /utilities
(b)	Control measures		<p>Trade -Industry has installed batch type physico- chemical based ETP for treatment of wastewater. Water meters (Electromagnetic) installed at the line carrying effluent from collection tank to dosing tank (meter reading 236.71 m<sup>3</sup>) and ETP outlet (meter reading 222.86 m<sup>3</sup>)</p>
			Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility		<p>ETP: Non-Operational at the time of inspection as ETP runs as batch type treatment system and at the time of inspection, there was insufficient quantity of wastewater in collection tank to run the ETP.</p> <p>STP: Not required</p>
(d)	Whether sample of effluent collected, if yes , point of collection		Not collected
(e)	Mode of disposal of effluent		<p>Trade - Rinsing of coils after pickling (Majorly used)/Gardening/ plantation/ RIICO drain leading to CETP.</p>
			Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection		No shortcoming was observed in respect of effluent generation, treatment & disposal
13	Consent status		Consent to Operate under Water & Air Act was issued vide RO letter no. F(Tech)/Alwar(Tijara)/4978(1)/2017-2018/251-252 dated


*Shamir*

		23/08/2017 that is valid up to 30/09/2022.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 50000/- (vide DD no. 385471 dated 05/01/2018, HDFC Bank) in compliance to NGT orders.

  
 (Mahipal Singh)  
 RICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	M/s Bhiwadi Polymers Ltd., G-284, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id. 50190)
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates couldn't be taken due to network problem
3	Date of inspection	06/04/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-1)
5	Name & designation of person in presence of whom inspection is conducted	Sh. Praveen Kumar(Plant Head) 7240407460
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Red
8	Product with installed capacity	Adhesive @12 tonne/Day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well,
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	No
(c)	Details of Water consumption by industry	Process: washing of kettle
		Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for NOC from CGWA for abstraction of 5KLD vide application NO.21-4/1374/RJ/IND/2017 dated
11	Effluent management	
(a)	Source of generation	Process effluents - washing of kettle
		Other Effluents- cooling tower
		Domestic - Toilets & Utilities
(b)	Control measures	Trade - Physico- Chemical Based ETP(20 KLD)
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Not Operational owing to insufficient quantity of



		effluent. Operation of ETP is subjected to generation of trade effluent. As effluent gets generated in batches, ETP is operated only when sufficient quantity of effluent getting accumulated in collection tank
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	ETP treated water is reuse and used in plantation and other gainful purposes
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	Unit has not maintained record of Energy consumption, ETP operation, chemical dosing and ground water abstraction from tubewell.
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued this office letter no F(tech)/Alwar(tijara)/1870(1)/2013-14/2528-3530 dated 15/06/2016
14.	Remarks	Representative was advised to maintain record of Energy consumption, ETP operation, chemical dosing and ground water abstraction from tube well.



(Gurmeet Singh)  
RIICO Unit-1, Bhiwadi



(ShivLehari Meena)  
JEE RSPCB, Bhiwadi



(Anil Bairwa)  
JSO RSPCB, Bhiwadi



(KC Gupta)  
Regional Officer


INSPECTION REPORT

1	Name & address of the industry	:	Bhushan Building System Pvt Ltd., J-1413, Phase - V, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.192246 Longitude ( <sup>0</sup> E) -76.870600
3	Date of inspection	:	09.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Ms. Shobhita Mishra (Director)-9983345142
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green
8	Product with consented capacity	:	UPVC windows and door 72000 feet <sup>2</sup> /Year
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Process: NA Domestic: -toilet and utility
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NA
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- NA Other Effluents- NA
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - NA Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	:	NA
(e)	Mode of disposal of effluent	:	Trade - NA Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	:	Nil



13	Consent status	The Acknowledgement was issued to the industry vide letter no. RPCB/RO/BWD/OR-1408/2908 on dated 29.01.2014. Industry has submitted the Environmental Compensation of Rs. 10,000 via DD no. 168077 on dated 05.01.2018.
14	Status of compliance of consent condition	: Industry is complying with the consent conditions.
15	Remarks, if Any	Nil

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	M/s Bon Lon Steels P. Ltd, Plot no.-G-1-663, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°13'5.16936"N and 76°51'42.49584"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi , Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Sanjay Raina (Production Engineer) 8955097125
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red (R-21) i.e. ferrous and non ferrous metal extraction
8	Product with consented capacity	:	Copper wire and rods@14000 TPA
9	Operational status	:	Non Operational due to non availability of raw material
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	:	--
(c)	Details of water consumption by industry	:	<b>Process.</b> water is not used in the process. <b>Domestic.</b> As industry has not provided water meter at bore well, quantity of ground water abstracted for domestic purposes cannot be measured. Industry has been advised to install suitable water quantity measuring device/ meter.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- Not applicable as there is no source of effluent generation
		:	Other Effluents- Not applicable as there is no source of effluent generation
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - NA
		:	Domestic-Septic tank and soak pit

(c)	Operational Status of treatment facility	:	ETP: Not required  STP: Not required
(d)	Whether sample of effluent collected, if yes , point of collection	:	NA
(e)	Mode of disposal of effluent	:	Trade –NA
			Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	:	
13	Consent status	:	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/1168(1)/ 2012-2013/4950-4962 dated 29/08/2017 is valid upto 31/07/2022.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Unit has not provided water meter at bore well and not maintaining record of water withdrawal.

  
(Praveen Kumawat)

ASE, RIICO (Unit-I), Bhiwadi

  
(Yogyata Singh)

RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)


Regional Officer


INSPECTION REPORT


1	Name & address of the industry	M/s Bontan cables India (P) Ltd., A-114-115, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id:22577)
2	Coordinates of industry (in terms of latitude and longitude)	28.21461573N 76.85810956E
3	Date of inspection	04/04/2018
4	Name & designation of inspecting official (s)	Anil Bairwa( JSO RSPCB, Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Mr. Gaurav
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Orange</u>
8	Product with installed capacity	Wire and cable (bunching &PVC insulation coating only) @ 1375000.00 core km/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes
(c)	Details of Water consumption by industry	Process: Nil
		Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes , Applied for NOC from CGWA fro abstraction of 4 KLD ground water vide application no. 21-4/ 2211/RJ/IND/2017 dated 27.05.2017.
11	Effluent management	
(a)	Source of generation	Process effluents- Nil
		Other Effluents- cooling section
		Domestic – Toilets & Utilities(1.6KLD)
(b)	Control measures	Trade –NA
		Domestic-Septic tank & soak pit

(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	NO
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by HO vide letter no F(HSW)/Alwar (Tijara)/2112 (1)/2014-15/92-93 dated 29/05/2017 and valid up to 28/02/2027.
14	Environment compensation	Environment compensation of Rs 30000/- has been deposited vide DD no. 082733 dated 02/01/2018 of HDFC Bank
15	Remark	Representative was advised to Maintain of abstraction of ground water

  
(ShivLehari Meena)  
JEE RSPCB, Bhiwadi

  
(Anil Bairwa)  
JSO RSPCB, Bhiwadi

  
(Gurmeet Singh)  
RIICO Limited (Unit-I)

  
(KC Gupta)  
Regional Officer

()

## INSPECTION REPORT


1	Name & address of the industry	:	M/s BRC Metals (P) Ltd., G1-391, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id:67480)
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 25.88242"N 76° 52' 2.98315"E
3	Date of inspection	:	13/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Rohitash Sharma (Supervisor) 911576162
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	Orange
8	Product with installed capacity	:	S.S Pipes @ 3.65m tonne/Day.
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	No water meter at bore well
(c)	Details of Water consumption by industry	:	Process: cooling purpose(recycling)
		:	Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NO
11	Effluent management	:	
(a)	Source of generation	:	Process effluents- No Effluent
		:	Other Effluents- No Effluent.
		:	Domestic – Toilets & Utilities
(b)	Control measures	:	NA
		:	Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	:	NA
(d)	Whether sample of effluent collected, if yes, point of collection	:	NO



(e)	Mode of disposal of effluent	:	NA
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	:	No
13	Status of compliance of consent condition.	:	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/2434 (1)/2015-2016/394-395 / dated 05/08/2016 valid upto 30.06.2026.
14	Environment compensation		Environment compensation has not deposited by the unit.
14	Remarks	:	Representative was advised to apply for NOC from CGWA for withdrawal of ground water and provide water meter at tube well & maintain records now onwards.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)


  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi


  
  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	M/s Bright Thermopack Pvt Ltd.(Ujjaval Packaging), F-448, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.14740)
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 33.87838"N 76° 51'58.81003"E
3	Date of inspection	:	20/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Mr Amit Yadav 7023333767
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	<u>Orange</u> Industries or process involving as <u>Thermocol</u> <u>manufacturing (with boiler)</u> at serial no. 80 of orange category (Annexure II) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	:	Tharmocol packging ,Boxes and Sheets @ 300 tonne/annum.
9	Operational status	:	Operational
10	Raw/ fresh water management		
(a)	Source of raw/fresh water	:	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	No.
(c)	Details of Water consumption by industry		Process: cooling section Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof		No
11	Effluent management		
(a)	Source of generation		Process effluents- No Effluent

		Other Effluents- cooling section
		: Domestic – Toilets & Utilities
(b)	Control measures	: NA
		: Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	: NA
(d)	Whether sample of effluent collected, if yes, point of collection	: NO
(e)	Mode of disposal of effluent	: NA
		: Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	: No
13	Status of compliance of consent condition.	: Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/2374(1)/2015-2016 /139-140 dated 11/05/2016 valid up to 31/03/2020.
14	Environment compensation	: Environment compensation of Rs 30000/- has been deposited vide DD no. 394921 dated 05/01/2018 of Yes Bank.
15	Remarks	: Representative was advised to obtain NOC from CGWA for abstraction of ground water and provide water meter at tube well & maintain records now onwards.


  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)


  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s British Health Products (India) Ltd, Plot no.-A-581 (B), RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°13'10.07717"N and 76°50'48.49984"E
3	Date of inspection	19/02/2018
4	Name & designation of inspecting official (s)	Yogyata Singh, JEE, RPCB, Bhiwadi S. S. Khorla , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	. Industry was closed and locked. Only guard (Shri. Mahesh) was present. He informed that industry is lying closed from September, 2017.
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (OR-) i.e. ayurvedic and homeopathic medicine
8	Product with consented capacity	Ayurvedic powder/granules @ 800 Kg/day Ayurvedic syrup @ 3200 Lit/day Ayurvedic tablet @ 2.50 lacs no/day Food products-powder @ 5500 kg/day
9	Operational status	Non-Operational from September, 2017
10.	Observations	Industry was closed and locked. Only guard (Shri. Mahesh) was present. He informed that industry is lying closed from September, 2017.
11.	Consent status	CTO under Water & Air Act was issued vide letter no. F(Tech)/Alwar(Tijara)/735(1)/ 2010-2011/969-971 dated 20/09/2013 is valid upto 30/06/2018.

  
(S. S. Khorla)  
DIC, Bhiwadi

  
(Yogyata Singh)  
RSPCB, Bhiwadi


Countersignatures

  
(KC Gupta)  
Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Bry-Air (Asia) (P) Ltd., A-351 , RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar
2	Coordinates of industry (in terms of latitude and longitude)	Couldn't be taken due to network problem
3	Date of inspection	12/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh. Mukesh Kumar(research chemist) 72230014496
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Green
8	Product with installed capacity	Manufacturing of GPF media@ 7.5 tonne/month
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Out sourced
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	NA
(c)	Details of Water consumption by industry	Process. No Effluent
		Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of generation	Process effluents- No Effluent
		Other Effluents- No Effluent.
		Domestic – Toilets & Utilities
(b)	Control measures	NA
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected.	NO

	if yes, point of collection		
(e)	Mode of disposal of effluent	:	NA
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	:	NO
13	Status of compliance of consent condition.		Industry is complying with the conditions mentioned in Acknowledgement letter issued to unit vide letter no F(Ack)/Alwar (Tijara)/2981(1)/2016-2017/8074-8076 dated 03/11/2016.
14	Environment compensation		Environment compensation of Rs 10000/- has been deposited vide DD no. 859373 dated 20/01/2018 of Indusland Bank

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Uttam Plastomers (P) Ltd. (Old Name-Bunty Steel), G-1006, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.19572 Longitude: 76.858771
3	Date of inspection	11.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, RIICO Ltd., Unit-I, Bhiwadi Sh. S.S. Khorla, DIO, DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Praveen Suneja, Director
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (Synthetic Rubber and foam molding)
8	Product with consented capacity	Micro Cellular Rubber Sheet & EVA Plastic Sheet-3000 MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well- 1 No.
(b)	Whether water meter installed for measuring quantity of water consumed	Not installed
(c)	Details of water consumption by industry	Water is used for Drinking/toilets/Other utilities Water is also used for cooling purpose.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application No. 21-4/1421/RJ/IND/2017 for 7 KLD
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Not generated

		Other Effluents- Not generated
		Domestic –From Toilets/other utilities
(b)	Control measures	Trade – Not Applicable
		Domestic–Septic Tank & soak pit
(c)	Operational Status of treatment facility	Not Applicable
(d)	Whether sample of effluent collected, if yes , point of collection	Not Applicable
(e)	Mode of disposal of effluent	Trade –Not Applicable
		Domestic- septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	<ul style="list-style-type: none"> <li>Water meter not installed at the borewell.</li> <li>Industry has not provided adequate infrastructure facilities for monitoring at the stack attached with Thermic Fluid Heater.</li> <li>Industry has installed a new DG set of 250 KVA without prior Consent of Board.</li> </ul>
13	Consent Status	Consent was issued to the industry vide RO letter no. F(Tech)/Alwar(Tijara)/1537(1)/2015-2016/1615-1616 dated 19.01.2016 valid upto 30.06.2019
13	Status of compliance of consent condition (specifically relating to water pollution)	Complied

DIC, Bhiwadi

RIICO Limited (Unit-I)

RSPCB, Bhiwadi

Countersignatures

(KC Gupta)


Regional Officer




INSPECTION REPORT

1	Name & address of the industry	M/s C. L. Industries, G-425 , RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id:54640)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 29.51348N 76° 51' 49.6507E
3	Date of inspection	20/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Ganesh 9929788865
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Red
8	Product with installed capacity	Lead and Lead Alloys pure Lead @ 60,000 MTPA.
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Not applicable
(c)	Details of Water consumption by industry	Process. No Effluent
		Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not applicable
11	Effluent management	
(a)	Source of generation	Process effluents- No Effluent
		Other Effluents- No Effluent.
		Domestic-Toilets & Utilities
(b)	Control measures	Not applicable
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Not applicable
(d)	Whether sample of effluent collected, if yes, point of collection	NO

(e)	Mode of disposal of effluent	: NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	: Fume hood was dismantled from the melting pot, so working of other pollution control devices was meaningless.
13	Status of compliance of consent condition.	Industry is not complying with the conditions mentioned in revised CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/2853(1)/2015-2016/1264-1265 dated 05/11/2015 and valid upto 31/03/2020.
14	Environment compensation	Unit have been deposit environment compensation of Rs 50000/- vide DD no 168070 of PNB dated 15/01/2018.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer


INSPECTION REPORT

1	Name & address of the industry	Cachet Pharmaceutical Ltd., C-582, Phase -I, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( <sup>o</sup> N)-28.220493 Longitude ( <sup>o</sup> E) -76.847745
3	Date of inspection	25.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Vijay Shankar Rai (Guard) 9672388323
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	
9	Operational status	Closed
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	NA
(c)	Details of water consumption by industry	Process. - NA Domestic. - NA
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA Other Effluents- NA Domestic -NA
(b)	Control measures	Trade - NA Domestic- NA
(c)	Operational Status of treatment facility	ETP: NA STP: NA



(d)	Whether sample of effluent collected, if yes , point of collection	No
(e)	Mode of disposal of effluent	Trade –NA
		Domestic– NA
12	Any shortcoming observed by joint team during inspection	NA
13	Consent status	The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/2446 (1)/2015-2016/659-660 on dated 05.08.2015 which was valid up to 31.12.2017. Industry hasn't deposited the Environmental Compensation of Rs. 50,000.
14	Status of compliance of consent condition	NA
15	Remarks, if Any	Industry found closed

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sohan Lal)  
 RSPCB, Bhiwadi


Countersignatures


  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	M/s Capital Ispat Ltd, E-136 , RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.1338)
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates couldn't be taken due to network problem
3	Date of inspection	04/04/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh. Anadi Prashad Shahi
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Orange (Sr. No 92)
8	Product with installed capacity	MS sections (Angles) @ 25000.00 MT/annum.
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Not installed
(c)	Details of Water consumption by industry	Process. No Effluent
		Others.- cooling tower
		Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for NOC from CGWA vide application NO.21-4/3581/RJ/IND/2017 dated 31/05/2017
11	Effluent management	
(a)	Source of generation	Process effluents- No Effluent
		Other Effluents- No Effluent.
		Domestic – Toilets & Utilities
(b)	Control measures	NA

			Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility		NA
(d)	Whether sample of effluent collected, if yes, point of collection		NO
(e)	Mode of disposal of effluent		NA
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection		No
13	Status of compliance of consent condition.		Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/413(1)/2010-11/574-575 dated 16/12/2016 and valid upto 30.06.2027.
14	Environment compensation		Environment compensation of Rs 30000/- has been deposited vide DD no. 212046 dated 05/01/2018 of Karur Vysya Bank
15	Remarks		Representative was advised to provide water meter at tube well & maintain records now onwards.

  
(Gurmeet Singh)  
RIICO Limited (Unit-I),

  
(Anil Bairwa)  
JSO RSPCB, Bhiwadi


  
(ShivLehari Meena)  
JEE RSPCB, Bhiwadi


  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Capri Transformers Pvt. Ltd., Plot no.- G-1055, Phase- III, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°11'39.7959"N and 76°51'25.05643"E
3	Date of inspection	14/02/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Sunil (Manager) 9887387270
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green (G-34) i.e. Electrical and Electronic items Assembling.
8	Product with consented capacity	Assembling of Electronic Voltage Corrector & Its Parts upto 15000 NOS./MONTH
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply connection ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	No water meter provided at bore well
(c)	Details of water consumption by industry	Process, water is not used in the process. Domestic, As industry has not provided water meter at bore well, quantity of ground water abstracted for domestic purposes cannot be measured. Industry has been advised to install suitable water quantity measuring device/ meter. It is pertinent to mention that no condition in respect of quantity of water consumption/ abstraction has been imposed in acknowledgement for CTO
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 0.80 KLD ground water vide application no. 21-4/2161/RJ/IND/ 2017 dated 25/05/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- No effluent is generated from the process.

		Other Effluents- Not applicable as there is no source of effluent generation
		Domestic - Toilet /utilities
(b)	Control measures	Trade - NA
		Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP, Not required  STP, Not required
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade -NA
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	
13	Consent status	Acknowledgement under Water & Air Act was issued vide HO letter no. F(Ack)/Alwar(Tijara)/2965(1)/2016-2017/5902-5904 dated 22/09/2017
13	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied

  
 8/6/18  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer




INSPECTION REPORT

1	Name & address of the industry	Care Utility Products (P) Ltd., E-1263, Phase I, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( <sup>o</sup> N)-28.218745 Longitude ( <sup>o</sup> E) -76.871081
3	Date of inspection	21.03.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Girish Kumar (Plant Head)-840048200
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green
8	Product with consented capacity	Blade & Raiser (cutting & Packaging) 26,500,000 Nos./year
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply connection ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Yes, (damaged)
(c)	Details of water consumption by industry	Process. -NA Domestic. -04 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	No
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA Other Effluents- NA Domestic -Toilet/ Utilities
(b)	Control measures	Trade - NA



		:	Domestic- septic Tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Not applicable  STP: Not applicable
(d)	Whether sample of effluent collected, if yes , point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade – NA
			Domestic-Septic Tank and Soak pit
12	Any shortcoming observed by joint team during inspection	:	1. DG set of 320 KVA with inadequate stack 2. No CGWA permission for groundwater abstraction.
13	Consent status		The Acknowledgement was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/2321 (1)/2015-2016/492-493 dated 16.07.2015. Industry has submitted the Environmental Compensation of Rs. 10,000 via DD no. 760225 on dated 18.01.2018.
14	Status of compliance of consent condition	:	Industry is not complying with the consent conditions.
15	Recommendations		As per deficiencies noted above in point no. 12, Show Cause Notice may be issued to the industry.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sohan Lal)  
 RSPCB, Bhiwadi

Countersignatures


  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	M/s Casablanca Industries Pvt. Ltd., Plot no -SPA-500 B, RIA, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.30581)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 22. 5216"N 76° 52' 9. 82956"E
3	Date of inspection	04/05/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Anil Tiwari (Maintenance Manager )
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Orange</u> Engineering & Fabrication units as mentioned at serial no. 23 of Orange category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/10548-10587 dated 07/03/2013 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Aluminium canes @ 60 Million nos/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well- 01
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes, Water meter provided at Bore well
(c)	Details of Water consumption by industry	Process. NIL Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for NOC from CGWA for abstraction of 30 KLD ground water vide application no 21-4/1272/RJ/IND/2017.

11	Effluent management	
(a)	Source of generation	Process effluents- Washing of aluminium canes
		Other Effluents- RO Rejects, & Softening water regeneration
		Domestic – Toilets & Utilities
(b)	Control measures	Trade –Physico chemical based ETP
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Operational
(d)	Whether sample of effluent collected, if yes, point of collection	NA
(e)	Mode of disposal of effluent	Treated water is used in plantation/horticulture and other uses
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	NO
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by HO vide letter no F(Tech)/Alwar(Tijara)/1096(1)/2011-2012/1660-1661 dated 16/01/2015. Which was valid upto 31-12-2017.
14	Environmental compensation	Environmental compensation of Rs. 30000/- has been deposited vide DD no. 501018 dated 16/01/2018 (ICICI Bank)
15	Remarks <ul style="list-style-type: none"> <li>Rep. of industry was advised to maintain record of daily consumption of chemicals used in ETP.</li> <li>Rep. of industry was advised to maintain record /logbook of daily treated water.</li> </ul>	

  
(Gurmeet Singh)  
RIICO Limited (Unit-I)

  
(Anil Bairwa)  
JSO RSPCB, Bhiwadi


C.S  
  
(KC Gupta)  
Regional Officer


1625

## INSPECTION REPORT

1	Name & address of the industry	M/s Chakradhari Wheels Pvt Ltd., SPL-1K, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id. Not mentioned)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12'36.2286"N 76°51'6.2766"E
3	Date of inspection	04/05/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Sanjay Doulat (Prop.)
6	Purpose of inspection	Verification of consent application under Water Act'74 and Air Act'81
7	Category	Green, At mentioned in serial no 47, (i.e. Jobbing and machining) of office order dated 07/03/2017
8	Product with installed capacity	Machining work on wheel, wheel sets, turned steel, axels of railway items @ 3000MTPA
9	Operational status	Closed
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	-
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	-
(c)	Details of water consumption by industry	
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	-
11	Effluent management	
(a)	Source of generation (i)	Trade- -
		Domestic --
(b)	Control measures	Trade - -
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Trade - -
(d)	Whether sample of effluent collected if	Domestic- Septic tank & soak pit.

	yes, point of collection		
(e)	Mode of disposal of effluent	:	-
12	Any shortcomings observed by joint team during inspection	:	-
13	Status of compliance of consent condition	:	
14	Environmental compensation	:	Environmental compensation of Rs. 10000/- has been deposited vide DD no. 168071 dated 05/01/2018 (Bank of Baroda)
15	Remarks Industry was found closed during the inspection.		

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (Anil Bairwa)  
 JSO RSPCB, Bhiwadi

C.S  
  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT


1	Name & address of the industry	M/s Chandraprabhu Industries Pvt. Ltd., Plot no.- E-1111, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°11'54.77428"N and 76°51'21.40117"E
3	Date of inspection	12/03/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Mukesh Jain (Director) 9549013000
6	Purpose of inspection	Verification of compliance of conditions of acknowledgement issued by State Board
7	Category	Green
8	Product with consented capacity	Corrugated Boxes @ 9000 Nos./ Day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is not used in the process.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- No effluent is generated from the process. Other Effluents- NA
		Domestic - Toilet /utilities
(b)	Control measures	Trade - NA Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP. Not required

Sharmila


		STP: Not required
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade – NA
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	No shortcoming was observed in respect of effluent generation, treatment & disposal
13	Consent status	Acknowledgement under Water Act was issued vide RO letter no. RPCB/ RO/ BWD/ Green-1572/ 1161-62 dated 14/06/2013
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 10000/- (vide DD no. 0 82825 dated 05/01/2018, HDFC Bank) in compliance to NGT orders.

  
(Mahipal Singh)

RIICO Limited (Unit-I)

  
(Sharmila)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer



## INSPECTION REPORT

1	Name & address of the industry	M/s Chawla Polychem, F-1041, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.194548 Longitude: 76.858449
3	Date of inspection	11.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. S.S. Khoria, DIO, DIC, Bhiwadi Sh. Praveen Kumawat, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Ashok Kumar, Accountant
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (Basic chemicals and electro chemicals and its derivatives including manufacturing of acids, small and tiny scale units)
8	Product with consented capacity	UF & MF Moulding Powder – 300 Ton /Month
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well- 1 No.
(b)	Whether water meter installed for measuring quantity of water consumed	Not installed
(c)	Details of water consumption by industry	Process: No use Domestic: Drinking/toilets/Other utilities Other: cooling tower
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Submitted, Application No. 21-4/5220/RJ/IND/2017

11	Effluent management		
(a)	Source of effluent generation		Process Effluent- Not generated
			Other Effluents- Not generated
			Domestic –From Toilets/other utilities
(b)	Control measures		Trade – Not Applicable
			Domestic-Septic Tank & soak pit
(c)	Operational Status of treatment facility		Not Applicable
(d)	Whether sample of effluent collected, if yes , point of collection		Not Collected, discharge not observed at the time of inspection
(e)	Mode of disposal of effluent		Trade –Not Applicable
-			Domestic- septic tank & soak pit
12	Any shortcoming observed by joint team during inspection		<ul style="list-style-type: none"> <li>• Industry has provided centralised fume collection system but it was not working and not connected with the process.</li> <li>• Pungent fumes of formaldehyde felt in whole premises.</li> <li>• Water meter not installed at the borewell.</li> </ul>
13	Consent Status		<ul style="list-style-type: none"> <li>• Consent was issued to the industry vide RO letter no. F(Tech)/Alwar(Tijara)/2247(1)/2015-2016/171-172 dated 23.04.2015 which was valid till 31.01.2018</li> <li>• Industry has applied Consent to Establish for Resin-100 MT/Month &amp; UF &amp; MF Moulding powder-3000 MT /Annum</li> </ul>

*[Signature]*

*[Signature]*

		<ul style="list-style-type: none"> <li>Industry has deposited Environmental compensation in compliance of NGT orders dated 12.12.2017 (Amount-Rs.50000/-, DD No. 258936, Date-01.01.2018, Bank-OBC)</li> </ul>
13	Status of compliance of consent condition (specifically relating to water pollution)	Industry has not applied for renewal of Consent to Operate.

(S.S. Khoria)  
DIC, Bhiwadi

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	:	Cheflene Associates Pvt. Ltd., 812/E-12 (A-2) Phase -III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.202599 Longitude ( <sup>0</sup> E) -76.852400
3	Date of inspection	:	11.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Sushil Sharma (Factory Manager)-9166962957
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange
8	Product with consented capacity	:	Commercial Kitchen Equipments 150 Nos./Month
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Process: -NA Domestic: -0.8 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NA
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- NA
		:	Other Effluents- NA
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - NA
		:	Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade - NA
		:	Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	:	Nil



13	Consent status	The last CTO was issued to the industry vide letter no. F(Tech)/Alwar(Tijara)/2567(1)/2015-2016/1854-1855 on dated 21.01.2016 which is valid up to 31.10.2020. Industry has submitted the Environmental Compensation of Rs. 30,000 via DD no. 251265 on dated 09.02.2018.
14	Status of compliance of consent condition	: Industry is complying with the consent conditions
15	Remarks, if any	Nil

  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)


  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer


## INSPECTION REPORT

1	Name & address of the industry	:	M/s Chemcaps. Ltd., Plot no.- C-584, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°13'11.31956°N and 76°50'55.1585°E
3	Date of inspection	:	19/02/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi S. S. Khorla , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Santosh (Guard) 9772286237
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange (OR-59) i.e. Pharmaceutical formulation
8	Product with consented capacity	:	Empty hard gelatine capsules @ 750 Million/annum
9	Operational status	:	Non-Operational from last more than 1 year.
10.	Observations	:	Only guard was present in the industry. He informed that unit is lying closed since more than 1 year due to renovation and maintenance work
11.	Consent status	:	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/2226(1)/ 2015-2016/580-581 dated 16/12/2016 is valid upto 31/10/2026.

  
(S. S. Khorla)  
DIC, Bhiwadi

  
(Yogyata)  
RSPCB, Bhiwadi


Countersignatures

  
(KC Gupta)  
Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Chetna Polytex (P) Ltd., A-105, RIA, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.1341)
2	Coordinates of industry (in terms of latitude and longitude)	28° 21354358"N 76° 85678096"E
3	Date of inspection	04/04/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Amar Sharma (Accountant)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Green</u> Surgical & Medicated products not involving effluent/emission generated process as at serial no. 83 of Green category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/10548-10587 dated 07/03/2013 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Medicated Surgical Strips Plaster & Tapes @ 200 Lac nos/Year.
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore Well-01
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	No, Industry has provided water meter at Bore Well
(c)	Details of Water consumption by industry	Process: NIL Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for NOC from CGWA for abstraction o ground water vide application no 21-4/6320/RJ/IND/2017.
11	Effluent management	
(a)	Source of generation	Process effluents-NIL

		Other Effluents- NA
		Domestic – Toilets & Utilities
(b)	Control measures	Trade –NA
		Domestic-Septic tank & Soak Pit
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	No
(e)	Mode of disposal of effluent	Trade –NA
		Domestic-Septic tank & Soak Pit
12	Any shortcoming observed by joint team during inspection	No
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by this office vide letter no F(Tech)/Alwar (Tijara)/2595(1)/2015-2016/53-54 dated 28/04/2016.(Acknowledgment)
14	Environmental compensation	Environmental compensation of Rs. 10000/- has been deposited vide DD no. 259727 dated 04/01/2018 (Bank of India)
15	Remarks	NA

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (Shiv Lehari Meena)  
 JEE, RSPCB, Bhiwadi

  
 (Anil Bairwa)  
 JSO RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer



## INSPECTION REPORT

1	Name & address of the industry	:	M/s CNC Machining technology, Plot no.-G-1/696, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'18.47423"N and 76°51'56.79248"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi, Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Gagy Singh (Accountant) 998331 2877
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green (GR-54) i.e. Fabrication <i>As per categorization dt 16/3/18.</i>
8	Product with consented capacity	:	Machined auto parts
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	:	--
(c)	Details of water consumption by industry	:	<b>Process:</b> water is not used in the process. <b>Domestic:</b> 0.125 KLD (as per CTO application dt 14/12/2014)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	--
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- Not applicable as there is no source of effluent generation Other Effluents- Not applicable as there is no source of effluent generation
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - NA
		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Not required

		STP. Not required
(d)	Whether sample of effluent collected, if yes, point of collection	NA
(e)	Mode of disposal of effluent	Trade - NA
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	
13	Consent status	Acknowledgement for CTO under Water & Air Act was issued vide RO letter no. F(Tech)/Alwar(Tijara)/1142(1)/ 2011-2012/1021-1022 dated 07/03/2018.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied in respect of effluent generation, treatment & disposal
15	Environmental compensation	Industry has deposited DD of Rs 10,000/- (DD no- 004473 dt 04.01.2018)

  
 (Praveen Kumawat)  
 ASE, RIICO (Unit-I), Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	M/S Continental Engines Ltd, A-88, RIA, Bhiwadi (industry id: 1345)
2	Date of inspection	10.01.2018
3	Name & designation of inspecting official (s)	Yogyata Singh, JEE, RSPCB, Praveen Kumawat, ASE, RIICO Ltd (Unit-I), S.S. Khoria, DIO, DIC,
4	Name & designation of person in presence of whom inspection is conducted	Shri Sunil Jain, DGM-Employee relations
5	Purpose of inspection	Verification of consent application under Water Act'74 and Air Act'81
6	Category	Red
7	Product with installed capacity	Machining of manifold-2450 nos/day, Machining of miscellaneous aluminium components-2550 nops/day, Machining of clay heads-2800 nos/day, Machining of battery box-500 nos/day Machining of housing-700 nos/day
8	Operational status	Operational
9	Raw/ fresh water management	—
(a)	Source of raw/fresh water	Bore well
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details therefore	Yes, meter reading was 692 m <sup>3</sup> .
(c)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, application no-21-4/1179/RJ/IND/2017, applied on 27/03/2017 for abstraction of 23.50 KLD.
10	Consent Status	CTO was issued vide H.O. letter no-F(Tech)/Alwar(Tijara)/113(1)/2016-2017/3249-3251 dated 09.06.2016 was valid upto 31.01.2018.  Unit has applied for CTE (exp) and CTO online on 10.01.2018.

11	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Complied in respect of effluent generation, treatment & disposal.
12	Effluent management	:	
(a)	Source of generation	:	Trade- emulsified cutting oil
		:	Domestic -toilet /utilities
(b)	Control measures	:	Trade – effluent treatment plant
		:	Domestic- Sewage treatment plant
(c)	Mode of disposal of effluent	:	Trade – gardening and plantation
		:	Domestic- gardening and plantation
13	Whether member of CETP	:	Yes
(a)	Status of payment of CETP O&M Charges	:	Deposited O&M Charges of CETP for year 17-18.
14	Emission management	:	
(a)	Sources of air emission	:	Point Sources :D.G.,
		:	Fugitive Sources : Nil
(b)	Emission control system	:	


Source of emission	Capacity	Fuel & qty	Control measure	Stack height & infrastructure facility
D. G. Set (1 no)	1010 KVA	HSD 100 lit/hr	Acoustic enclosure	Stack of 30 mt from GL
D. G. Set (5 no)	500 KVA	HSD 60 lit/hr	Acoustic enclosure	Stack of 5 mt from exhaust
D. G. Set (1 no)	250 KVA	HSD 20-30 lit/hr	Acoustic enclosure	Stack of 4 mt from exhaust

15	Any shortcoming observed by joint team during inspection	:	---
16	Other observation	:	

		<p>of 200 kg/hr was going on.</p> <p>2. Industry has deposited environment compensation amount of Rs. 50,000/. (DD No-082823, dt. 05.10.2018)</p>
--	--	---



S. S. Khorla  
DIC, Bhiwadi



Praveen Kumawat  
RIICO Limited (Unit-I)



Yogyata Singh  
JEE, RSPCB, Bhiwadi




(K. C. Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	Coster India Packaging Pvt. Ltd., G1-1339-1341, Phase -V, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( <sup>o</sup> N)-28.194024 Longitude ( <sup>o</sup> E) -76.872814
3	Date of inspection	06.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Sandeep Natekar (Plant Manager)-9871202983
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	Aluminium Ferrules, Actuator Caps and Collars 20 Million per Month
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Yes, but not working
(c)	Details of water consumption by industry	Process. - NA Domestic. -toilet and utility (2.0 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, 06 KLD permission application applied vide application no. 21-4/2864/RJ/IND/2017 dated 30/05/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA
		Other Effluents- Cooling of Machines
		Domestic -Toilet/ Utilities
(b)	Control measures	Trade - NA
		Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP: NA



		STP: Not available
(d)	Whether sample of effluent collected, if yes , point of collection	No
(e)	Mode of disposal of effluent	Trade -NA
		Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	<ol style="list-style-type: none"> <li>1. Water meter at bore well is not working</li> <li>2. Industry is doing spray painting without any paint booth.</li> <li>3. Industry has 03 DG sets among them 2 of 125 KVA each with damaged canopy.</li> <li>4. Industry has around 300 employees and it doesn't possess any STP.</li> <li>5. Water consumption in the CGWA permission is shown wrongly.</li> </ol>
13	Consent status	<p>The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/2700 (1)/2016-2017/51-52 on dated 28.04.2016 which is valid up 31.12.2020.</p> <p>Industry has submitted the Environmental Compensation of Rs. 30,000 via DD no. 740746 on dated 03.01.2018.</p>
14	Status of compliance of consent condition	Industry is not complying with the consent conditions.
15	Recommendations	As per deficiencies noted above in point no. 12, Show Cause Notice may be issued to the industry.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sohan Lal)  
 RSPCB, Bhiwadi

Countersignatures


  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	M/s Crystal metal industries, Plot no.-G-732, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°12'22.90366"N and 76°51'49.89561"E
3	Date of inspection	15/03/2018
4	Name & designation of inspecting official (s)	Yogyata Singh, JEE, RPCB, Bhiwadi , S. S. Khorla , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Ratan Lal (Prop.)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (R-36) i.e. surface treatment
8	Product with consented capacity	Cooper wire drawing@6000 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	
(c)	Details of water consumption by industry	Process. Water is used in process. Domestic. 1 KLD as per CTO application dt 28/05/2015) Water is also used for cooling which is kept in recirculation.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not applied.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Water is used for washing of utensils and floor washing. Other Effluents- N.A.
		Domestic - Toilet /utilities
(b)	Control measures	Trade - Effluent treatment plant Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP. Not required



		STP: Not required
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade -N.A.
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	--
13	Consent status	CTO under Water & Air Act was issued vide RO letter no. F(Tech)/Alwar(Tijara)/5045(1)/ 2017-2018/461-462 dated 29/11/2017 is valid upto 31/08/2022.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied

  
 (S. S. Khoria)  
 DIC, Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	M/s D. L. Steels P. Ltd, Plot no.-F-671, Phase-II, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'9.15376"N and 76°52'14.4323"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi , Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Hanuman Jindal (Director) 8955097125
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red (R-36) i.e. surface treatment i.e. pickling
8	Product with consented capacity	:	S. S. Sheets (Patta -Patti) @4000 MTPA
9	Operational status	:	Partially Operational (only annealing was carried out, pickling section was non-operational due to maintenance work)
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	:	--
(c)	Details of water consumption by industry	:	Process: 11 KLD (CTO letter dt 11/08/2017) Domestic: 2 KLD (CTO letter dt 11/08/2017)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, Applied for abstraction of 22 KLD ground water vide application no. 21-4/1229/RJ/IND/ 2017 dated 29/03/2017.
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- during pickling and rinsing process, scrubber waste water
		:	Other Effluents- Not applicable as there is no source of effluent generation
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - NA
		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP:

		Non-operational due to maintenance work  STP, Not required
(d)	Whether sample of effluent collected, if yes, point of collection	: NA
(e)	Mode of disposal of effluent	: Trade –reuse and discharge into RIICO drain leading to CETP
		Domestic– Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	:
13	Consent status	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/3929(1)/ 2017– 2018/4394–4396 dated 11/08/2017 is valid upto 31/01/2019.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	: Could not be commented as industry was partially operational
15	Environment compensation	50,000/- vide DD no-416410 dt 29.12.2017

  
 (Praveen Kumawat)  
 ASE, RIICO (Unit-I), Bhiwadi


  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

1	Name & address of the industry	:	M/s Dalas Biotech Ltd., E-292, Phase-1 RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.13927)
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 37.19945" N 76° 51' 1.90688" E
3	Date of inspection	:	10/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Shalendra 8094000758 Sh. Badal Aroda 9582835533
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	Red
8	Product with installed capacity	:	
9	Operational status	:	Partially Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	NA
(c)	Details of Water consumption by industry	:	Process. Washing of kettle and floor
		:	Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NA
11	Effluent management	:	
(a)	Source of generation	:	Process effluents- Washing of kettle and floor(but dry manufacturing process carrying out at the time of inspection)
		:	Other Effluents- cooling tower
		:	Domestic – Toilets & Utilities
(b)	Control measures	:	Physico-Chemical and Biological based ETP(120 KLD)
		:	Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	:	Operational

(d)	Whether sample of effluent collected, if yes, point of collection	Yes, outlet of ETP (ETP was operating for testing for purpose at the time of inspection).
(e)	Mode of disposal of effluent	: ETP treated water drained in CETP drain.
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	: No
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in revised CTO letter issued to unit vide letter no F(Tech)/Alwar(Tijara)/5004(1)/2017-2018/5977-5979/1055-56 dated 26/09/2017 and valid up to 30.04.2018. However unit has applied for renewal of CTO on date 28/12/2017.
14	Environment compensation	Environment compensation of Rs 50000/- has been deposited vide DD no. 453887 dated 02/01/2018 of OBC Bank.
15	Remarks	Analysis report of sample indicates all parameters are in permissible limits.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Deepak Industries, g 1-1009, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.194593 Longitude: 76.858366
3	Date of inspection	11.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Pawan Kumar, Plant Head
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange-Power press
8	Product with consented capacity	Melamine Tableware (Crockery)-10 Lacs sets/year
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed	Not installed
(c)	Details of water consumption by industry	Process.- Water is not used in process Domestic.-Water is used for drinking/Toilets/other utilities Other.- Cooling purpose (water keeps recirculating and evaporation loss is compensated by adding fresh water)

(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Applied, Application No. 21-4/9455/RJ/IND/2018
T1	Effluent management	
(a)	Source of effluent generation	Process Effluent- Not generated
		Other Effluents- Not generated
		Domestic -Toilets/other utilities
(b)	Control measures	Trade -Not required
		Domestic-Unit has provided septic tank & soak pit
(c)	Operational Status of treatment facility	ETP. Not Required STP. Not Required
(d)	Whether sample of effluent collected, if yes , point of collection	Not Applicable
(e)	Mode of disposal of effluent	Trade -Not Applicable
		Domestic- Unit has provided septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	Water meter not installed at Borewell. Industry has been advised to install water meter and maintain log book.
13	Consent Status	CTO issued by RO Letter no. F(Tech)/Alwar(Tijara)/4004(1)/2016-2017/663-664 dated 06.03.2017 valid upto 31.12.2021
13	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied

RIICO Limited (Unit-I)

RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)

Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Delite Hi- Tech Furniture Pvt. Ltd. Plot no.- A-1163, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°11'24.76777"N and 76°51'17.71326"E
3	Date of inspection	15/03/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh.Brijesh Kumar Gupta (Manager) 9310034557
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	All kinds of steel and wooden furniture @ 30000 nos./ Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well ii. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is used in phosphating process. Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 05 KLD ground water vide application no. 21-4/3282/RJ/IND/ 2017 dated 31/05/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Process effluent is generated from phosphating section.
		Other Effluents- NA
		Domestic - Toilet /utilities

Sharmila



(b)	Control measures	Trade –Industry has installed physico- chemical biological treatment based ETP of 10 KLD for treatment of wastewater. Water meters (Turbine type) installed at ETP inlet and ETP outlet.
		Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP. Non-Operational at the time of inspection as phosphating was not carried out since 02-03 days. STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	Not collected
(e)	Mode of disposal of effluent	Trade –Gardening/ plantation/ RIICO drain leading to CETP etc
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	No shortcoming was observed in respect of effluent generation, treatment & disposal
13	Consent status	Consent to Operate under Water & Air Act was issued vide RO letter no. F(Tech)/Alwar(Tijara) /4918(1) /2017-2018/120-121 dated 15/06/2017 that is valid up to 30/06/2021
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied except providing,- 1) Water meter to measure quantity of ETP treated water discharged into RIICO drain 2) Energy meter and hour meter at ETP.
15	Other observations	Industry has deposited environmental compensation of Rs. 50000/- (vide DD no. 299991 dated 04/01/2018, Bank of Baroda) in compliance to NGT orders.

*Mahipal Singh*  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)

*Sharmila*  
(Sharmila)  
RSPCB, Bhiwadi

Countersignatures

*KC Gupta*  
(KC Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	Denex International, 812/G1-31, Phase -III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.201567 Longitude ( <sup>0</sup> E) -76.851105
3	Date of inspection	:	11.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Shiv Prasad Kumawat (Manager)-8003738999
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green
8	Product with consented capacity	:	Polythene and Plastic Processed Product Manufacturing (Virgin Plastics)
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO water supply ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Process: -NA Domestic: - toilet and Utilities (0.8 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, 02 KLD permission application applied vide application no. 21-4/4588/RJ/IND/2017 dated 26.06.2017
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- NA Other Effluents- NA
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - NA
		:	Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes, point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade - NA
		:	Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	:	Industry has 125 KVA DG set without Canopy and having inadequate stack height
13	Consent status	:	The acknowledgement was issued to the industry vide letter no. RSPB/AEEO/BWD/Green cat: - 1475/3323 on dated 12.02.2013. Industry has submitted the Environmental



		Compensation of Rs. 10,000 via DD no. 082835 on dated 05.01.2018.
14	Status of compliance of consent condition	: Industry is not complying with the consent conditions
15	Recommendations	As per deficiencies noted above in point no. 12, Show Cause Notice may be issued to the industry.

*W. Singh*  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)

*Sohan Lal*  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures

*KC Gupta*  
(KC Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	M/s Deven Textile Industries (P) Ltd., G-423 RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id. 66503)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 28.31733"N 76° 51' 48.04499" E
3	Date of inspection	16/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh. B D Gupta (Director) 9352092899
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Green</u> Spinning and Weaving, Yarn doubling as at serial no. 53 of Green category (Annexure III) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Knitting of fabrics @ 750 TPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	NA
(c)	Details of Water consumption by industry	Process. Nil, Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of generation	Process effluents- Nil Other Effluents- Nil

		:	Domestic – Toilets & Utilities
(b)	Control measures	:	Trade – Nil
			Domestic–Septic tank & soak pit
(c)	Operational status of treatment facility		NA
(d)	Whether sample of effluent collected, if yes, point of collection		NO
(e)	Mode of disposal of effluent	:	NA
			Domestic– Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	:	NO
13	Status of compliance of consent condition.		Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO Acknowledgement letter issued this office letter no F(Tech)/Alwar(Tijara)/2413(1)/2015-2016/838-839 dated 27/08/2015.
14	Environment compensation		Environment compensation of Rs 10000/- has been deposited vide DD no. 794358 dated 03/01/2018 of SBI Bank.



(Gurmeet Singh)

ARM RIICO Bhiwadi Unit-I



(ShivLehari Meena)

JEE RSPCB, Bhiwadi

c/s  


(KC Gupta)


Regional Officer


## INSPECTION REPORT

1	Name & address of the industry	M/s Dhruv techengineers Pvt. Ltd. Plot no.- G-1209, RIICO Industrial Area, Rampur Mundana, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°11'59.93221"N and 76°52'15.83335 "E
3	Date of inspection	02/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh.Ravindra Jain (Plant Head) 7726015273
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	1) Electrical Waste @ 3800 MT/ANNUM 2) Electronic Waste @5820 MT/ Annum 3) Other waste @ 320 MT/ Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is not used in used in the process.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA Other Effluents- NA Domestic - Toilet /utilities
(b)	Control measures	Trade -NA Domestic-Septic tank and soak pit


Shamika

(c)	Operational Status of treatment facility	ETP. Not required STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	Not collected
(e)	Mode of disposal of effluent	Trade- NA
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	No shortcoming was observed in respect of effluent generation, treatment & disposal
13	Consent status	Consent to Operate under Water & Air Act was issued vide HO letter no. G (MSW)/1000/11(1) /2015-2016/8358-8360 dated 26/02/2016 that is valid up to 31/07/2018.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 50000/- (vide DD no. 503950 dated 05/01/2018, ICICI) in compliance to NGT orders.

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sharmila)  
RSPCB, Bhiwadi

Countersignatures


  
(KC Gupta)  
Regional Officer


## INSPECTION REPORT

1	Name & address of the industry	:	M/s Disha Dye chem Pvt. Ltd., Plot no.- E-1160, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°11'38.52254"N and 76°51'16.54916"E
3	Date of inspection	:	04/04/2018
4	Name & designation of inspecting official (s)	:	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. B. K. Sharma 9950394351
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red
8	Product with consented capacity	:	Nigrosine Metanil Yellow Acid orange oil red oil yellow oil red induline bs base @ 60.14 MT / MONTH
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. Bore well (Not in use) ii. RIICO water supply
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Domestic- Drinking, toilets & utilities Process. Water is used for solubilisation/ washing of nigrosine dye and cooling purpose (recirculation) Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, Applied for abstraction of 6 KLD ground water vide application no. 21-4/2432/RJ/IND/ 2017 dated 28/05/2017
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- Washing of Nigrosine dye.



		Other Effluents- NA
		: Domestic – Toilet /utilities
(b)	Control measures	: Trade –Industry has installed continuous type ETP of 06 KL/ Day capacity for treatment of trade effluent followed by forced evaporation.
		: Domestic–Septic tank and soak pit
(c)	Operational Status of treatment facility	: ETP, Operational STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	: Not collected
(e)	Mode of disposal of effluent	: Trade –Recycle in the process/ forced evaporation
		: Domestic- Septic tank and soak pit
12	Consent status	Consent to Operate under Water & Air Act was issued vide HO letter no. F (Tech)/Alwar(Tijara)/4989(1) /2017-2018/5734-5736 dated 18/09/2017 that is valid up to 30/09/2021.
13	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
14	Remarks	Industry has deposited environmental compensation of Rs. 50000/- (vide DD no. 394877 dated 28/12/2017, Yes Bank) in compliance to NGT orders.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT


1	Name & address of the industry	M/s Divya Aanchal Re-Rolling (P) Ltd., G-1004, Phase-III, RIA, bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.196833 Longitude: 76.859289
3	Date of inspection	23.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Rajan, Supervisor
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (Metal Surface Treatment)
8	Product with consented capacity	S.S Sheets (Patta Patti)-1500MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	(i) Bore well- 1No. (ii) RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	Process.- Pickling & Rinsing Domestic.-Drinking/Toilets/Other utilities. Other. Scrubber
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details	Submitted, Application No. 21-4/2157/RJ/IND/2017 dated 25.05.2017 for 15 KLD

	there of		
11	Effluent management		
(a)	Source of effluent generation	,	Process Effluent- Effluent is generated from pickling section and rinsing section
			Other Effluents- Scrubbing Liquor
•		,	Domestic –From Toilets/other utilities
(b)	Control measures	,	Trade – Industry has provided physico-chemical based Effluent Treatment Plant for the treatment of rinsing water & scrubbing liquor. ETP comprises of Collection Tank, Dosing tanks (for dosing of lime & Polyelectrolyte), Primary Clarifier, Treated Water collection Tank and Filter Press for dewatering of Sludge. Spent acid generated from pickling is being sent to CETP. Industry has also shown receipts obtained from BJPNT.
•		,	Domestic–Septic Tank & Soak Pit
(c)	Operational Status of treatment facility	,	ETP, Operational STP, NA
(d)	Whether sample of effluent collected, if yes , point of collection	,	Yes, Outlet of ETP
(e)	Mode of disposal of effluent	,	Trade –reuse in process and surplus (maximum 7.5 KLD) may be drained out in RIICO drain as industry has taken membership from CETP
			Domestic– Septic Tank & Soak pit
12	Any shortcoming observed by joint team during inspection	,	Water meter not installed at Outlet of ETP & Log book of Daily water abstraction not maintained. Industry has been advised to install water meter at outlet of ETP and maintaining records of daily water abstraction & water treatment.
•			





13	Consent Status	Consent was issued to the industry vide RO letter no. F(Tech)/Alwar(Tijara)/2268(1)/2015-2016/263-265 dated 30.04.2015 valid upto 28.02.2019. Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.- 394883, Date-29.12.2017, Bank-Yes Bank)
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

  
(Praveen Kumawat)  
RIICO Limited (Unit-I)

  
(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT


1	Name & address of the industry	: M/s Dr. Oetkar India Pvt Ltd., G-1-389, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar Unit id-1357
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 28.19167"N 76° 52' 2.36996"E
3	Date of inspection	: 13/04/2018
4	Name & designation of inspecting official (s)	: Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	: Guard at the gate of the unit informed that industry has shut down its production in this premises.
6	Purpose of inspection	: Verification of compliance of conditions of consent issued by State Board
7	Category	: Orange
8	Product with consented capacity	: Spreads, chutneys, sauces, yogurt, Dry mixtures and salad dressings and syrups @4000M tonne/Annum
9	Operational status	: Closed and shut down its production(as told by the guard) Unit also intimated that it shut down its commercial production at plot no. G-1-389 by letter received this office on date 13/12/2017
10	Any shortcoming observed by joint team during inspection	: --
11	Consent status	: CTO under Water & Air Act was issued vide letter no. F(Tech)/Alwar(Tijara)/425(1)/ 2010-2011/878-879 dated 03/09/2015 and valid up to 31.12.2019 .
12	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	: ---
13	Environment compensation	: Environment compensation of Rs 30000/- has been deposited vide DD no. 082776 dated 04/01/2018 of HDFC Bank.

  
(Gurmeet Singh)

RIICO Limited (Unit-I)

  
(KC Gupta)

Regional Officer


  
(Shivlehari Meena)

JEE RSPCB, Bhiwadi

INSPECTION REPORT

1	Name & address of the industry	:	M/s Drawmet Wires (P) Ltd., B-482, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.42456)
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 49.5126"N 76° 55' 25.85967"E
3	Date of inspection	:	24/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Sanjeev 9413212138
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	<b>Red</b> Industries or process involving <u>metal surface treatment</u> or process such as pickling/plating/ electroplating/ paint stripping/ heat treatment/ phosphating or finishing and <u>anodizing</u> / enameling/galvanizing as at serial no. 36 of Red category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03/2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	:	S.S wires and ropes @ 4 MT/Day.
9	Operational status	:	Operational
10	Raw/ fresh water management		
(a)	Source of raw/fresh water	:	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	No.
(c)	Details of Water consumption by industry		Process. cooling purpose(recycling) Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof		Yes, applied
11	Effluent management		
(a)	Source of generation		Process effluents- No Effluent

		Other Effluents- cooling section
		Domestic – Toilets & Utilities
(b)	Control measures	NA
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	No
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/1543(1)/2012-2013/269-270 dated 21/06/2016 valid up to 30.09.2021.
14	en	Environment compensation of Rs 50000/- has been deposited vide DD no. 082787 dated 04/01/2018 of HDFC Bank.
15	Remarks	Representative was advised to provide water meter at tube well & maintain records now onwards.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	Elegance TMT Pvt. Ltd. (DSR Steels Pvt Ltd), SP-812/B-4&5, Phase -II, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( $^{\circ}$ N)-28.204463 Longitude ( $^{\circ}$ E) -76.849857
3	Date of inspection	10.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. R.K. Sharma (Manager)- 9414014233
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	MS TMT bars 335 TPD
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well (02 Nos.)
(b)	Whether water meter installed for measuring quantity of water consumed	Yes, but not working
(c)	Details of water consumption by industry	Process, NA Domestic, -toilet and utility (6.4 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, 20 KLD permission application applied vide application no. 21-4/6785/RJ/IND/2017 dated 23/12/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA Other Effluents- Cooling of Machines (18 KLD)
		Domestic -Toilet/ Utilities
(b)	Control measures	Trade - NA Domestic- Septic tank and soak pit

*7/4/18*




(c)	Operational Status of treatment facility	ETP. NA  STP. NA
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade –Industry used the cooled water for ash sequencing.
		Domestic– Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	Nil
13	Consent status	The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/411 (1)/2010-2011/4981-4984 dated 20.07.2016 which is valid up to 30.11.2018. Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 699034 on dated 28.12.2017.
14	Status of compliance of consent condition	Industry is complying with the consent conditions.
15	Remarks, if any	Nil

  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Durga Industries, H1-1042(R), Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.195997 Longitude: 76.856455
3	Date of inspection	09.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Amit Kumar, Manager
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green
8	Product with consented capacity	PVC Granules-120 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	(i) Borewell- 1 No. (ii) RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	Not installed
(c)	Details of water consumption by industry	Process.- Not used Domestic.-Drinking/Toilets/other utilities Other.- Cooling
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not Applied
11	Effluent management	
(a)	Source of effluent generation	Process Effluent-



		Not generated
		Other Effluents- Not Generated
		Domestic –Toilets/other utilities
(b)	Control measures	Trade –Not required
		Domestic-Unit has provided septic tank & soak pit
(c)	Operational Status of treatment facility	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	No
(e)	Mode of disposal of effluent	Trade –Not Applicable
		Domestic- Unit has provided septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	<ul style="list-style-type: none"> <li>Industry has not deposited Environmental compensation in compliance to the Hon'ble NGD order dated 12.12.2017.</li> <li>Industry has not installed water meter at borewell.</li> <li>Industry has not applied for obtaining permission from CGWA for ground water abstraction.</li> </ul>
13	Consent Status	Acknowledgement issued to the industry vide RO letter no. RPCB/RO/BWD/OR/860/297-298 dated 20.11.2014
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures


(KC Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	Ekaksh Polymers, G1-1431, Phase -V, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( <sup>0</sup> N)-28.195208 Longitude ( <sup>0</sup> E) -76.869625
3	Date of inspection	09.04.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Ashok Kumar (Supervisor)- 7732982159
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	Thermosetting Moulding (Melamine) powder 820 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Yes, but not working
(c)	Details of water consumption by industry	Process. NA Domestic. -toilet and utility (0.5 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	No document shown
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA
		Other Effluents- Cooling of machineries
		Domestic -Toilet/ Utilities
(b)	Control measures	Trade - NA
		Domestic- Septic tank and soak pit

*[Signature]*

(c)	Operational Status of treatment facility	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes, point of collection	NA
(e)	Mode of disposal of effluent	Trade –Collection tank for hot water and reuse after cooling.
		Domestic– Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	<ol style="list-style-type: none"> <li>1. No centralized fume collection cum scrubbing system for formaldehyde.</li> <li>2. Fugitive emission of dust.</li> <li>3. Industry has taken consent for 125 KVA DG set although it has 250 KVA with inadequate stack height.</li> <li>4. Bore well water meter is not working and no log book for it.</li> </ol>
13	Consent status	<p>The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/4010 (1)/2016-2017/9-10 dated 07.04.2017 which is valid up to 30.11.2021.</p> <p>Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 005254 on dated 06.01.2018.</p>
14	Status of compliance of consent condition	Industry is not complying with the consent conditions.
15	Recommendations	As per deficiencies noted above in point no. 12, Show Cause Notice may be issued to the industry.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sohan Lal)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer


## INSPECTION REPORT

1	Name & address of the industry	M/s Emvee Autoforge (P) Ltd., H-871, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates could not be taken as internet facility was suspended by the District Collector on the date of inspection
3	Date of inspection	03.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi Sh. S.S. Khoria, DIO, DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Roshan Mehendiratta, Director
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green (Jobbing & Machining)
8	Product with consented capacity	Machined Auto Part Gears- 20,000 No./Day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well- 1 No.
(b)	Whether water meter installed for measuring quantity of water consumed	Not installed
(c)	Details of water consumption by industry	Process.- No use Domestic.-Water is used for drinking/toilets/other utilities.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details	Not Applied

	thereof		
11	Effluent management		
(a)	Source of effluent generation	,	Process Effluent-Not generated
			Other Effluents-Not generated
		,	Domestic -From Toilets/other utilities
(b)	Control measures	,	Trade - NA
		,	Domestic-Septic Tank & soak pit
(c)	Operational Status of treatment facility	,	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	,	Not Required
(e)	Mode of disposal of effluent	,	Trade -NA
			Domestic- septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	,	Industry has been advised to install water meter at Borewell and to apply for obtaining permission from CGWA for water abstraction and thereafter submit compliance to the Board.
13	Consent Status		Acknowledgement was issued vide RO letter no. RPCB/RO/BWD/OR-1177/4216-17 dated 31.03.2014
14	Status of compliance of consent condition (specifically relating to water pollution)	,	Complied

  
DIC, Bhiwadi

  
RIICO Limited (Unit-I)

  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	M/s Everest Udyog, Plot no.-G-1-636, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°13'7.14792"N and 76°51'45.45896"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi, Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	. Industry was closed and locked. Only guard (Shri. Arvind Yadav )was present. He informed that industry is lying closed from October, 2017.
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange (OR-3) i.e. battery assembling only
8	Product with consented capacity	:	D.C. Batteries (Assembling only)
9	Operational status	:	Non-Operational from October, 2017
10.	Observations	:	Industry was closed and locked. Only guard (Shri. Arvind Yadav )was present. He informed that industry is lying closed from October, 2017.
11.	Consent status	:	CTO under Water & Air Act was issued vide letter no. F(Tech)/Alwar(Tijara)/531(1)/ 2010-2011/251-252 dated 10/06/2016 is valid upto 31/05/2020.

  
(Praveen Kumawat)

ASE, RIICO (Unit-I), Bhiwadi

  
(Yogyata Singh)

RSPCB, Bhiwadi

Countersignatures


  
(KC Gupta)


Regional Officer



INSPECTION REPORT

1	Name & address of the industry	:	M/s Evergreen Chemicals India, Plot no.- H-1-555, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'27.22234"N and 76°51'53.94071"E
3	Date of inspection	:	19/02/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi S. S. Khoria , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	No one was present. Industry was closed and locked. Neighbour informed that industry is lying closed for 15 to 20 days.
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange (OR-23) i.e. fertilizer formulation
8	Product with consented capacity	:	Micro nutrients mixture fertilizer (liquid form) @ 12000 lit/month Micro nutrients mixture fertilizer (powder form) @ 30 MT/month
9	Operational status	:	Non-Operational from last 15 to 20 days.
10.	Observations	:	No one was present. Industry was closed and locked. Neighbour informed that industry is lying closed for 15 to 20 days.
11.	Consent status	:	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/2684(1)/ 2016-2017/39-40 dated 12/04/2016 is valid upto 30/09/2019.

  
 (S. S. Khoria)  
 DIC, Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	M/s Exclusive food products P. Ltd, Plot no.-G-1/678, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'15.47276"N and 76°52'0.35641"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi , Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Kundan (Foreman) 9413303341
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red (R-34) i.e. hazardous waste reprocessing as per categorization dt 16.03.2018.
8	Product with consented capacity	:	Lead Ingots@5 TPD
9	Operational status	:	Non-Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	:	--
(c)	Details of water consumption by industry	:	Process: 01 KLD (as per CTO application dt 02/07/2016)  Domestic: 01 KLD (as per CTO application dt 02/07/2016)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	--
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- waste water is generated from alkaline scrubber
		:	Other Effluents- Not applicable as there is no source of effluent generation
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - Effluent treatment plant
		:	Domestic-Septic tank and soak pit

11

(c)	Operational Status of treatment facility	ETP. Non-operational  STP. Not required
(d)	Whether sample of effluent collected, if yes, point of collection	NA
(e)	Mode of disposal of effluent	Trade –plantation and other uses Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	The height of stack attached with furnace is inadequate.
13	Consent status	CTO under Water & Air Act was issued vide HO letter no. F(HSW)/Alwar(Tijara)/1(1)/ 2008-2009/6823-6825 dated 19/09/2016 is valid upto 30/06/2021.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Not complying with condition no-15, 16, 20, 21 of CTO letter dt. 19/09/2016.
15	Environment compensation	Not submitted

  
(Praveen Kumawat)

ASE, RIICO (Unit-I), Bhiwadi

  
(Yogyata Singh)

RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)


Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	:	M/s Exclusive lead alloys P. Ltd, Plot no.-G-1-690, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'19.36044"N and 76°51'37.38492"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi , Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Raj Kumar Klara (Prop) 9214312969
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red (R-34) i.e. hazardous waste reprocessing as per categorization dt 16.03.2018.
8	Product with consented capacity	:	Lead Ingots@3600 TPA
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	:	--
(c)	Details of water consumption by industry	:	Process. Nil Domestic. 02 KLD (as per CTO application dt 27/10/2015)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	--
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- waste water is generated from alkaline scrubber
		:	Other Effluents- Not applicable as there is no source of effluent generation
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - Effluent treatment plant
		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Non-operational

		STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade –plantation and other uses
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	--
13	Consent status	CTO under Water & Air Act was issued vide HO letter no. F(HSW)/Alwar(Tijara)/1(1)/ 2009-2010/8461-8463 dated 02/03/2016 is valid upto 31/01/2019.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Not complying with condition no-11, 13, 14, 19, 21 of CTO letter dt. 02/03/2016.

  
 (Praveen Kumawat)  
 ASE, RIICO (Unit-I), Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi


Countersignatures


  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	:	M/s Expo Fasteners P. Ltd, Plot no.-G-1-683, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'11.43216"N and 76°51'58.18144"E
3	Date of inspection	:	06/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi , Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Surendra (supervisor) 9314033135 (Shri Nikhil Agarwal, owner)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red (R-36) i.e. hazardous waste reprocessing as per categorization dt 16.03.2018.
8	Product with consented capacity	:	Hot Rolling of SS Flats@9000 MTPA
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. Borewell
(b)	Whether water meter installed for measuring quantity of water consumed	:	No
(c)	Details of water consumption by industry	:	<b>Process:</b> Nil <b>Domestic:</b> 02 KLD (as per CTO application dt 05/04/2016) Boiler/cooling; 6 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Not applied
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- there is no waste water generated from the process. Other Effluents- cooling water kept in recirculation.
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - N.A.
		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP. Not required

		STP: Not required
(d)	Whether sample of effluent collected, if yes , point of collection	: NA
(e)	Mode of disposal of effluent	: Trade ---
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	: --
13	Consent status	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/1914(1)/ 2013-2014/255-256 dated 15/06/2016 is valid upto 30/04/2021.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	: Not complying with condition no-5 (no stack at LDO fired furnace and no acoustic enclosure and stack at D.G. set of 180 KVA).

  
 (Praveen Kumawat)  
 ASE, RIICO (Unit-I), Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer


INSPECTION REPORT


1	Name & address of the industry	M/s Feather touch Ceramics (P) Ltd., A-146-G RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar.
2	Coordinates of industry (in terms of latitude and longitude)	28.71783726 N 76.85106724 E
3	Date of inspection	04/04/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh. R M Patel (Manager) 9116136703
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Orange (ceramic ,refractories at Sr. No. 13) as per categorization letter dated 08/05/2018
8	Product with installed capacity	Bone China Crockery @ 600MT/annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Not installed
(c)	Details of Water consumption by industry	Process: Nil
		Others.- cooling purpose
		Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for NOC from CGWA for abstraction of 8 KLD vide application NO.21-4/7021/RJ/IND/2017 dated 25/12/2017.
11	Effluent management	
(a)	Source of generation	Process effluents-Nil
		Other Effluents-Nil
		Domestic – Toilets & Utilities



(b)	Control measures	:	NA
			Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility		Operational
(d)	Whether sample of effluent collected, if yes, point of collection		NO
(e)	Mode of disposal of effluent	:	NA
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	:	NO
13	Status of compliance of consent condition.		Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by letter no F(Tech)/Alwar (Tijara)/1852(1)/2013-14/1876-78/2900-01 dated 29/01/2014 valid up to 30/06/2018. However unit has applied for renewal of CTO on date 24/02/2018
14	Environment compensation		Environment compensation of Rs 50000/- has been deposited vide DD no. 416479 dated 08/01/2018 of SBI Bank.
15	Remarks		Representative was advised to provide water meter at tube well & maintain records now onwards.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (Anil Bairwa)  
 JSO RSPCB, Bhiwadi


  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi


  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	M/s Federal Mogul Goetze India Ltd., Plot No. - SPL-1240-44, RIA, Ghatal, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°13'5.84929"N and 76°52'18.45293"E
3	Date of inspection	23/03/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Pradeep Bhaduria (Manager- HR) Sh. Lokesh (8058797432)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	Structural Parts @ 05 Lac Pieces/ Annum Valve seat & valve guides @ 75 Lac nos./ Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well ii. RIICO connection
(b)	Whether water meter installed for measuring quantity of water consumed	Yes
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is used in grinding & machining section, cooling tower and floor washing. Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 60 KLD ground water vide application no. 21-4/1178/RJ/IND/ 2017 dated 28/03/2017
11	Effluent management	
(a)	Source of effluent generation	Cutting oil/ machine oil mixed with water based coolant and floor washing etc
		Other Effluents- cooling tower (blow down)
		Domestic - Toilet /utilities

(b)	Control measures	Trade –Industry has installed ETP of 05 KLD capacity for treatment of trade effluent. ETP treated water is being transferred to STP for further treatment.
		Domestic– Industry has installed STP of 30 KLD capacity for treatment of domestic effluent
(c)	Operational Status of treatment facility	ETP. Non-Operational as ETP runs as batch type treatment system (runs in 02-03 days) and at the time of inspection, there was insufficient quantity of wastewater in collection tank to run the ETP. STP. Operational
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, outlet of STP
(e)	Mode of disposal of effluent	Trade –Plantation/ Horticulture etc
		Domestic– Plantation/ Horticulture
13	Consent status	Consent to Operate under Water & Air Act was issued vide RO letter no. F (Tech)/Alwar (Tijara) /419(1)/2010-2011/170-172 dated 01/05/2014 that is valid up to 30/06/2018.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 50000/- (vide DD no. 082739 dated 02/01/2018, HDFC Bank) under red category in compliance to NGT orders.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi


Countersignatures

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT


1	Name & address of the industry	:	Federal Mogul Ignition Products India Limited, SP-812/B-1&2, Phase -III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>o</sup> N)-28.204409 Longitude ( <sup>o</sup> E) -76.852075
3	Date of inspection	:	11.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Ajit Yadav (Sr.Manager Maintenace)-9694096516
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red
8	Product with consented capacity	:	Spark Plug 100,000 Pcs/Day
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. Bore well (87 KLD) ii. RIICO water supply (03 KLD)
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Process, -63 KLD Domestic, -27 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, 87 KLD permission application applied vide application no. 21-4/1198/RJ/IND/2017 dated 27/03/2017.
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- Electroplating area
		:	Other Effluents- NA
		:	Domestic -Toilet/ Utilities

(b)	Control measures	:	Trade – Physicochemical treatment by ETP
		:	Domestic– biological treatment at STP
(c)	Operational Status of treatment facility	:	ETP: Operational STP: Operational
(d)	Whether sample of effluent collected, if yes , point of collection	:	Yes, Collection tanks of STP and ETP outlet
(e)	Mode of disposal of effluent	:	Trade – Reuse in Horticulture/Plantation
			Domestic– Reuse in Horticulture/Plantation
12	Any shortcoming observed by joint team during inspection	:	Nil
13	Consent status		The last CTO was issued to the industry vide letter no. F (CPM)/Alwar (Tijara)/104(1)/2016-2017/1918-1921 dated 20.05.2016 which is valid up to 31.12.2018. Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 082768 on dated 03.01.2018.
14	Status of compliance of consent condition	:	Industry is complying with the consent conditions
15	Remarks, if any		Nil

  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi


Countersignatures


  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Federal Mogul PTSB India Pvt Ltd. Plot no.- SPL-1240-1244, RIICO Industrial Area, Ghatal, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°13'4.05469"N and 76°52'19.64143 "E
3	Date of inspection	23/03/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Pradeep Bhaduria (Manager) Sh. Lokesh (8058797432)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green
8	Product with consented capacity	1) Twist tubes @ 103 lacs No per annum 2) Flex guard @ 63 lacs no per annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	M/s Federal Mogul Goetze India Ltd. and M/s Federal Mogul PTSB India Pvt Ltd are in the same premises and have bore well and RIICO water supply as source of fresh water.
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is not used in used in the process.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 60 KLD ground water vide application no. 21-4/1178/RJ/IND/2017 dated 28/03/2017 (under the name M/s Federal Mogul Goetze (India) Limited).
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA
		Other Effluents- NA

		Domestic - Toilet /utilities
(b)	Control measures	Trade -Industry shares common STP of 30 KLD capacity with M/s Federal Mogul Goetze India Ltd.
		Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP. Not required STP. Operational
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, outlet of STP
(e)	Mode of disposal of effluent	Trade- NA
		Domestic- Plantation/ horticulture etc.
12	Any shortcoming observed by joint team during inspection	No shortcoming was observed in respect of effluent generation, treatment & disposal
13	Consent status	Acknowledgement under Water & Air Act was issued vide RO letter no. RPCB/ RO/ BWD/ OR- 1881/256-257 dated 28/04/2014.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 10000/- (vide DD no. 082736 dated 02/01/2018, ICICI) in compliance to NGT orders.

  
 (Mahipal Singh)  
 RIICO Limited (Unit-I)

  
 (Sharmila)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	M/S Flexipol Foams Pvt. Ltd., E-1162 & 1162 A, Phase- IV, RIA, Bhiwadi (industry id: 44349)
2	Date of inspection	:	10.01.2018
3	Name & designation of inspecting official (s)	:	Sharmila, JSO, Dr. Ranjana, Deputy Director, DIC Mahipal Singh, Planning Assistant
4	Name & designation of person in presence of whom inspection is conducted	:	Shri Subham Gupta, Proprietor 9314416715
5	Purpose of inspection	:	Verification of consent application under Water Act'74 and Air Act'81
6	Category	:	Orange
7	Consented product with installed capacity	:	Flexible Polyurethane Foam @ 40 MT/Day
8	Operational status	:	Operational
9	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Tube well
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	Yes. Turbine type water meter installed at tube well
(c)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, Applied for abstraction of 01 KLD ground water vide application no. 21-4/8058/RJ/IND/2017 dated 29/12/2017.
10	Consent Status : 1. Consent to Operate under Water & Air Act was issued vide RO letter no. F (Tech)/ Alwar (Tijara)/ 1581(1)/2012-2013/149-150 dated 12/05/2016 for Flexible Polyurethane Foam @ 40 Mt/ Day. 2. Industry has applied for CTE- Expansion & CTO under Water & Air Acts on dated 25/10/2017. Both applications are pending at RO		
11	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Not applicable
12	Effluent management	:	
(a)	Source of generation	:	Trade-There is no source of trade effluent



			generation
		:	Domestic -Toilet /utilities
(b)	Control measures	:	Trade Effluent - NA
			Domestic Effluent- Septic tank and soak pit
(c)	Mode of disposal of effluent	:	Trade - NA
			Domestic- Septic tank and soak pit
13	Whether member of CETP	:	Yes
(a)	Status of payment of CETP O&M Charges		Industry has deposited O&M charges for the year 2017-18 to BJPNT.
14	Emission management	:	

Sources of air emission & Emission control system.

Sr. No.	Source of emission	Capacity	Fuel & qty	Stack height & infrastructure facility	Remarks
1.	D G	62.5 kVA	HSD	Adequate stack height provided	Acoustic enclosure provided
2.	D G	125 kVA	HSD	Adequate stack height provided	Acoustic enclosure provided

15	Any shortcoming observed by joint team during inspection	:	-----
16	Other observations :- 1. Industry was previously inspected on 04/12/2017. 2. Industry has deposited environmental compensation of Rs. 30000/- in compliance to NGT orders vide DD no. 416446, SBI dated 03/01/2018.		

Dr. Ranjana Yadav  
DIC, Bhiwadi

Mahipal Singh  
RIICO Limited (Unit-I)

Sharmila  
JSO, RSPCB, Bhiwadi


CS  
(KC Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	Flow Well Profiles, F-1255, Phase I extension, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.218415 Longitude ( <sup>0</sup> E) -76.868786
3	Date of inspection	:	21.03.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Satya Narayan (Supervisor)-9810469831
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Green
8	Product with consented capacity	:	HDPE Pipes and fitting 30-40 tons/month
9	Operational status	:	Operational
10	Raw/ fresh water management		
(a)	Source of raw/fresh water	:	i. Outsourced
(b)	Whether water meter installed for measuring quantity of water consumed	:	NA
(c)	Details of water consumption by industry	:	No Information
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	NA
11	Effluent management		
(a)	Source of effluent generation	:	Process Effluent- Nil
		:	Other Effluents- Machine cooling
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - Recirculation hot water for reuse
		:	Domestic- septic Tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Not applicable STP: Not applicable
(d)	Whether sample of effluent collected, if yes, point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade - Recirculation hot water for reuse in cooling of machines
		:	Domestic-Septic Tank and Soak pit



12	Any shortcoming observed by joint team during inspection :	1. DG set of 125 KVA without canopy and stack 2. Industries is doing printing on pipes although consent has been taken in green
13	Consent status	The acknowledgement was issued to the industry vide letter no. F (ACK)/Alwar (Tijara)/2960 (1)/2016-2017/5300-5301 dated 01.08.2016. Industry has submitted the Environmental Compensation of Rs. 10,000 via DD no. 082722 on dated 01.01.2018.
14	Status of compliance of consent condition :	Industry is not complying with the consent conditions.
15	Recommendations	As per deficiencies noted above in point no. 12, Show Cause Notice may be issued to the industry.

  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s G.D. Enterprises, G-959, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.196199 Longitude: 76.860594
3	Date of inspection	23.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Rajesh Jha, Manager
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	Hot Rolled S.S. Sheet-2400 MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	(i) Borewell- 1 No.
(b)	Whether water meter installed for measuring quantity of water consumed	Not Installed
(c)	Details of water consumption by industry	Process.- Not used Domestic.-Drinking/Toilets/other utilities Other.- Cooling
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied, Application No. 21-4/6051/RJ/IND/2017 dated 11.12.2017 for 4.5 KLD
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Not generated

		Other Effluents- Not generated
		Domestic –Toilets/other utilities
(b)	Control measures	Trade –NA
		Domestic- Septic tank & Soak pit
(c)	Operational Status of treatment facility	ETP. NA STP. NA
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade –Not Applicable
		Domestic- Septic Tank & Soak Pit
12	Any shortcoming observed by joint team during inspection	Water meter not installed on borewell. It has been advised to install water meter and maintaining records of daily water abstraction.
13	Consent Status	CTO issued vide RO letter no. F(Tech)/Alwar(Tijara)/3940(1)/2016-2017 dated 26.09.2016 valid upto 28.02.2021. Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.-394884, Date-29.12.2017, Bank-Yes Bank)
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s G.K. Auto, E-929, RIA, Phase-III, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates could not be taken due to network problem
3	Date of inspection	11.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. S.S. Khoria, DIO, DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. K.K Chaku, General Manager
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (Furnace)
8	Product with consented capacity	Automotive Pressure Plate-1500TPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	RIICO water meter installed
(c)	Details of water consumption by industry	Process.- No use Domestic.- Water is used for drinking/toilets/other utilities. Other. Cooling, Scrubber
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of effluent generation	Process Effluent-Not generated
		Other Effluents-



		Occasionally Scrubbing Liquor
		Domestic –From Toilets/other utilities
(b)	Control measures	Trade – pH correction and settling for scrubbing liquor
		Domestic–Septic Tank & soak pit
(c)	Operational Status of treatment facility	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	No
(e)	Mode of disposal of effluent	Trade –NA Other: Scrubbing Liquor for gardening
		Domestic- septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	--
13	Consent Status	Consent was issued vide RO letter no. F(Tech)/Alwar(Tijara)/536(1)/2016-2017/491-492 dated 26.09.2016 valid upto 30.09.2019  Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.-82725, Date-01.01.2018, Bank-HDFC)
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

(S.S. Khoria)  
DIC, Bhiwadi

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s G.P. Auto Industries, G1-978, RIA, Phase-III, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.197914 Longitude: 76.859067
3	Date of inspection	12.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <del>Junior Engineer</del> <sup>ASE</sup> , RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Rambujawan, Foreman
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	Auto Parts and Auto Rubber Components-1200MT/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	(i) Borewell- 1 No. (ii) RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	Yes, installed, Reading observed = 0673.13 KL
(c)	Details of water consumption by industry	Process.- Not used Domestic.-Drinking/Toilets/other utilities Other.- Cooling
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied, Application No. 21-4/1322/RJ/IND/2017 for 4KLD
11	Effluent management	
(a)	Source of effluent generation	Process Effluent-



		Not generated
		Other Effluents- Not generated
		Domestic -Toilets/other utilities
(b)	Control measures	Trade -NA
		Domestic-Unit has provided septic tank & soak pit
(c)	Operational Status of treatment facility	ETP, NA STP, NA
(d)	Whether sample of effluent collected, if yes , point of collection	NA
(e)	Mode of disposal of effluent	Trade -Not Applicable
		Domestic- Unit has provided septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	Industry has been advised to maintain log book of the daily water abstraction from the borewell.
13	Consent Status	CTO issued vide RO letter no. F(Tech)/Alwar(Tijara)/4928(1)/2017-2018 dated 03.07.2017 valid upto 31.05.2027 Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 30000/-, DD no.- 12772, Date-05.01.2018, Bank-HDFC)
14	Status of compliance of consent condition (specifically relating to water pollution)	Complied

(Praveen Kamawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Galaxy Industries, H1/878, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates could not be taken as internet facility was suspended by District Collector on the date of inspection
3	Date of inspection	03.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <del>Junior Engineer</del> , RIICO Ltd., Unit-I, Bhiwadi ASE Sh. S.S. Khoria, DIO, DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Mohinder Pal Singh, Supervisor
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (Synthetic Rubber & Foam Moulding)
8	Product with consented capacity	Motor Parts & Industrial Seals & O' Rings-300 Nos/Day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Tubewell-1 No.
(b)	Whether water meter installed for measuring quantity of water consumed	Not Installed
(c)	Details of water consumption by industry	Water is used for drinking/toilets/other utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not submitted
11	Effluent management	

(a)	Source of effluent generation	Process Effluent- Not generated
		Other Effluents- Not generated
		Domestic -Toilets/other utilities
(b)	Control measures	Trade -Not Applicable
		Domestic-Unit has provided septic tank & soak pit
(c)	Operational Status of treatment facility	Not Applicable
(d)	Whether sample of effluent collected, if yes , point of collection	Not Required
(e)	Mode of disposal of effluent	Trade -Not Applicable
		Domestic- Unit has provided septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	<ul style="list-style-type: none"> <li>Water meter not installed on Borewell</li> <li>Unit has not applied for NOC from CGWA for water abstraction.</li> </ul> <p>Industry has been advised to install water meter and to apply for obtaining permission for water abstraction from CGWA and submit compliance to the Board.</p>
13	Consent Status	CTO issued vide RO letter no. F(Tech)/Alwar(Tijara)/494(1)/2010-2011/1699-1700 dated 20.01.2016 valid upto 31.07.2019
14	Status of compliance of consent condition (specifically to water pollution)	Complied

DIC, Bhiwadi

RIICO Limited (Unit-I)

RSPCB, Bhiwadi

Countersignatures

(KC Gupta)

Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	M/s Galaxy Taps Pvt. Ltd., Plot no.- H-1-1134(B), RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°12'2.06467"N and 76°51'2.80314"E
3	Date of inspection	04/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. R K Bhardwaj (Director)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	SPOUTS & FLANGES (BRASS PARTS) @ 90,000.00 MT/ANNUM
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO supply ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	No water meter provided at bore well.
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is not used in the process. Industry has not provided meter at bore well for measuring quantity of water abstracted/ withdrawal for domestic requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 1.0 KLD ground water vide application no. 21-4/6182/RJ/IND/ 2017 dated 15/12/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- No effluent is generated from the process.
		Other Effluents- No
		Domestic - Toilet /utilities
(b)	Control measures	Trade - NA

Sharmila

		Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	ETP: Not required  STP: Not required
(d)	Whether sample of effluent collected, if yes, point of collection	NA
(e)	Mode of disposal of effluent	Trade -NA
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	
13	Consent status	CTO under Water & Air Act was issued vide RO letter no. F (Tech)/Alwar (Tijara)/2105(1)/2014-2015/2027-2029 dated 27/01/2016.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied

Industry has deposited Rs. 30,000/- (DD NO. 416433, 30.12.17, SBI) in compliance to NGT orders.  
 (Mahipal Singh) 8/6/18  
 RIICO Limited (Unit-I)

Sharmila  
 (Sharmila)  
 RSPCB, Bhiwadi


Countersignatures


  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Garg Ispat Udhyog Ltd., G-459-63, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar Unit id- 528
2	Coordinates of industry (in terms of latitude and longitude)	28° 13' 8.37228°N 76° 51' 2.49505°E
3	Date of inspection	20/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh. Ramveer 9352347920
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	Orange (Power press)
8	Product with installed capacity	Aluminium framework @ 24 tonne/month
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Out source
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	NA
(c)	Details of Water consumption by industry	Process. cooling Nil Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of generation	Process effluents- No Effluent Other Effluents- Nil
		Domestic - Toilets & Utilities
(b)	Control measures	NA Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	NO

(e)	Mode of disposal of effluent	NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	CTO issued for product (Steel fabrication with paint work @10 tonne/day, MS pipes Black@45 MT/day) vide letter no F(Tech)/Alwar(Tijara)/2172(1)/ 2014-2015/309-310 dated 28/06/2016. But unit engaged in production of Aluminium framework so unit has to applied for CTE and CTO for the new product.
13	Status of compliance of consent condition.	Industry is not complying with the conditions CTO under Water & Air Act was issued vide letter no. F(Tech)/Alwar(Tijara)/2172(1)/ 2014-2015/309-310 dated 28/06/2016 and valid up to 31.05.2021.
14	Environment compensation	Environment compensation of Rs 30000/- has been deposited vide DD no. 627057 dated 06/01/2018 of SBI Bank.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

(c/s)  
  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Gemscab industries Ltd., Plot no.- SP-1192/(L&K), Phase- IV, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°11'23.37562"N and 76°51'33.88784"E
3	Date of inspection	23/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Saytavir Singh Chauhan (DGM- Comercial) 9214330905
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	PVC CABLE XLPE POWER CABLE CONTROL CABLE INSTRUMENTAL CABLE AND DOMESTIC CABLE @ 50.00 KM / DAY
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Installed
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is used in RO plant, cooling towers (02 nos.) and boiler (for cable curing). Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 12 KLD ground water vide application no. 21-4/1120/RJ/IND/ 2017 dated 15/12/2017.
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- NA

Submitted -



		Other Effluents- Boiler (Boiler blow down), Cooling tower (blow down) and RO plant (RO reject )
		Domestic - Toilet /utilities
(b)	Control measures	Trade - NA
		Domestic-industry has installed STP of 10 KLD capacity for treatment of domestic sewage and other effluent (Boiler blow down, cooling tower blow down and RO reject). Electromagnetic water flow meter provided at inlet and outlet of STP.
(c)	Operational Status of treatment facility	ETP, Not required STP, Operational during inspection
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, Outlet of STP
(e)	Mode of disposal of effluent	Trade - NA
		Domestic- STP treated effluent is utilised for plantation/ horticulture
12	Any shortcoming observed by joint team during inspection	No
13	Consent status	Consent under Water & Air Act was issued vide HO letter no. F(CPM)/Alwar(Tijara)/3907(1) /2016-2017/7537-7539 dated 03/10/2016 that is valid up to 31/03/2019
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied except providing water flow meter at all suitable points to measure quantity of water consumed for domestic/ industrial requirements.
15	Other observations	Industry has deposited environmental compensation of Rs. 50000/- (vide DD no. 119551 dated 05/01/2018, SBI) in compliance to NGT orders.

*Mahipal Singh*  
8/6/18  
(Mahipal Singh)  
RIICO Limited (Unit-I)

*Sharmila*  
(Sharmila)  
RSPCB, Bhiwadi

Countersignatures


*KC Gupta*  
(KC Gupta)  
Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	M/s Gillete India Ltd., SPA-65, RIICO Industrial Area, , Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.1271 )
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 30. 85592"N 76° 51' 33. 26742"E
3	Date of inspection	:	16/02/2018
4	Name & designation of inspecting official (s)	:	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Bhusan Kumar (Site Environmenmt Engineer)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	<u>Red</u> Industries or process involving <u>metal surface treatment</u> or process such as pickling/plating/ electroplating/ paint stripping/ heat treatment/ phosphating or finishing and <u>anodizing/ enameling/galvanizing</u> as at serial no. 36 of Red category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/10548-10587 dated 07/03/2013 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	:	Blade, System and Disposables @ 3295.00 Million NOs / Annum.
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Bore well (3 Nos)
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	Yes
(c)	Details of Water consumption by industry	:	Process. Water is used in process of washing of blades(Aqua Blade Wash) Domestic- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes , Applied for NOC from CGWA for abstraction of 335 KLD ground water vide application no. 21-4/1043/RJ/IND/2017.
11	Effluent management	:	

(a)	Source of generation		Process effluents- 1. ABW(aqua blade wash) Section
			Other Effluents- cooling tower Blow section
		:	Domestic – Toilets & Utilities(33 KLD)
(b)	Control measures	:	Trade – Physio-chemical based ETP (95KLD) and 2-stage RO followed by MEE
			Domestic-STP (33 KLD)
(c)	Operational status of treatment facility		Operational
(d)	Whether sample of effluent collected, if yes, point of collection		No
(e)	Mode of disposal of effluent	:	Trade – Industry has ETP followed by MEE (multi effect evaporator). Industry operates at Zero liquid discharge (ZLD) and has disposed the hazardous waste (ETP sludge) through Rajasthan waste management project, Udaipur.
			Domestic- STP (33 KLD)
12	Any shortcoming observed by joint team during inspection	:	NO
13	Status of compliance of consent condition.		Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by HO vide letter no F(CPM)/Alwar (Tijara)/3930(1)/2017-2018/3945-3947 dated 01/08/2017 and valid up to 31/05/2019 .
14	Environment compensation		Environment compensation of Rs 50000/- has been deposited by the unit vide DD no. 082754 dated 03/01/2018 of HDFC Bank.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (Anil Bairwa)  
 JSO RSPCB, Bhiwadi

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	Global Engineers Ltd., A-808/809, Phase-II, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	could not be taken due to network problem
3	Date of inspection	21.03.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <del>Junior Engineer</del> , RIICO Ltd., Unit-I, Bhiwadi ASE
5	Name & designation of person in presence of whom inspection is conducted	Sh. Lalit Kishore Varshney, GM Admin
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange (Fabrication with spray paint)
8	Product with consented capacity	Industrial Plant & Machinery, MS/SS tanks & Vessels
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	RIICO water meter installed
(c)	Details of water consumption by industry	Water is used for drinking/Toilets/other utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not Applicable
11	Effluent management	




(a)	Source of effluent generation	Process Effluent- Not generated
		Other Effluents- Not generated
		Domestic – Toilets/Other Utilities
(b)	Control measures	Trade –Not Applicable
		Domestic-Unit has provided septic tank & soak pit
(c)	Operational Status of treatment facility	Not Applicable
(d)	Whether sample of effluent collected, if yes , point of collection	Not Required
(e)	Mode of disposal of effluent	Trade –Not Applicable
		Domestic- Unit has provided septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	---
13	Consent Status	CTO issued to the industry vide RO letter no. F(Tech)/Alwar(Tijara)/35(1)/2014-2015/1713-1715 dated 20.01.2016 valid upto 30.06.2019 Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 30000/-, DD no.- 4481, Date-05.01.2018, Bank-IDBI)
13	Status of compliance of consent condition (specifically relating to water pollution)	Complied

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	:	M/s Gold Star Garment Accessories Pvt Ltd , 821/E-27B, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id:1360)
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 5.98295" N 76° 51' 10.04303"E
3	Date of inspection	:	02/05/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Mohit 9899668565
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	Orange
8	Product with installed capacity	:	Button @ 18.75 lacs Gross/Annum. Button Blanks @ 24 MT/Annum
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	Not installed
(c)	Details of Water consumption by industry	:	Process. Polishing section Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, Applied, vide application NO 21-4/1274 RJ/IND/2017 dated 29/03/2017
11	Effluent management	:	
(a)	Source of generation	:	Process effluents. Polishing section Other Effluents- No Effluent.
		:	Domestic - Toilets & Utilities
(b)	Control measures	:	Psycho- Chemical based ETP Domestic-Septic tank & soak pit

(c)	Operational status of treatment facility	Operational
(d)	Whether sample of effluent collected, if yes, point of collection	NO ETP was not Operational owing to insufficient quantity of effluent. Operation of ETP is subjected to generation of trade effluent. As effluent gets generated in batches, ETP is operated only when sufficient quantity of effluent getting accumulated in collection tank
(e)	Mode of disposal of effluent	ETP treated water reused in plant and used in other gainful purposes.
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	No
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/2379 (1)/2015-2016/1858-1859/843-844 dated 25/01/2016 and valid upto 31.08.2019.
14	Environment Compensation	Environment compensation of Rs 30000/- has been deposited vide DD no. 835981 dated 30/12/2017 of Vijya Bank.
15	Remarks	Representative advised to provide water meter at bore well and maintain records of abstraction of ground water from the bore well now onwards.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi


  
 (KC Gupta)  
 Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	M/s Golden Bottling Ltd, Plot no.-C-780, Phase-II, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'20.48162"N and 76°51'34.43054"E
3	Date of inspection	:	15/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi S. S. Khoria , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Jagtar Singh (C.A. of industry)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red (R-49) i.e. bottling of alcohol , large nad medium scale as per categorization dt 16.03.2018.
8	Product with consented capacity	:	Bottling of Indian made Foreign liquor/ country liquor@45 KL/Day
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	:	Yes
(c)	Details of water consumption by industry	:	Process. 196 KLD (CTO application dt 07/04/2018)  Domestic. 04 KLD (CTO application dt 07/04/2018)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, Applied for abstraction of 150 KLD ground water vide application no. 21-4/4217/RJ/IND/ 2017 dated 28/06/2017.
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- waste water is not generated from process  Other Effluents- RO reject, occasional floor washing –collectively stored in a tank and utilized in plantation and flushing
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade – N.A.
		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP. Not required



		STP: Not required
(d)	Whether sample of effluent collected, if yes , point of collection	: NA
(e)	Mode of disposal of effluent	: Trade ---
		Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	: ---
13	Consent status	CTO under Water & Air Act was issued vide HO letter no. F(Tech)/Alwar(Tijara)/40(1)/ 2016-2017/11832-11835 dated 25/03/2017 is valid upto 28/02/2022.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	: Not complying with condition no-16, 21 of CTO letter dt. 25/03/2017.
15	Environment compensation	50,000/- vide DD no-331805 dt 15.01.2018.

  
 (S. S. Khorla)  
 DIC, Bhiwadi

  
 (Yogyata Singh)  
 RSPCB, Bhiwadi

Countersignatures

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	Gopal Enterprises, 812/G1-32, , RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	:	Latitude ( <sup>0</sup> N)-28.201546 Longitude ( <sup>0</sup> E) -76.850532
3	Date of inspection	:	16.04.2018
4	Name & designation of inspecting official (s)	:	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Ramesh Chander (Operator)-9314166603
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red
8	Product with consented capacity	:	UF Moulding powder (Melamine powder) 300 MTPA
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	:	No
(c)	Details of water consumption by industry	:	Process: - NA Domestic: -toilet and utility (0.2 KLD)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	No document shown
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- NA Other Effluents- Cooling of machines
		:	Domestic -Toilet/ Utilities
(b)	Control measures	:	Trade - NA Domestic- Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	:	No
(e)	Mode of disposal of effluent	:	Trade -Reused after cooling in collection tank Domestic- Septic tank and Soak pit
12	Any shortcoming observed by joint team during inspection	:	<ol style="list-style-type: none"> <li>1. Industry has one DG set of 400 KVA without Canopy and consent from the Board and another DG set of 200 KVA doesn't have stack.</li> <li>2. High Formaldehyde smell causing throat and eye irritation. The same problem was already informed to the industry but nothing is working.</li> <li>3. High fugitive emission from the bag filters and ball mill area.</li> </ol>

*[Signature]*

		4. No CGWA permission for groundwater abstraction.
13	Consent status	The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijara)/2153 (1)/2014-2015/564-565 dated 17.11.2016 which is valid up to 31.05.2021. Industry has submitted the Environmental Compensation of Rs. 50,000 via DD no. 187617 on dated 02.01.2018.
14	Status of compliance of consent condition	: Industry is not complying with the consent conditions.
15	Recommendations	As per deficiencies noted above in point no. 12, Show Cause Notice may be issued to the industry.

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi

Countersignatures  
  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Gracure Pharmaceuticals Ltd., Plot no.- E-1105 Phase- III, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°11'55.20718"N and 76°51'33.23678"E
3	Date of inspection	24/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Sandeep (EHS- Executive) 8894440007
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	Capsule @ 540 Million nos./ Annum Injection ampoules @ 10 Million nos./ Annum Ointment @ 10 Million nos./ Annum Oral Liquid bottles @ 120 Million nos./ Annum Tablets @ 1500 Million Tablets/ Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Water meter installed at inlet of collection tank
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is used in the manufacturing process. Allied activities utilising water are RO plant, cooling towers, softening plant and boiler. Industry has not provided separate meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for abstraction of 70 KLD ground water vide application no. 21-4/1368/RJ/IND/ 2017 dated 01/07/2017.
11	Effluent management	

Sharmila

(a)	Source of effluent generation	Process Effluent- Vessel washing
		Other Effluents- Boiler (Boiler blow down), Cooling tower (blow down) and RO plant (RO reject), softening plant (regeneration), floor washing
		Domestic - Toilet /utilities
(b)	Control measures	Trade – Industry has installed ETP of 10 KLD capacity for treatment of trade effluent.
		Domestic- Septic tank & soak pit
(c)	Operational Status of treatment facility	ETP. Partially operational STP. NA
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, Outlet of secondary clarifier of ETP
(e)	Mode of disposal of effluent	Trade – Plantation/ horticulture / RIICO drain leading to CETP.
		Domestic- Septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	No
13	Consent status	Consent under Water & Air Act was issued vide RO letter no. F (Tech)/Alwar (Tijara)/2312(1)/2015-2016/423-424 dated 30/06/2015 that is valid up to 31/01/2019.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied except providing water flow meter at all suitable points to measure quantity of water consumed for domestic/ industrial requirements.
15	Other observations	Industry has deposited environmental compensation of Rs. 30000/- (vide DD no. 503929 dated 02/01/2018, ICICI bank) in compliance to NGT orders.

  
(Mahipal Singh)

RIICO Limited (Unit-I)

  
(Sharmila)

RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)

Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	:	M/s Gulshan Chemicals Ltd, Plot no.-A-595, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°13'12.19764"N and 76°51'24.9484"E
3	Date of inspection	:	13/04/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi , Praveen Kumawat, ASE, RIICO (Unit-I), Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. M. Naggapan(Plant manager)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Red(R-6) i.e. basic chemicals
8	Product with consented capacity	:	sodium hydro sulphite@36 MTPD
9	Operational status	:	Non-Operational due to annual maintenance since 08/04/2018.
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Bore well (1 KM away from the industry premises. This piece of land is owned by the industry.
(b)	Whether water meter installed for measuring quantity of water consumed	:	---
(c)	Details of water consumption by industry	:	Process, 16 KLD Domestic, 7 KLD BOILER/Cooling-240 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, applied on 23/03/2017. Application no-21-4/1085/RJ/IND/2017.
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- Not applicable as there is no source of effluent generation. Entire effluent (be it in the form of mother liquor or process condensate) and left over salts of evaporator/ crystallizers are completely utilized for manufacturing process.
		:	Other Effluents- boiler blow down, ro reject, cooling tower bleed. They are utilized for plantation and other purposes.
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade - NA

		:	Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP. Not required  STP. Not required
(d)	Whether sample of effluent collected, if yes , point of collection	:	NA
(e)	Mode of disposal of effluent	:	Trade –NA
			Domestic- Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	:	
13	Consent status		CTO under Water & Air Act was issued vide RO letter no. F(SCMG)/Alwar(Tijara)/349(1)/ 2017-2018/4194-4196 dated 04/08/2017 is valid upto 30/06/2022.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	:	Compliance of conditions of CTO letter dt 04.08.2017 could not be verified as plant was non-operational.
15	Environment compensation		Unit has submitted DD of Rs 50,000/- (DD no- 259693, dt 29.12.2017) as environment compensation.

  
(Praveen Kumawat)

ASE, RIICO (Unit-I), Bhiwadi

  
(Yogyata Singh)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)

Regional Officer

INSPECTION REPORT

1	Name & address of the industry	:	M/s Gupta Industries, E-366 , RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.16823)
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 29.48972"N 76° 52' 9.66954"E
3	Date of inspection	:	02/05/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Praveen Bansal
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	Orange (Sr. No 92)
8	Product with installed capacity	:	STEEL REROLLED AND ROLLED PRODUCTS @ 12000.00 MT/annum.
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	NA
(c)	Details of Water consumption by industry	:	Process: No Effluent Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	No
11	Effluent management	:	
(a)	Source of generation	:	Process effluents- No Effluent Other Effluents- No Effluent.
		:	Domestic – Toilets & Utilities (2.4 KLD)
(b)	Control measures	:	NA Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	:	NA



(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	No
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in revised CTO letter issued to unit vide letter no F(Tech)/Alwar (Tijara)/3958(1)/2016-2017/17-18 dated 13/04/2017 and valid upto 30.10.2021.
14	Environment compensation	Environment compensation of Rs 50000/- has been deposited vide DD no. 082758 dated 03/01/2018 of PNB Bank.

  
 (Gurmeet Singh)  
 RIICO Limited (Unit-I)


  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

c/s  
  
 (KC Gupta)  
 Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Gyanjyot Enterprises (P) Ltd., F-142 RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id: 85286 )
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 55.77059"N 76° 51' 15.0975"E
3	Date of inspection	25/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh. Hemant (Director) 9818624733
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Green</u> Polythine and plastic products manufacturing (vergin plastic) as at serial no. 42 of Green category (Annexure III) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03//2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	HDPE Containers @ 500 pieces/Day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO Supply
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	NA
(c)	Details of Water consumption by industry	Process: Nil, Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of generation	Process effluents- Nil Other Effluents- Nil

		:	Domestic – Toilets & Utilities
(b)	Control measures	:	Trade –Nil
			Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility		NA
(d)	Whether sample of effluent collected, if yes, point of collection		NO
(e)	Mode of disposal of effluent	:	NA
			Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	:	NO
13	Status of compliance of consent condition.		Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO Acknowledgement letter issued this office letter no F(Ack)/Alwar(Tijara)/2991(1)/2017-2018/2919-2921 dated 04/07/2018.
14	environment compensation		Unit have been deposit environment compensation of Rs 10000/- vide DD no 082876 of HDFC dated 05/01/2018.

  
 (Gurmeet Singh)  
 ARM RIICO Bhiwadi Unit-I

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi


  
 (KC Gupta)  
 Regional Officer


INSPECTION REPORT

1	Name & address of the industry	Hari Darshan Re-Rolling, Pvt. Ltd., G-1066, Phase III, RIA, Bhiwadi.
2	Coordinates of industry (in terms of latitude and longitude)	Latitude ( $^{\circ}$ N)-28.198003 Longitude ( $^{\circ}$ E) -76.854595
3	Date of inspection	15.02.2018
4	Name & designation of inspecting official (s)	Sohan Lal (Jr. Scientific Officer), RSPCB, RO, Bhiwadi Mahipal Singh (Planning Assistant), RIICO, Unit-I
5	Name & designation of person in presence of whom inspection is conducted	Sh. Sudhir Kumar (ETP Manager)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red
8	Product with consented capacity	S.S. Sheets (Patta Patti), 3000 MTPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. RIICO water supply connection ii. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	Yes
(c)	Details of water consumption by industry	Process , 12 KLD Domestic , 1.8 KLD
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, application no. 21-4/3400/RJ/IND/2017 for 21 m3/day
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Pickling, S.S. sheet washing and rinsing.


*[Signature]*

		Other Effluents- Machine cooling
		Domestic -Toilet/ Utilities
(b)	Control measures	Trade – 1. Spent acid. – it is transported to SANF facility of CETP and is treated there. 2. Washing/rinsing water. – Physico-chemical treatment at effluent treatment plant.
		Domestic- septic Tank and soak pit
(c)	Operational Status of treatment facility	ETP: Operational  STP: Not applicable
(d)	Whether sample of effluent collected, if yes , point of collection	Yes, from treated water collection tank of Outlet of ETP being reused in process.
(e)	Mode of disposal of effluent	Trade –Reused in washing/rinsing and cooling of machine and surplus/excess effluent is discharged in to RIICO drain leading to CETP.
		Domestic-Septic Tank and Soak pit
12	Any shortcoming observed by joint team during inspection	Poor condition of Rainwater harvesting system
13	Consent status	The last CTO was issued to the industry vide letter no. F (Tech)/Alwar (Tijar)/2713 (1)/216-2017/100-102/201 dated 06.05.2016 which is valid from 01.03.2014 to 28.02.2019.
14	Status of compliance of consent condition	Industry is complying with the consent conditions.

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sohan Lal)  
RSPCB, Bhiwadi


Countersignatures


  
(KC Gupta)  
Regional Officer


INSPECTION REPORT

1	Name & address of the industry	M/s Hariom Metal Finishers, SPL-1, RIA, Bhiwadi, Tehsil- Tijara, Distt- Alwar (industry id.56967)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 35.07185"N 76° 51' 6.04156"E
3	Date of inspection	16/02/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Shivlehari Meena (JEE Bhiwadi) Praveen Kumawat(ASE RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Hashraj Sharma (Production)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Red</u> Industries or process involving <u>metal surface treatment</u> or process such as <u>pickling/plating/ electroplating/</u> paint stripping/ heat treatment/ phosphating or finishing and anodizing/enameling/galvanizing as at serial no. 36 of Red category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/10548-10587 dated 07/03/2013 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Electroplating Job Work @ 90TPA
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO Water Supply Industry has provided water meter at raw water storage tank
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes, Industry has provided water meter at raw water storage tank.
(c)	Details of Water consumption by industry	Process. Water is used in Electro plating Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	

(a)	Source of generation	Process effluents- 1. Electro plating section Other Effluents- NA
(b)	Control measures	Domestic – Toilets & Utilities Trade – Physio-chemical based ETP Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	Operational
(d)	Whether sample of effluent collected, if yes, point of collection	Yes, Final outlet of ETP (A/R indicates results within the limits)
(e)	Mode of disposal of effluent	Trade – Treated water is used for plantation and horticulture. Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection <ul style="list-style-type: none"> <li>Industry has not provided the fume collection system and alkaline scrubber for scrubbing the acidic fumes.</li> <li>Industry has not maintained the daily record /logbook of ETP.</li> </ul>	
13	Status of compliance of consent condition.	Industry is not complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by this office vide letter no F(Tech)/Alwar (Tijara)/2085(1)/2014-2015/147-148 dated 12/05/2016. Which is valid upto 31-08-2018.
14	Environmental compensation	Environmental compensation of Rs. 50000/- has been deposited vide DD no. 168095 dated 15/01/2018 (Bank Of Baroda)
15	Remarks	Show cause notice for intended revocation of CTO under Water & Air act may issued to industry for non compliance as at point no 12.

  
 (Praveen Kumawat)  
 RIICO Limited (Unit-I)  
 C.S

  
 (Shiv Lehari Meena)  
 JEE, RSPCB, Bhiwadi

  
 (Anil Bairwa)  
 JSO RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

INSPECTION REPORT

1	Name & address of the industry	M/s Himank Industries (P) Ltd., F-447 RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar Unit id -82781
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 33.93612"N 76° 52' 0.28294"E
3	Date of inspection	25/04/2018
4	Name & designation of inspecting official (s)	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Mr. Rahul(Helper)
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Green</u> Polythine and plastic products manufacturing (vergin plastic) as at serial no. 42 of Green category (Annexure III) of Office Order no. F.14 (23) Policy/RPCB/Plg/1312-1357 dated 16/03//2018 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Plastic products @3 tonne/month
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Out sourced
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	NA
(c)	Details of Water consumption by industry	Process. Nil, Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of generation	Process effluents- Nil Other Effluents- Nil



		: Domestic – Toilets & Utilities
(b)	Control measures	: Trade –Nil
		Domestic-Septic tank & soak pit
(c)	Operational status of treatment facility	NA
(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	: NA
		Domestic- Septic tank & soak pit.
12	Any shortcoming observed by joint team during inspection	: NO
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in Acknowledgement letter issued this office letter no F(Ack)/Alwar(Tijara)/2975(1)/2016-2017/7175-7177 dated 27/09/2016.
14	Environment compensation	Environment compensation of Rs 10000/- has been deposited vide DD no. 000533 dated 16/05/2018 of HDFC Bank.



(Gurmeet Singh)  
ARM RIICO Bhiwadi Unit-I



(ShivLehari Meena)  
JEE RSPCB, Bhiwadi



(KC Gupta)  
Regional Officer

390

## INSPECTION REPORT

1	Name & address of the industry	Himskaf System (P) Ltd., Plot No. B-815, RIA, Phase-II, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.203972 Longitude: 76.856116
3	Date of inspection	21.03.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Mr. Birendra Jha, Accountant
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Orange
8	Product with consented capacity	Scaffolding Components Accessories & Systems (Fabrication only)
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	RIICO water meter installed
(c)	Details of water consumption by industry	Water is used for drinking/Toilets/other utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not Applicable
11	Effluent management	

(a)	Source of effluent generation	,	Process Effluent- Not generated
-			Other Effluents- Not generated
		,	Domestic -Toilets/Other utilities
(b)	Control measures	,	Trade -Not Applicable
		,	Domestic-Unit has provided septic tank & soak pit
(c)	Operational Status of treatment facility	,	Not Applicable
(d)	Whether sample of effluent collected, if yes , point of collection	,	Not Required
(e)	Mode of disposal of effluent	,	Trade -Not Applicable
			Domestic- Unit has provided septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	,	Unit has not provided acoustic enclosure on DG set of 62 KVA. It has been advised to provide acoustic enclosure and to submit compliance to the Board.
13	Consent Status	,	CTO issued to the industry vide RO letter no. F(Tech)/Alwar(Tijara)/2370(1)/2015- 2016/437-438 dated 24/08/2016 valid upto 30.04.2026
14	Status of compliance of consent condition (specifically relating to water pollution)	,	Complied

RIICO Limited (Unit-I)

RSPCB, Bhiwadi

Countersignatures  
(KC Gupta)  
Regional Officer


## INSPECTION REPORT


1	Name & address of the industry	M/s Hi-Set Polymers Plot no.- 1210, Phase- V, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	28°11'58.37478"N and 76°52'16.54561"E
3	Date of inspection	02/04/2018
4	Name & designation of inspecting official (s)	Sharmila, JSO, RPCB, Bhiwadi Mahipal Singh, Planning Assistant, RIICO, Unit- I
5	Name & designation of person in presence of whom inspection is conducted	Sh.R. S. Kasana (Advisor) 9799996085
6	Purpose of inspection	Verification of compliance of conditions of acknowledgement issued by State Board
7	Category	Green
8	Product with consented capacity	Coated paper @ 500 Ton per annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	i. Bore well
(b)	Whether water meter installed for measuring quantity of water consumed	No
(c)	Details of water consumption by industry	Domestic- Drinking, toilets & utilities Process. Water is used in manufacturing process and baby boiler. Industry has not provided meter for measuring quantity of water abstracted/ withdrawal for domestic/ industrial requirements.
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not applied
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- vessel washing. Other Effluents- Boiler (blow down) Domestic - Toilet /utilities
(b)	Control measures	Trade -Industry has constructed solar evaporation tank for vessel washing waste water. Domestic-Septic tank and soak pit

Sharmila

(c)	Operational Status of treatment facility	ETP, Not required STP, Not required
(d)	Whether sample of effluent collected, if yes, point of collection	Not collected
(e)	Mode of disposal of effluent	Trade – Solar evaporation tank
		Domestic– Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	1. Industry has not applied for NOC to CGWA for abstraction of ground water. 2. Housekeeping needs improvement
13	Consent status	Acknowledgement under Water & Air Act was issued vide RO letter no. F (Ack)/Alwar(Tijara)/2964(1)/2016-2017/6002-6003 dated 24/08/2016.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Complied
15	Other observations	Industry has deposited environmental compensation of Rs. 10000/- (vide DD no. 004208 dated 04/01/2018, HDFC Bank) in compliance to NGT orders.

Recommendation. – In view of the above deficiencies, show cause notice for intended revocation of acknowledgement may be issued.

  
(Mahipal Singh)  
RIICO Limited (Unit-I)

  
(Sharmila)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Hi-Tech Chemicals, G-1/989, Phase-III, RIA, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Latitude: 28.194555 Longitude: 76.860614
3	Date of inspection	23.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Shri Bhagwan, Partner
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red (Basic chemicals and electro chemicals and its derivatives including manufacturing of acids, small and tiny scale units)
8	Product with consented capacity	Plasticizer Concrete Hardner-240 MT/Annum
9	Operational status	Non Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO Connection
(b)	Whether water meter installed for measuring quantity of water consumed	RIICO water meter installed
(c)	Details of water consumption by industry	Process. No use Domestic. Drinking/Toilets/other utilities Other. Cooling
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	NA
11	Effluent management	
(a)	Source of effluent generation	Process Effluent-

		Not generated
		Other Effluents- Not generated
		Domestic –Toilets/other utilities
(b)	Control measures	Trade –NA
		Domestic–Septic tank & Soak pit
(c)	Operational Status of treatment facility	ETP: NA STP: NA
(d)	Whether sample of effluent collected, if yes , point of collection	Not Required
(e)	Mode of disposal of effluent	Trade –NA
		Domestic– Septic tank & Soak pit
12	Any shortcoming observed by joint team during inspection	–
13	Consent Status	CTO issued to the industry vide HO letter no. F(Tech)/Alwar(Tijara)/342(1)/2017-2018/201-203 dated 12.04.2017 valid upto 30.06.2021 Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount- Rs. 50000/-, DD no.- 157354, Date-01.01.2018, Bank- Indian Overseas Bank)
13	Status of compliance of consent condition (specifically relating to water pollution)	As plant was non operational all consent conditions could not be verified.

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer


## INSPECTION REPORT


1	Name & address of the industry	Hi-Top Battery Industry, H-1/862, Phase-III, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates could not be taken as internet facility was suspended by District Collector on the date of inspection
3	Date of inspection	03.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Khem Chand, Foreman
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Red- (Lead Acid battery manufacturing excluding assembling & charging of acid battery)
8	Product with consented capacity	Auto Battery- 20 Nos/Day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	RIICO water meter installed
(c)	Details of water consumption by industry	Domestic.- Drinking/Toilets/Other utilities. However unit is procuring RO water from outside for drinking purpose Process. DM water purchased from outside is used for paste mixing & filling in batteries
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details	Not Required



	thereof		
11	Effluent management		
(a)	Source of effluent generation		Process Effluent- Trade effluent is not generated from process. However effluent may be generated from floor washing & charging activities.
			Other Effluents- Not generated
			Domestic -From Toilets/handwashing
(b)	Control measures		Trade -Industry has not provided any treatment facility. It seems wastewater if generated, is drained out into RIICO drain without any treatment.
			Domestic-Septic tank & soak pit
(c)	Operational Status of treatment facility		Not provided
(d)	Whether sample of effluent collected, if yes , point of collection		Not Collected as discharged was not observed during inspection.
(e)	Mode of disposal of effluent		Trade -RIICO drain
			Domestic- Septic tank & Soak pit
12	Any shortcoming observed by joint team during inspection		<p>(i) Workers were melting lead ingots in open pots without any pollution control measures.</p> <p>(ii) Industry has not obtained authorisation for hazardous waste generated in form of newspaper scraps consisting paste particles, drums of chemicals, acids etc.</p> <p>(iii) Industry has not provided any pollution control measures at any of its activities i.e grid casting, paste mixing, assembling &amp; charging.</p> <p>(iv) House keeping was poor</p>

13	Consent Status	CTO issued to the industry vide ROletter no. F(Tech)/Alwar(Tijara)/423(1)/2010-2011/1620-1622 dated 19.01.2016 valid upto 28.02.2019 Industry has deposited Environmental compensation in compliance of Hon'ble NGT order dated 12.12.2017 (Amount Rs. 50000/-, DD No.835998 , Date-05.01.2018, Bank-Vijaya Bank)
14	Status of compliance of consent condition	Following Non compliances observed. (i) Consent was granted for battery assembling activities only but unit is also carrying out grid casting, paste mixing & charging activities. (ii) Non Acoustic DG set of 62 KVA instead of 25 KVA.

  
(Praveen Kumawat)  
RICO Limited (Unit-I),  
Bhiwadi

  
(Neha Agarwal)  
RSPCB, Bhiwadi


Countersignatures

  
(KC Gupta)  
Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	M/s Hotel Regency, F-86A, Neelam Chowk, RIICO Industrial Area, Bhiwadi, Tehsil- Tijara, Distt- Alwar
2	Coordinates of industry (in terms of latitude and longitude)	:	28° 12' 43.789"N 76° 50' 47.58716"E
3	Date of inspection	:	27/04/2018
4	Name & designation of inspecting official (s)	:	Shivlehari Meena (JEE Bhiwadi ) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	:	Mr. Amit (Receptionist) 7891494858
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board.
7	Category	:	<u>Green</u>
8	Product with installed capacity	:	Hotel sevices@ 17 rooms
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	Borewell
(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	:	No
(c)	Details of Water consumption by industry	:	Process. Nil,
		:	Domestic.- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Yes, vide application No. 21-4/2502/RJ/INF/2017 dated 28/09/2015.
11	Effluent management	:	
(a)	Source of generation	:	Process effluents- Nil
		:	Other Effluents- Nil
		:	Domestic – Toilets & Utilities
(b)	Control measures	:	Trade –Nil
		:	Domestic-Septic tank & soak pit and surplus waste water discharged in CETP drain.
(c)	Operational status of treatment facility	:	NA

(d)	Whether sample of effluent collected, if yes, point of collection	NO
(e)	Mode of disposal of effluent	NA
		Domestic- Septic tank & soak pit and surplus waste water discharged in CETP drain.
12	Any shortcoming observed by joint team during inspection	NO
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in Acknowledgement letter issued this office letter no RPCB/RO/BWD/AEEO/Green-1472/3879-3880 dated 28/01/2013
14	Remarks	Representative advised to provide water meter at borewell and maintain records now onwards.

  
 (Gurmeet Singh)  
 ARM RIICO Bhiwadi Unit-I

  
 (ShivLehari Meena)  
 JEE RSPCB, Bhiwadi

  
 (KC Gupta)  
 Regional Officer

## INSPECTION REPORT


1	Name & address of the industry	M/s Indo Alusys Industries Ltd., SP-2/333, RIA, Bhiwadi, Tehsil-Tijara, Distt- Alwar (industry id.529)
2	Coordinates of industry (in terms of latitude and longitude)	28° 12' 39. 25728"N 76° 51' 51. 53764"E
3	Date of inspection	04/05/2018
4	Name & designation of inspecting official (s)	Anil Bairwa (JSO Bhiwadi) Gurmeet Singh (ARM RIICO Bhiwadi Unit-I)
5	Name & designation of person in presence of whom inspection is conducted	Sh Vinod Mehta (Vice president )
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board.
7	Category	<u>Red</u> Industries or process involving <u>metal surface treatment</u> or process such as pickling/plating/ electroplating/ paint stripping/ heat treatment/ phosphating or finishing and <u>anodizing/enameling/galvanizing</u> as at serial no. 36 of Red category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/10548-10587 dated 07/03/2013 regarding categorization of industries/ projects/ processes/ activities/ mines.  Ferrous and Non-ferrousmetal extraction involving different furnaces through melting, refining, reprocessing, casting and alloy making as mentioned at serial no. 21 of Red category (Annexure I) of Office Order no. F.14 (23) Policy/RPCB/Plg/10548-10587 dated 07/03/2013 regarding categorization of industries/ projects/ processes/ activities/ mines.
8	Product with installed capacity	Aluminium & Copper Cable @ 57800 KM/Annum Aluminium Alloy Ingot (billet & log) @ 4800 TPA Extruded Shapes & Engels @ 29600 TPA Over Head Transmission Conductors @ 65000 KM/Annum
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	Bore well-02

(b)	Whether water meter installed for measuring quantity of water consumed for various purposes, if yes, details thereof	Yes, Water meter provided at both water meter
(c)	Details of Water consumption by industry	Process: Water is used in anodizing section Other uses :- cooling tower
		Domestic:- toilet & utilities
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Yes, Applied for NOC from CGWA for abstraction of 71 KLD ground water vide application no 21-4/1287/RJ/IND/2017.
11	Effluent management	
(a)	Source of generation	Process effluents- Anodizing section
		Other Effluents- cooling tower blow down,
		Domestic – Toilets & Utilities
(b)	Control measures	Trade –Physico chemical based Effluent Treatment Plant (60 KLD)
		Domestic-Sewage Treatment plant (50KLD)
(c)	Operational status of treatment facility	Both the treatment facility (ETP & STP) were found operational
(d)	Whether sample of effluent collected, if yes, point of collection	Yes Outlet of ETP Outlet of STP
(e)	Mode of disposal of effluent	Trade – Treated water is used for gardening/flushing and rest of water was evaporated by the industry.
		Domestic-Treated water is used for plantation
12	Any shortcoming observed by joint team during inspection	NO
13	Status of compliance of consent condition.	Industry is complying with the conditions (specifically relating to water pollution) mentioned in CTO letter issued by HO vide letter no F(CPM)/Alwar(Tijara)/44(1)/2013-2014/5699-5701 dated 18/09/2017. Which is valid upto 31-01-2019.
14	Environmental compensation	Environmental compensation of Rs. 50000/- has been deposited vide DD no. 416442 dated 03/01/2018 (SBI)
15	Remarks	

	<ul style="list-style-type: none"> <li>• Rep. of industry was advised to maintain record of daily consumption of chemicals used in ETP and STP.</li> <li>• Rep. of industry was advised to maintain record /logbook of daily treated water.</li> </ul>
--	--



(Gurmeet Singh)  
RIICO Limited (Unit-I)



(Anil Bairwa)  
JSO RSPCB, Bhiwadi

C.S.



(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	M/s Indus Towers Ltd., H1-847 A, RIA, Phase-III, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	—
3	Date of inspection	09.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <del>Junior Engineer</del> , RIICO Ltd., Unit-I, Bhiwadi <b>ASE</b>
5	Name & designation of person in presence of whom inspection is conducted	—
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green (as per Acknowledgement letter)
8	Product with consented capacity	DG Set-15 KVA (1 No.)
9	Operational status	Door was <u>locked</u>
10	Raw/ fresh water management	NA
(a)	Source of raw/fresh water	—
(b)	Whether water meter installed for measuring quantity of water consumed	—
(c)	Details of water consumption by industry	—
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	—
11	Effluent management	NA
(a)	Source of effluent generation	Process Effluent-
		Other Effluents-
		Domestic —



(b)	Control measures	,	Trade – NA
		,	Domestic-NA
(c)	Operational Status of treatment facility	,	NA
(d)	Whether sample of effluent collected, if yes , point of collection	,	NA
(e)	Mode of disposal of effluent	,	Trade –NA
			Domestic- NA
12	Any shortcoming observed by joint team during inspection	,	<ul style="list-style-type: none"> <li>• Industry has not deposited Environmental compensation in compliance of NGT order dated 12.12.2017.</li> <li>• Guard has not opened the door in which DG is installed</li> </ul>
13	Consent Status	,	<ul style="list-style-type: none"> <li>• Acknowledgement was issued to the industry vide RO letter no. RPCB/RO/ALW/G-1769/1839-40 dated 16.06.2014 under Air (Prevention &amp; Control of Pollution) Act, 1981</li> </ul>
14	Status of compliance of consent condition (specifically relating to water pollution)	,	–

(Praveen Kumawat)  
RIICO Limited (Unit-I)

(Neha Agarwal)  
RSPCB, Bhiwadi

Countersignatures

(KC Gupta)  
Regional Officer

## INSPECTION REPORT

1	Name & address of the industry	Infinity Polyrub (P) Ltd., H-851, RIA, Phase-III, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	Coordinates could not be taken as internet facility was suspended by District Collector on the date of inspection
3	Date of inspection	03.04.2018
4	Name & designation of inspecting official (s)	Smt. Neha Agarwal, Scientific Officer, RSPCB Bhiwadi Sh. Praveen Kumawat, <sup>ASE</sup> Junior Engineer, RIICO Ltd., Unit-I, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	Sh. Murari Lal Yadav, Manager
6	Purpose of inspection	Verification of compliance of conditions of consent issued by State Board
7	Category	Green-Rubber goods industry with baby boiler
8	Product with consented capacity	Rubber Guomets-160 pcs/day Rubber Caps-800 pcs/day Rubber Gas Kit-800 pcs/day Rubber Engine Mounting-600pcs/day Rubber Bush-600pcs/day Rubber Rings-3 Lac pcs/day Rubber Washer-3 Lac pcs/day
9	Operational status	Operational
10	Raw/ fresh water management	
(a)	Source of raw/fresh water	RIICO water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	RIICO water meter installed
(c)	Details of water consumption by industry	Water is used for drinking/Toilets/other utilities

(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	Not Applicable
11	Effluent management	
(a)	Source of effluent generation	Process Effluent- Not generated
		Other Effluents- Not generated
		Domestic -Toilets/other utilities
(b)	Control measures	Trade -Not Applicable
		Domestic-Unit has provided septic tank & soak pit
(c)	Operational Status of treatment facility	Not Applicable
(d)	Whether sample of effluent collected, if yes , point of collection	Not Required
(e)	Mode of disposal of effluent	Trade -Not Applicable
		Domestic- Unit has provided septic tank & soak pit
12	Any shortcoming observed by joint team during inspection	Industry has been advised to improve house keeping
13	Consent Status	Acknowledgement issued to the industry vide RO letter no. RPCB/RO/BWD/OR-347/173-174 dated 21.04.2014

*[Handwritten signatures]*

14	Status of compliance of consent condition (specifically relating to water pollution)	Complied
----	--	----------

  
RIICO Limited (Unit-I)

  
RSPCB, Bhiwadi

Countersignatures


  
• (KC Gupta)


Regional Officer

# INSPECTION REPORT

1	Name & address of the industry	:	M/S Innovative resins P. Ltd, Plot no.-G-730, RIICO Industrial Area, Bhiwadi
2	Coordinates of industry (in terms of latitude and longitude)	:	28°12'23.91588"N and 76°51'50.00076"E
3	Date of inspection	:	12/03/2018
4	Name & designation of inspecting official (s)	:	Yogyata Singh, JEE, RPCB, Bhiwadi S. S. Khorla , DIC, Bhiwadi
5	Name & designation of person in presence of whom inspection is conducted	:	Sh. Yogesh Rana (GM)
6	Purpose of inspection	:	Verification of compliance of conditions of consent issued by State Board
7	Category	:	Orange (R-81) i.e. synthetic resin ( As per office order dt 108.05.2018)
8	Product with consented capacity	:	Unsaturated polyester resin@ 2400 MTPA
9	Operational status	:	Operational
10	Raw/ fresh water management	:	
(a)	Source of raw/fresh water	:	i. RIICO Water supply connection
(b)	Whether water meter installed for measuring quantity of water consumed	:	--
(c)	Details of water consumption by industry	:	<b>Process:</b> nil <b>Domestic:</b> 1 KLD (As CTO application dt 24/01/2018)
(d)	Whether application for withdrawal of ground water submitted to CGWA, if yes, details thereof	:	Not applicable
11	Effluent management	:	
(a)	Source of effluent generation	:	Process Effluent- Effluent is generated during manufacturing of resins. Unit has provided effluent treatment plant for the treatment of trade effluent.  Other Effluents- cooling water is being recirculated .
		:	Domestic - Toilet /utilities
(b)	Control measures	:	Trade – NA  Domestic-Septic tank and soak pit
(c)	Operational Status of treatment facility	:	ETP: Non-operational. As water was being collected in collection tank.

		STP: Not required
(d)	Whether sample of effluent collected, if yes, point of collection	NA
(e)	Mode of disposal of effluent	Trade –evaporated in kettle. Domestic– Septic tank and soak pit
12	Any shortcoming observed by joint team during inspection	Unit has not applied Authorization for sludge generated from ETP.
13	Consent status	CTO under Water & Air Act was issued vide this office letter no. F(Tech)/Alwar(Tijara)/1553(1)/2012-2013/1815-1816 dated 21/01/2016 was valid upto 31/01/2018.
14	Status of compliance of consent condition in respect of effluent generation, treatment & disposal	Unit is not complying with condition no-5 (Stack height of 2 Lac Kcal/hr HSD fired thermopac), 12 (not applied for Authorization for ETP sludge). For which notice was issued on 20.03.2018.

  
(S. S. Khorla)  
DIC, Bhiwadi

  
(Yogyata)  
RSPCB, Bhiwadi

Countersignatures

  
(KC Gupta)  
Regional Officer