



Noise Quality Bulletin of Rajasthan State in July-2026



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in State throughout the year. This monthly bulletin is a compilation of results of Noise Level Monitoring Conducted in Month Of July-2026 of the State.

The noise level Monitoring was conducted during day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring The Residential, Commercial, Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No		Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road, Ajmer	Commercial	71.8	68.1
2		In front of house of Mr. Tarachand Solanki, Anand Puri, Dholabhatta, Ajmer	Residential	69	74.1
3		In the premises of Govt. Satellite Hospital, Adarsh Nagar, Ajmer	Silence	66.9	63.2
4		In front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura Makhupura, Ajmer	Industrial	73.9	69.7
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	71.5	52.6
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	51.6	40.07
7		Hope Circus, Tehsil & Distt Alwar	Commercial	73.3	54.1
8		General Hospital (Rajiv Gandhi Hospital)	Silence	65.3	46.7

Signature Not Verified





Noise Quality Bulletin of Rajasthan State in July-2026



9	Balotra	Jeetmal Harish Kumar Upper Primary School no. 2 (Silent Area) Khed Road Balotra	Silence	64.3	49.4
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	54.6	39.8
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	68.9	56.6
12		CETP Balotra, Khed Road, Balotra.	Industrial	74.2	51.4
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	69.1	50.7
14	Banswara	Thikariya Industrial Area Near. Mayur Flooring Pvt.Ltd, Banswara	Industrial	65.4	57.2
15		Kushalbagh Maidan Near. Police Thana, Banswara	Commercial	71.6	55.9
16		Housing Board Colony, Near, Rara Avis Hotel, Pratap Circle, Banswara	Residential	63.8	54.7
17		Near. Main gate MG Hospital, Banswara	Silence	62.5	57
18		Nutan Pubic School, Banswara	Silence	58.8	55.3
19	Baran	RIICO Office,RIICO Industrial Area, Baran	Industrial	65.8	52.5
20		Circuit House,Baran	Residential	51.5	45.2
21		Government Hospital ,Baran	Silence	57.7	44.8
22		PWD Office, Baran	Commercial	67.6	57.7
23		Fire Station,Baran ,Baran-Kota Road, Baran	Commercial	65.7	47.1
24	Barmer	Govt. Hospital, Barmer , Railway Station Road, Barmer	Silence	65.1	51.2
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	58.4	50.9
26		Near Railway Station Road Market, Barmer	Commercial	69.6	51.8
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	66.6	63
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	55.8	53.2

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



29	Bharatpur	M/s Regional Office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	55.3	42.2
30		M/s. Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	64.1	53.7
31		M/s RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	70.5	52.3
32		M/s Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	58.6	41.5
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	63.1	45.8
34	Bhilwara	Near Shree Sulztex Spares Pvt. Ltd.,RIICO Industrial Area, Pur Road, Bhilwara	Industrial	65.1	59.8
35		C-209,Azad Nagar, Bhilwara	Residential	59	54.1
36		Suchana Kendra, Bhilwara	Commercial	69	65.6
37		Mahatma Gandhi Hospital, Bhilwara	Silence	59	57.8
38		Kumbha Circle, Bhilwara	Commercial	71.9	60.6
39	Bhiwadi	M/s Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi	Residential	61.2	43.1
40		M/s Star Hospital, Bhiwadi	Silence	63.4	42.8
41		M/s Central Market, Bhiwadi	Commercial	71.6	61.7
42		M/s Central Park, UIT Sector-06, Gaurav Path, Bhiwadi	Residential	68.4	51.2
43		M/s Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi	Commercial	67.1	59.7

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



44	Bikaner	Regional office, RSPCB	Industrial	59.5	56.9
45		Junagarh Circle, Near Junagarh Fort, Bikaner	Commercial	68.9	62.7
46		IGNP Colony	Residential	63	62
47		P.B.M. Hospital ,Bikaner	Silence	61.7	58.7
48		Kanta Khaturia Colony, Bikaner	Residential	62.6	62.7
49	Bundi	Civil lines	Residential	62.1	54.3
50		DIC Office	Industrial	68.7	58.1
51		Government Hospital	Silence	56.1	49.5
52		Nagar Parishad	Commercial	65	57.3
53		Power House, BCR Industrial Area	Industrial	70.5	67.1
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh,Chittorgarh	Industrial	66.5	56.9
55		Gol Pyau Chauraha, Chittorgarh	Commercial	68	58.7
56		Near Old Home Guard Office, Kumbha Nagar, Chittorgarh	Residential	64.1	56.8
57		District Hospital Chittorgarh	Silence	53.7	50
58		Major Natwar Singh Sec. Sr. School, Chittorgarh	Silence	56.3	51.6
59	Churu	Near Pankha Circle, Churu/ Near Vinayak Complex	Commercial	70.5	68.3
60		Housing Board, Churu/ Park Inside Housing Board	Residential	63	55.9
61		Govt. D.B. General Hospital, Churu/ Near Park Inside Hospital Premises	Silence	68.2	57.9
62		RIICO Ind Area, Churu/ Near Vishwakarma Laghu Udyog	Industrial	69.2	64.8
63		Near Indramani Park, Churu	Commercial	75.1	69

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



64	Dausa	Shri Ramkaran Joshi Govt. District Hospital Lalsot Raod, Dausa	Silence	69.6	64.1
65		Indra Colony, Dausa	Residential	68.8	71.8
66		Hotel Shyam Vilash, RIICO Ind. Area, Dausa	Industrial	69.9	70.4
67		Bus Station, Dausa	Commercial	71	63.9
68	Dholpur	M/s Circuit House, Near Mittal Colony, Tehsil & Distt.-Dholpur	Residential	54.1	41.2
69		M/s RIICO Office Building, Old Industrial Area, Odela Road, Tehsil & Distt.-Dholpur	Industrial	72.3	58.7
70		M/s Nagar Parishad Office, Ghantaghar Road, Tehsil & Distt.-Dholpur	Commercial	64.2	52.6
71		M/s Govt. General Hospital, Tehsil & Distt.-Dholpur	Silence	57.1	41.6
72		M/s Govt. Sr. Sec. School, Tehsil & Distt.-Dholpur	Silence	NA	NA
73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	64.2	52.8
74		RIICO Office, Dungarpur	Commercial	63.7	56.8
75		Near Jain Mandir, Pragati nagar, New Colony, , Dungarpur	Residential	59.8	55.2
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	60.5	55.5
77		Gap Sagar pal, Dungarpur	Commercial	70.2	59
78	Hanumangarh	Near RIICO Office, RIICO Industrial Area	Industrial	66.2	77.3
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction, Hanumangarh	Residential	67.5	43.5
80		Children Park, Durga Colony, Ganganagar Road, Hanumangarh	Residential	61	41.1
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	68.74	46.9
82		Near Bombay Hospital, Hanumangarh	Silence	58.8	47.8

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



83	Jaipur	Near Garden behind Governor House, Civil Lines, Jaipur (UID2862)	Silence	61.5	62.4
84		At Outside the outdoor of Santokba Durlabhji Memorial Hospital (SDMH), Jaipur (UID-2870)	Silence	72.9	61.2
85		Nagar Nigam Office, Jaipur	Residential	63.7	62.5
86		Science Park, Shastri Nagar, Jaipur (UID-3327)	Residential	73.5	71.9
87		At Main Gate of Chander Shekhar Azad Park, Gali No-03, Raja Park, Jaipur (UID-2860)	Commercial	67.2	56.2
88		Near Kotwali Police Station, Chotti Choupad, Jaipur (UID-2861)	Commercial	74.0	71.6
89		Rooftop of Regional Office, RSPCB Jaipur-North, Opp.-Road No.-5, VKIA, Jaipur	Industrial	64.9	64.7
90		RIICO Office, Sitapura, Jaipur	Industrial	62.9	66.7
91	Jaisalmer	Shilpgram Industrial area, Jaisalmer	Industrial	64.6	64
92		Hanuman Chouraha, Jaisalmer	Commercial	60.1	60
93		Tikaram Paliwal Park, Jaisalmer	Residential	59.6	52.8
94		Jawahar Hospital, Jaisalmer	Silence	46.7	44.6
95	Jalore	RIICO Industrial Area, phase 3rd , Jalore	Industrial	78.1	70.3
96		District Hospital, Jalore	Silence	69.3	65.1
97		Senior citizen park Shivaji Nagar, Jalore	Residential	60.5	47.3
98		Bus Stand, Jalore	Commercial	67.7	54.1
99		CAAQMS, Nagar Parishad, Jalore	Mixed	53.8	47.7

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



100	Jhalawar	RIICO Limited industrial Area, Mama Bhanja Phase- III, Jhalawar, Tehsil- Jhalarapatan	Industrial	61.7	50.2
101		Civil Lines, Jhalawar, Tehsil- Jhalarapatan	Residential	56.6	42.5
102		Medical College, Jhalawar, Tehsil- Jhalarapatan	Silence	66	42.5
103		Veterinary Polyclinic, Jhalawar, Tehsil- Jhalarapatan	Commercial	63	52.9
104		Bus Stand, Jhalawar	Commercial	63	55.7
105	Jhunjhunu	Mandawa Mode Jhunjhunu/ Near Subhash Chandra Park	Commercial	ND	ND
106		Housing Board Colony, Jhunjhunu/ Near Rajiv Gandhi Park	Residential	ND	ND
107		BKD Hospital, Jhunjhunu/ Near Mother & Child Care Wing	Silence	ND	ND
108		RIICO Phase- 2 Jhunjhunu/ Near Mahindra Motors Pvt. Ltd.	Industrial	ND	ND
109		Near Peeru Singh Circle Jhunjhunu	Commercial	ND	ND
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	71	53.5
111		Sojati Gate, Jodhpur	Commercial	77.6	64.6
112		BJS Colony, Near Soil conversion, Paota	Residential	57.4	48.6
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	67.6	48.7
114	Karauli	Circuit House, Ganesh Colony, Karauli	Residential	52.8	48.3
115		District Industries Centre, Near Gad kaki Chowki, Karauli	Industrial	66.2	58.9
116		Public Works Department Office, Near Collectrate Chauraha, Karauli	Commercial	61.6	56.4
117		Govt. General Hospital, Karauli	Silence	57.3	54.8
118		Fire Station near private Bus Stand , Karauli	Commercial	58.6	53.9

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura, District- Kota	Industrial	65	53.5
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura, District- Kota	Residential	59.3	56.1
121		Police Chowki, Gumanpura, Kota, Tesil-Ladpura, District- Kota	Commercial	72.6	68.1
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura, District- Kota	Silence	56.5	52.2
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar, Kota	Commercial	66.2	58.2
124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony, Nagaur	Residential	61.8	52.3
125		Gandhi Chowk, Nagaur	Commercial	74.3	65.8
126		In front of M/s Shubh Laxmi Oil Industries, Plot No. 40-44, RIICO Industrial Area	Industrial	64.1	59.3
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	55.4	56.9
128		Govt. Sr. Sec. School, Rathori Kuan, Nagaur	Residential	61.7	52.8
129	Pali	Near main gate of RSPCB	Industrial	61.4	57
130		At Bangur Hospital	Silence	58.6	53.7
131		At Circuit House	Residential	55.5	52.3
132		Near Town Hall, Nagar Parishad	Commercial	59.6	54.9
133		Bangur College (CAAQMS Site)	Silence	61.5	50.1
134	Pratapgarh	RIICO Industrial Area Bagwas ,Pratapgarh	Industrial	65.6	60.2
135		Ghandhi Murti Circle in Front of Nagar Parishad , Pratapgarh	Commercial	61	57.6
136		Bada Bagh Colony,Pratapgarh	Residential	64.5	52.5
137		District Hospital Pratapgarh	Silence	59.6	51.3
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	56.1	52.3

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	ND	ND
140		Kalalwati, Rajnagar	Residential	ND	ND
141		Near Vidhya Niketan, Secondary School, Krishna Nagar, Kankroli	Silence	ND	ND
142		Bus stand, Kankroli	Commercial	ND	ND
143		R.K. Hospital	Silence	ND	ND
144	Sawai Madhopur	Circuit House, Near Housing Board Colony, Sawai Madhopur	Residential	57.8	55.1
145		RIICO Office Building, Kherda Industrial Area, Sawai Madhopur	Industrial	58.7	52.8
146		Head Post Office building & Passport Sewa Kendra Sawai Madhopur	Commercial	62.3	56.8
147		Govt. General Hospital, Sawai Madhopur	Silence	58.5	52.7
148		Mahatma Gandhi Govt. School, Sahu Nagar, Sawai Madhopur	Silence	54.1	53.2
149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	54.3	58.5
150		Near OPD Block, S K Government Hospital, Sikar	Silence	60	61.4
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	74.8	65.7
152		Near RIICO Office, Jaipur road, Sikar	Industrial	64.8	59.7
153		Near Nagar Parishad Office, Rani Sati Road, Sikar	Commercial	75.1	65.8
154	Sirohi	RIICO Industrial Area, Sirohi	Industrial	53.9	54.2
155		District Hospital, Sirohi	Silence	59	60.9
156		Dak Bungalow, Sirohi	Residential	54.2	48.3
157		Bus Stand, Sirohi	Commercial	60.8	54.7
158		CAAQMS, Govt. sr.sec. school, Sirohi	Residential	72.9	56.4

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in **July-2026**



159	Sriganganagar	Near RIICO Office, Udhyog Vihar, Industrial Area, Shri Ganganagar	Industrial	-	-
160		Govt. Sr. Sec. School Verified location for Noise Bulletin: (Multipurpose), Shri Ganganagar	Residential	68.3	47
161		Gandhi Park, D Block, Shri Ganganagar	Residential	61	41.4
162		Ambedkar Circle, Shri Ganganagar	Commercial	65.3	38
163		Government Hospital, Suratgarh Road, Shri Ganganagar	Silence	67.1	44.7
164	Tijara city	M/s Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	61.7	52.7
165		M/s Government Common Health Centre, Tijara.	Silence	56.2	43.9
166		M/s Nagar Palika, Tijara	Commercial	66.2	57.1
167		M/s Government Senior Secondary School, Tijara,	Residential	55.7	43.7
168		M/s Chandralok City, Tijara	Residential	63.8	53.7
169	Tonk	In Front of M/s Kamal Industries, G-44, RIICO Industrial Area, Tonk	Industrial	58.5	53
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	75.3	69
171		Near Mahila Poilce Station, Barudkhana	Residential	63.9	54.3
172		Near Main Gate of Sahadat Govt. Hospital	Silence	64.1	56.3
173		Govt. Senior Secondary School, Kothi Nathman (CAAQMS Site)	Commercial	65.8	61.1

Signature Not Verified



Noise Quality Bulletin of Rajasthan State in July-2026



174	Udaipur	Nagar Nigam Office, Town Hall, Udaipur	Commercial	ND	ND
175		Near Blood bank MB hospital, Udaipur	Silence	62.4	70.6
176		Near Satellite Hospital, In front of police station, Ambamata scheme, Udaipur	Residential	65.1	59.7
177		BSNL Head Office, Sector 4, Hiran Magri, Udaipur	Residential	70	72.3
178		Regional Office, F-470 near UCCI complex, MIA Madri, Udaipur	Industrial	61.1	60

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.

ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Signature Not Verified