



Noise Quality Bulletin of Rajasthan State in December-2025



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of December-2025 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No .	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	73.5	69.2
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	66.4	74.2
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	60	56.9
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	67.8	55.7
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	72.5	58.2
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	56.5	42.8
7		Hope Circus, Tehsil & Distt Alwar	Commercial	67.1	55.1
8		General Hospital (Rajiv Gandhi Hospital),	Silence	68.7	53.9





Noise Quality Bulletin of Rajasthan State in December-2025



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	58.6	53.1
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	54.3	48.8
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	69.9	61.5
12		CETP Balotra, Khed Road, Balotra.	Industrial	65.2	60.2
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	56.1	51.3
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	66.6	58.1
15		Kushalbagh Maidan, Near Police Thana,	Commercial	65.3	56.7
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	63.7	55.9
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	64.5	59
18		Nootan High Secondry School, Banswara	Silence	69	54.8
19	Baran	RIICO Office, Baran	Industrial	57.3	50.6
20		Circuit House	Residential	59.9	48.7
21		Government Hospital	Silence	58.4	48.5
22		PWD Office	Commercial	63.2	55.4
23		Fire Station,Baran-Kota Road,Baran	Commercial	64	51.7
24	Barmer	Govt. Hospital, Barmer	Silence	61.3	54.8
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	56.8	49.4
26		Near Railway Station Road Market, Barmer	Commercial	69.6	63.3
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	60.1	59
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	70.4	54.2



Noise Quality Bulletin of Rajasthan State in December-2025



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.- Bharatpur	Residential	64.8	51.7
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	68.1	57.4
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	71.3	58.2
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	66	50.9
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	68.5	53.3
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	66.8	62.3
35		Azad Nagar, Sector - C, Bhilwara	Residential	65.7	62.9
36		Suchana Kendra, Bhilwara	Commercial	71.3	61.1
37		Mahatma Gandhi Hospital, Bhilwara	Silence	63.5	62.1
38		Kumbha Circle, Bhilwara	Commercial	72.5	70.1
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-Khairthal Tijara	Residential	51.6	42.5
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	60.4	55.6
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	74.2	56.1
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	62.1	47.7
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	66.8	51.2
44	Bikaner	Regional office, RSPCB	Industrial	61.9	62.7
45		Junagarh Circle	Commercial	71	68.2
46		IGNP Colony, Ganganagar Road	Residential	56.2	62.9
47		P.B.M. Hospital	Silence	65.4	51.6
48		Kanta Kathuriya Colony	Residential	59.8	64.6



Noise Quality Bulletin of Rajasthan State in December-2025



49	Bundi	Civil lines	Residential	63.4	57.8
50		DIC Office	Industrial	65.9	60.7
51		Government Hospital	Silence	59.7	46.9
52		Nagar Parishad	Commercial	68	61.8
53		Power House, BCR Industrial Area	Industrial	69.2	68.4
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	64.9	60.5
55		Gol PyauChauraha Chittorgarh	Commercial	74.8	64.2
56		Kumbha Nagar, near Home Guard Office	Residential	66.5	62.4
57		District Hospital Chittorgarh	Silence	63.7	54.7
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	64.4	63.3
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	76.3	73.2
60		Park inside Housing Board, Churu	Residential	60.3	50.1
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	63	48.5
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	76.8	57.5
63		Near Indramani Park, Churu	Commercial	76.3	66.9
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	66.7	62
65		Indra Colony, Dausa	Residential	66.5	64
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	62.8	57
67		Old Bus Stand, Dausa	Commercial	73.2	72.4



Noise Quality Bulletin of Rajasthan State in December-2025



68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	64	52.6
69		RIICO Office Building, Old Industrial Area, Odela Road, Tehsil & Distt.-Dholpur	Industrial	67.8	57.2
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	70.6	56.4
71		Govt. General Hospital, Tehsil &Distt.- Dholpur	Silence	66.3	51.4
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	62.5	48.8
73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	61.3	47.2
74		RIICO Office, Dungarpur	Commercial	67.2	56
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	57.8	46.1
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	56.2	44.3
77		Gap Sagar pal, Dungarpur	Commercial	71.1	58
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	68.9	55.5
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	63.1	51.8
80		Children Park, Durga Colony Ganganagar Road	Residential	57.4	43.5
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	62.6	50.7
82		Near Bombay Hospital,Hanumangarh	Silence	52.7	42.8
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	61	59.9
84		Santokba Durlabhji Memorial Hospital (near OPD)	Silence	69.4	66.7
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	59.2	60.1
86		Science Park, Shastri Nagar	Residential	72.4	70.6
87		Gali No. 3, Raja Park	Commercial	59.3	62.6



Noise Quality Bulletin of Rajasthan State in December-2025



88		Near Kotwali Thana, Chhoti Choupar	Commercial	77.7	70.9
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	64.7	67.6
90		RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	60.4	64.9
91		RIICO Industrial Area, Shilap Gram, Jaisalmer	Industrial	64.4	63.5
92	Jaisalmer	Near Gandhi darshan, Hanuman Circle ,Jaisalmer	Commercial	63.1	60.2
93		Tikaram Paliwal Park,Jaisalmer	Residential	62.6	59.3
94		Near Jawahar hospital,Jaisalmer	Silence	57.1	57.2
95		Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	63.9	70.3
96	Jalore	Govt. Hospital, Jalore	Silence	68	62.2
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	58.9	55.4
98		Bus Stand, Jalore	Commercial	69	51.5
99		Circuit House Jalore (CAAQMS Site)	Commercial	58	55.9
100	Jhalawar	RIICO, Near Office building	Industrial	56.4	55.9
101		Civil Lines, Near collectorate bungalow	Residential	62.5	57.7
102		Medical College, Near dean college	Silence	59.1	51
103		Veterinary Polyclinic, Near office building	Commercial	62.7	58.1
104		Bus Stand, Jhalawar	Commercial	62.6	59.7
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	74.4	74.4
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	56.4	57.7
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	67	63.1
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	65.4	60.8
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	76.4	63.3



Noise Quality Bulletin of Rajasthan State in December-2025



110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	59.9	48.3
111		Sojati Gate, Jodhpur	Commercial	70.3	55.7
112		BJS Colony, Near Soil conversion, Paota	Residential	53.7	45.9
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	59.8	47.3
114	Karauli	Circuit House, Ganesh Colony	Residential	ND	ND
115		District Industries Centre, Near Gad kaki Chowki	Industrial	ND	ND
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	ND	ND
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	ND	ND
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	ND	ND
119		Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	63.7	52.8
120	Kota	Civil Lines,Nayaura, Kota, Tesil-Ladpura,	Residential	66.9	49.8
121		Police Chowki,Gumanpura, Tesil-Ladpura,	Commercial	71.4	62.6
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	59.1	51.3
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	67	56.8
124		In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	56	58.7
125	Nagaur	Gandhi Chowk, Nagaur	Commercial	75.3	59.4
126		In front of M/s Shubh Laxmi Oil Industries, Ploj No. 40-44, RIICO Industrial Arear	Industrial	68.6	57.3
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	52	58.1
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	50	44.9



Noise Quality Bulletin of Rajasthan State in December-2025



129	Pali	Near main gate of RSPCB	Industrial	59.9	52.3
130		At Bangur Hospital	Silence	60	56.5
131		At Circuit House	Residential	54.6	52.8
132		Near Town Hall, Nagar Parishad	Commercial	70.5	60.5
133		Bangur College (CAAQMS Site)	Silence	60.4	50.1
134	Pratapgarh	Bagwas Industrial Area	Industrial	62.9	49.7
135		Nagar Parishad Gate	Commercial	58.1	57.4
136		Bada Bagh Colony	Residential	62.2	47.6
137		District Hospital Pratapgarh	Silence	49.8	47.5
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	58.1	50.7
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	ND	ND
140		Kalalwati, Rajnagar	Residential	ND	ND
141		Krishna Nagar, Near Vidya Niketan School	Silence	ND	ND
142		Bus stand, Kankroli	Commercial	ND	ND
143		R.K. Hospital	Silence	ND	ND
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	ND	ND
145		RIICO Office Building, Kherda Industrial Area	Industrial	ND	ND
146		Head Post Office building & Passport Sewa Kendra	Commercial	ND	ND
147		Govt. General Hospital	Silence	ND	ND
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	ND	ND



Noise Quality Bulletin of Rajasthan State in December-2025



149	Sikar	Regional Office, RSPCB, Shivilpura Housing Board, Nawalgarh Road, Sikar	Residential	54.8	61
150		Near OPD Block, Sri Kalayan Hospital, Sikar	Silence	73.9	65.8
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	65.5	56.1
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	63.5	63.3
153		Near Municipal Council Office, Sikar	Commercial	71.9	66.7
154	Sirohi	RIICO Industrial Area	Industrial	56.2	59.5
155		District Hospital	Silence	57.1	58.1
156		Near Collector House, Sirohi	Residential	54	59.6
157		Commercial area, near roadways bus stand, Sirohi	Commercial	60.2	61.4
158		Govt. Sr. Sec. School (CAAQMS Site)	Residential	55.4	53.2
159	Sriganganagar	Near RIICO Office, Udyog Vihar Ind. Area	Industrial	63.7	45.3
160		Govt. Sr. Sec. School, Multipurpose	Residential	59.8	53.3
161		Gandhi Park, D Block	Residential	51	40.2
162		Ambedkar Circle, Sriganganagar	Commercial	54.4	38
163		Govt. Hospital, Suratgarh Road	Silence	69.2	46.5
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	67.1	52
165		Government Common Health Centre, Tijara.	Silence	61.3	54.8
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	64.6	51.2
167		Government Senior Secondary School, Tijara,	Residential	58.5	44.1
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	61.3	42.6



Noise Quality Bulletin of Rajasthan State in December-2025



169	Tonk	In Front of M/s Kamal Industries, G-44, RIICO Industrial Area, Tonk	Industrial	67.3	63.8
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	70	69.7
171		Near Mahila Police Station, Barudkhana, Tonk	Residential	59.6	51.8
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	60.8	54.9
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	63	50.2
174	Udaipur	Nagar Nigam office, Town Hall	Commercial	72.2	65.1
175		MB Hospital	Silence	68.3	66.2
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	69.4	51.6
177		BSNL Head office, Sector 4, Hiran Magri	Residential	69	68.2
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	64.1	67.4

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.

ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40