



Noise Quality Bulletin of Rajasthan State in March-2026



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of March-2026 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No	Name / Point of locations	Zone	Leq (dB)	
			Day time	Night time
1	Near Union Bank of India, Shrinagar Road	Commercial	77.6	75.2
2	In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	70.1	75.4
3	Govt. Satellite Hospital, Adarsh Nagar	Silence	66.9	60
4	In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	69.3	66.9
5	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	69.5	52.7
6	Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	53.6	41.1
7	Hope Circus, Tehsil & Distt Alwar	Commercial	70.6	58.2
8	General Hospital (Rajiv Gandhi Hospital)	Silence	58.6	45.4





Noise Quality Bulletin of Rajasthan State in March-2026



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	54.8	42.2
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	56.1	49.9
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	71.2	54.8
12		CETP Balotra, Khed Road, Balotra.	Industrial	56.6	43.4
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	64.4	58.2
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	65.5	56.7
15		Kushalbagh Maidan, Near Police Thana,	Commercial	60.1	54.1
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	56.3	47.8
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	63.4	56.3
18		Nootan High Secondry School, Banswara	Silence	78.8	52.4
19	Baran	RIICO Office, Baran	Industrial	63.2	52.7
20		Circuit House	Residential	60.6	47.1
21		Government Hospital	Silence	55.6	45.2
22		PWD Office	Commercial	64.4	53.7
23		Fire Station,Baran-Kota Road,Baran	Commercial	64.9	49.3
24	Barmer	Govt. Hospital, Barmer	Silence	60.1	53.2
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	58.6	49
26		Near Railway Station Road Market, Barmer	Commercial	71.5	58.1
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	52.8	43.5
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	57.1	46.5



Noise Quality Bulletin of Rajasthan State in March-2026



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	50.2	42.6
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	68.4	62.5
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	68.9	52.8
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	67.1	49.1
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	64.4	45.2
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	66.7	59
35		Azad Nagar, Sector - C, Bhilwara	Residential	53.6	59.5
36		Suchana Kendra, Bhilwara	Commercial	69	62.8
37		Mahatma Gandhi Hospital, Bhilwara	Silence	59.5	59.4
38		Kumbha Circle, Bhilwara	Commercial	69.7	66.3
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-Khairthal/Tijara	Residential	75.3	50.1
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	63.4	48.2
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	79.6	56.6
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	61.5	49.3
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	70.5	55.9
44	Bikaner	Regional office, RSPCB	Industrial	58.7	59.3
45		Junagarh Circle	Commercial	68.9	68.1
46		IGNP Colony, Ganganagar Road	Residential	59.7	65
47		P.B.M. Hospital	Silence	68.2	64.9
48		Kanta Kathuriya Colony	Residential	57.3	57.7



Noise Quality Bulletin of Rajasthan State in March-2026



49	Bundi	Civil lines	Residential	68.1	57.2
50		DIC Office	Industrial	65.1	62.7
51		Government Hospital	Silence	58.1	48.1
52		Nagar Parishad	Commercial	70	64.7
53		Power House, BCR Industrial Area	Industrial	73.7	64.8
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	66.5	61.9
55		Gol PyauChauraha Chittorgarh	Commercial	63.8	69.9
56		Kumbha Nagar, near Home Guard Office	Residential	62.1	59.3
57		District Hospital Chittorgarh	Silence	59.8	56.7
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	56.5	55.1
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	75	71.8
60		Park inside Housing Board, Churu	Residential	53.8	48.7
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	68	59.1
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	69	52.3
63		Near Indramani Park, Churu	Commercial	73.4	67.6
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	70.8	64.7
65		Indra Colony, Dausa	Residential	60.1	65.3
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	70.6	66.6
67		Old Bus Stand, Dausa	Commercial	70.2	70.9



Noise Quality Bulletin of Rajasthan State in March-2026



68	Dholpur	Circuit House, Near Mittal Colony, Tehsil & Distt.-Dholpur	Residential	61.2	41.1
69		RIICO Office Building, Old Industrial Area, Odela Road, Tehsil & Distt.-Dholpur	Industrial	72.3	54.6
70		Nagar Parishad Office, Ghantaghar Road, Tehsil & Distt.-Dholpur	Commercial	70.6	50.7
71		Govt. General Hospital, Tehsil & Distt.-Dholpur	Silence	69.3	53.7
72		Govt. Sr. Sec. School, Tehsil & Distt.-Dholpur	Silence	63.8	45.6
73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	60.2	53.1
74		RIICO Office, Dungarpur	Commercial	62.5	57.6
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	58.2	52
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	57.6	55.3
77		Gap Sagar pal, Dungarpur	Commercial	71.9	61.2
78	Hanumangarh	Near RIICO Office, RIICO Industrial Area	Industrial	65.4	42.1
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	62.7	50.8
80		Children Park, Durga Colony Ganganagar Road	Residential	49.6	41.3
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	61.8	45.5
82		Near Bombay Hospital, Hanumangarh	Silence	58.7	39.7



Noise Quality Bulletin of Rajasthan State in March-2026



83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	55.9	56.8
84		Santokba Durlabhji Memorial Hospital (near OPD)	Silence	72.2	56.8
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	64.7	60.7
86		Science Park, Shastri Nagar	Residential	73.3	72.3
87		Gali No. 3, Raja Park	Commercial	66.9	66.5
88		Near Kotwali Thana, Chhoti Choupar	Commercial	73.5	69.9
89		Rooftop of Regional Office, RPCB, VKIA, Jaipur (North)	Industrial	64.4	66.1
90		RIICO Sitapura Office, RIICO Industrial Area, Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	65.7	61.5
91		RIICO Industrial Area, Shilap Gram, Jaisalmer	Industrial	61.5	59.9
92	Jaisalmer	Near Gandhi darshan, Hanuman Circle, Jaisalmer	Commercial	60.4	53
93		Tikaram Paliwal Park, Jaisalmer	Residential	54.9	52.9
94		Near Jawahar hospital, Jaisalmer	Silence	54.7	46.7
95		Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	ND
96	Govt. Hospital, Jalore		Silence	ND	ND
97	Near Sr. Citizen Park Sivaji Nagar, Jalore		Residential	ND	ND
98	Bus Stand, Jalore		Commercial	ND	ND
99	Circuit House Jalore (CAAQMS Site)		Commercial	ND	ND



Noise Quality Bulletin of Rajasthan State in March-2026



100	Jhalawar	RIICO, Near Office building	Industrial	57.8	51.9
101		Civil Lines, Near collectorate bungalow	Residential	50.6	43.8
102		Medical College, Near dean college	Silence	55.9	46.6
103		Veterinary Polyclinic, Near office building	Commercial	64.8	58.1
104		Bus Stand, Jhalawar	Commercial	62.8	56.7
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	76.1	69.8
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	49.8	51.1
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	64.9	56.9
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	60.6	55.5
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	73.9	66.2
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	70.4	51.2
111		Sojati Gate, Jodhpur	Commercial	75.3	89.9
112		BJS Colony, Near Soil conversion, Paota	Residential	61	69.2
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	49.3	47.1
114	Karauli	Circuit House, Ganesh Colony	Residential	55.7	48.2
115		District Industries Centre, Near Gad kaki Chowki	Industrial	60.5	52.8
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	65	55.2
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	59.3	53.5
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	61	53.9



Noise Quality Bulletin of Rajasthan State in March-2026



119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	60.7	53.1
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	63.1	51.2
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	70.5	67.8
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	63.1	51.2
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	66.8	56.9
124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	58.1	56.3
125		Gandhi Chowk, Nagaur	Commercial	74.9	70.6
126		In front of M/s Shubh Laxmi Oil Industries, Plot No. 40-44, RIICO Industrial Area	Industrial	64.1	60
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	48.2	49.6
128		Govt. Sr. Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	69.1	54.5
129	Pali	Near main gate of RSPCB	Industrial	56.2	51.2
130		At Bangur Hospital	Silence	57.4	51.9
131		At Circuit House	Residential	64.4	46.4
132		Near Town Hall, Nagar Parishad	Commercial	66.2	54
133		Bangur College (CAAQMS Site)	Silence	57.1	47.4
134	Pratapgarh	Bagwas Industrial Area	Industrial	60.6	52.1
135		Nagar Parishad Gate	Commercial	63.1	50.2
136		Bada Bagh Colony	Residential	58.1	51.1
137		District Hospital Pratapgarh	Silence	53.7	48.3
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	53.4	48.8



Noise Quality Bulletin of Rajasthan State in March-2026



139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	ND	ND
140		Kalalwati, Rajnagar	Residential	ND	ND
141		Krishna Nagar, Near Vidya Niketan School	Silence	ND	ND
142		Bus stand, Kankroli	Commercial	ND	ND
143		R.K. Hospital	Silence	ND	ND
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	55.5	48.1
145		RIICO Office Building, Kherda Industrial Area	Industrial	58.9	51
146		Head Post Office building & Passport Sewa Kendra	Commercial	68.7	57.4
147		Govt. General Hospital	Silence	59	51.3
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	56.2	48.7
149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	58.8	53.4
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	62.5	68.4
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	77.2	66.9
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	64.5	59.6
153		Near Municipal Council Office, Sikar	Commercial	72.5	71.7
154	Sirohi	RIICO Industrial Area	Industrial	ND	ND
155		District Hospital	Silence	ND	ND
156		Near Collector House, Sirohi	Residential	ND	ND
157		Commercial area, near roadways bus stand, Sirohi	Commercial	ND	ND
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	ND	ND



Noise Quality Bulletin of Rajasthan State in March-2026



159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	67.2	48.5
160		Govt. Sr. Sec. School, Multipurpose	Residential	56.2	43.8
161		Gandhi Park, D Block	Residential	55.8	42.4
162		Ambedkar Circle, Sriganganagar	Commercial	52.2	40.1
163		Govt. Hospital, Suratgarh Road	Silence	60.9	42.3
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	62.5	51.4
165		Government Common Health Centre, Tijara.	Silence	54.3	42.2
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	63.7	50.6
167		Government Senior Secondary School, Tijara,	Residential	52.5	41.3
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	51.4	43.2
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	68.4	63.2
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	67.1	64.4
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	63.2	60.3
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	58.7	55.3
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	60.3	57.8



Noise Quality Bulletin of Rajasthan State in March-2026



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	ND	ND
175		MB Hospital	Silence	ND	ND
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	ND	ND
177		BSNL Head office, Sector 4, Hiran Magri	Residential	ND	ND
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	62.2	69.7

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40