



Rajasthan State Pollution Control Board

Headquarter, 4, Institutional Area, JhalanaDoongri, Jaipur-302004
Phone: 0141-27168049, 2716800 e-mail: member-secretary@rpcb.nic.in
HelpLineNo. : 0141-2716877

No. F.14 (5-Adm)/RSPCB/Plg/13164

Date: 07/11/23

Order

At present, the analysis of Water & Air samples in Board's Laboratories is taking much more time than required for analysis. This practice delays analysis reports generation which affects the disposal of consent/ authorization cases etc.

In order to improve the situation of routine testing of water/waste water & air samples (5 General Parameter in water/waste water samples and 3 General Parameters in Air samples), it has now been decided that the analysis report generation of water/waste water samples through MIS should be completed in 7 working days from receipt of the sample and 3 working days in case of air samples.

All Lab In-Charges are directed to ensure immediate compliance of the order and submit the details in the attached format on monthly basis to Chief Scientific Officer.

Non compliance/ deviation from stipulated timeline will be viewed seriously and disciplinary action may be initiated against the officials, who are responsible for the delay.

This bears approval of the competent authority.

Encl: As above

(Vijai N)
Member Secretary

No. F.14 (5-Adm)/RSPCB/Plg/
Copy to following for information:

Date:

1. P.S. to Chairperson, RSPCB, Jaipur.
2. Sr. PA to Member Secretary, RSPCB, Jaipur.
3. CEE /CAO, RSPCB, Jaipur.
4. CSO, RSPCB, Jaipur with direction to monitor the compliance of this order effectively and submit the compiled information to MS, RSPCB on 5th of every month.
5. All Group In-charges, RSPCB, Jaipur.
6. All Regional Officers, Regional Office, RSPCB
7. All Lab Incharges, RSPCB, Regional Labs.
8. Group Incharge (IT)/ ACP, RSPCB, Jaipur with the direction to update on State Board's website.

Signature valid

Digitally signed by N. Vijai
Designation: Member Secretary
Date: 2023.11.06 20:13:18 IST
Reason: Approved Member Secretary



dc



Rajasthan State Pollution Control Board

Headquarter, 4, Institutional Area, JhalanaDoongri, Jaipur-302004
Phone: 0141-27168049, 2716800 e-mail: member-secretary@rpcb.nic.in

HelpLineNo. : 0141-2716877

Water/ Waste Water

Month.....

S.No.	Name of the Unit	Sample collection date	Sample Receipt date	Parameters to be analyzed	Date of report generation	Days Taken

Air

Month.....

S.No.	Name of the Unit	Sample collection date	Sample Receipt date	Parameters to be analyzed	Date of report generation	Days Taken

Signature valid

RajKaj Ref
5013174

Digitally signed by N. Vijai
Designation: Member Secretary
Date: 2023.11.06 20:13:18 IST
Reason: Approved