

State Level Environment Impact Assessment Authority, Rajasthan

4, Institutional Area, Jhalana Doongri, Jaipur-302004
Phone: 0141-2705633, 2711329 Ext. 361

No: F1 (4)/SEIAA/SEAC-Raj/Sectt/Project / Cat. 5 (a) B1/(423)/2011-12

Jaipur, Dated:

23 AUG 2012

To,

M/s GM-Marketing,
Plot no. F-220-222, F-223A,
F-224A, F-225A, F226-227,
Mewal Industrial Area,
Madri,
Udaipur,

Sub: EC for Liberty Phosphate Limited Mewal Industrial Area Madri, Udaipur, Rajasthan.

Sir,

This has reference to your application dated 23.11.11 seeking environmental clearances for the above project under EIA Notification 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification 2006 on the basis of the mandatory documents enclosed with the application viz. the questionnaire, EIA, EMP and additional clarifications furnished in response to the observation of the State Level Expert Committee Rajasthan, in its meeting held on 30/31.7.12

2. Brief details of the Project:

1.	Item No. in the list of Schedule / Category:	5 (a) B I (Expansion Project)																																										
2.	Location of Industry / Project	Plot no. F-220-222, F-223A, F-224A, F-225A, F226-227, Mewal Industrial Area, Madri, Udaipur, Rajasthan-303003, (an expansion project)																																										
3.	Plot Area	The existing land area acquired by the unit is 13,882 sq. m. and for expansion the unit has acquired plot of area 2340 sq. m. Thus, the total land area of the unit is 16,222 sq. m.																																										
4.	Product & Capacity	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">S. No.</th> <th rowspan="2">Particulars</th> <th colspan="3">Capacity (TPA)</th> </tr> <tr> <th>Existing</th> <th>Proposed</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SSP</td> <td>2,64,000</td> <td>--</td> <td>2,64,000</td> </tr> <tr> <td>2</td> <td>GSSP</td> <td>1,48,500</td> <td>99,000</td> <td>2,47,500</td> </tr> <tr> <td></td> <td>Total</td> <td>4,12,500</td> <td>99,000</td> <td>5,11,500</td> </tr> </tbody> </table>					S. No.	Particulars	Capacity (TPA)			Existing	Proposed	Total	1	SSP	2,64,000	--	2,64,000	2	GSSP	1,48,500	99,000	2,47,500		Total	4,12,500	99,000	5,11,500															
S. No.	Particulars	Capacity (TPA)																																										
		Existing	Proposed	Total																																								
1	SSP	2,64,000	--	2,64,000																																								
2	GSSP	1,48,500	99,000	2,47,500																																								
	Total	4,12,500	99,000	5,11,500																																								
5.	Expected Cost:	The existing cost of the project is 1519.10 lacs and proposed cost for the expansion is Rs. 173.17 lacs. Thus, the total cost of the project after expansion will be Rs. 1692.27 lacs.																																										
6.	Water Requirement & Source:	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">S. No.</th> <th rowspan="2">Particulars</th> <th colspan="3">Water Demand (KLD)</th> </tr> <tr> <th>Existing</th> <th>Proposed</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>One time water demand</td> <td>216.5</td> <td>17</td> <td>233.5</td> </tr> <tr> <td>2</td> <td>Fresh water demand</td> <td>196.5</td> <td>17</td> <td>213.5</td> </tr> <tr> <td>3</td> <td>Recycled water</td> <td>20</td> <td>---</td> <td>20</td> </tr> <tr> <td>4</td> <td>Industrial process</td> <td>208.5</td> <td>15</td> <td>223.5</td> </tr> <tr> <td>5</td> <td>Domestic purposes</td> <td>4</td> <td>0.5</td> <td>4.5</td> </tr> <tr> <td>6</td> <td>Plantation purposes</td> <td>4</td> <td>1.5</td> <td>5.5</td> </tr> </tbody> </table>					S. No.	Particulars	Water Demand (KLD)			Existing	Proposed	Total	1	One time water demand	216.5	17	233.5	2	Fresh water demand	196.5	17	213.5	3	Recycled water	20	---	20	4	Industrial process	208.5	15	223.5	5	Domestic purposes	4	0.5	4.5	6	Plantation purposes	4	1.5	5.5
S. No.	Particulars	Water Demand (KLD)																																										
		Existing	Proposed	Total																																								
1	One time water demand	216.5	17	233.5																																								
2	Fresh water demand	196.5	17	213.5																																								
3	Recycled water	20	---	20																																								
4	Industrial process	208.5	15	223.5																																								
5	Domestic purposes	4	0.5	4.5																																								
6	Plantation purposes	4	1.5	5.5																																								
7.	Fuel & Energy:-	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>S. No.</th> <th>Particulars</th> <th>Existing (kVA)</th> <th>Proposed (kVA)</th> <th>Total (kVA)</th> <th>Source</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Connected Load</td> <td>825</td> <td>350</td> <td>1175</td> <td>RSEB</td> </tr> <tr> <td>2</td> <td>D.G. Set</td> <td>375</td> <td>--</td> <td>375</td> <td></td> </tr> </tbody> </table> <p>The Steam coal "B" grade for fulfillment of fuel requirement would be 10.8 MT/day the linkage of Steam coal and its statues of E.C. may be submitted.</p>					S. No.	Particulars	Existing (kVA)	Proposed (kVA)	Total (kVA)	Source	1	Connected Load	825	350	1175	RSEB	2	D.G. Set	375	--	375																					
S. No.	Particulars	Existing (kVA)	Proposed (kVA)	Total (kVA)	Source																																							
1	Connected Load	825	350	1175	RSEB																																							
2	D.G. Set	375	--	375																																								
8.	Environment Management Plan:-	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">S. No.</th> <th rowspan="2">Particulars</th> <th colspan="2">Rs. in lacs</th> </tr> <tr> <th>Capital cost</th> <th>Recurring cost</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Blowers</td> <td>2.97</td> <td></td> </tr> <tr> <td>2</td> <td>Chimney</td> <td>5.23</td> <td></td> </tr> <tr> <td>3</td> <td>Cyclone</td> <td>3.54</td> <td></td> </tr> <tr> <td>4</td> <td>Dust chamber</td> <td>3.00</td> <td></td> </tr> <tr> <td>5</td> <td>Water Pollution Control Measure</td> <td>2.00</td> <td></td> </tr> <tr> <td></td> <td>Total Capital Cost</td> <td>16.74 (Say Rs. 17.00 Lacs)</td> <td>2.00</td> </tr> </tbody> </table>					S. No.	Particulars	Rs. in lacs		Capital cost	Recurring cost	1	Blowers	2.97		2	Chimney	5.23		3	Cyclone	3.54		4	Dust chamber	3.00		5	Water Pollution Control Measure	2.00			Total Capital Cost	16.74 (Say Rs. 17.00 Lacs)	2.00								
S. No.	Particulars	Rs. in lacs																																										
		Capital cost	Recurring cost																																									
1	Blowers	2.97																																										
2	Chimney	5.23																																										
3	Cyclone	3.54																																										
4	Dust chamber	3.00																																										
5	Water Pollution Control Measure	2.00																																										
	Total Capital Cost	16.74 (Say Rs. 17.00 Lacs)	2.00																																									

9	Green Belt	Existing green belt area in the unit covers 4,581 sq. m., which is about 33% of the total land area acquired by the unit. After expansion the total green belt area of the unit will be 5,678 sq. m., which is about 35% of the total land area.			
10	CSR	Rs. in (Lacs)			
		S. No.	Year	Budget	Plan
		1	2012-13	5.00	Kisan mela, Health camp, Soil testing
		2	2013-14	5.00	Mobilization of farmer groups, training/exposure visit of farmers improving their participation in technology dissemination process.
		3	2014-15	5.00	Agri-Exhibitions, Regional, Krishi Expos, Rewards and Incentives, Farmer awards, And Monitoring

3. The SEAC Rajasthan after due considerations of the relevant documents submitted by the project proponent and additional clarifications/documents furnished to it have recommended for Environmental Clearance with certain stipulations. The SEIAA Rajasthan after considering the proposal and recommendations of the SEAC Rajasthan hereby accord Environmental Clearance to the project as per the provisions of Environmental Impact Assessment Notification 2006 and its subsequent amendments, subject to strict compliance of the terms and conditions as follows:

- i The production capacity of the industry shall be limited to production of Single Super Phosphate (Powder) SSP 2,64,000 TPA Single Super Phosphate (Granulated) GSSP 2,47,500 TPA per annum.
- ii The total working days will be 325 As envisaged, the PP shall ensure the implementation of the commitments in respect of addressing Environmental and Social issues. The PP shall ensure providing 33% area of the total plant area under green cover.
- iii As committed, the PP shall earmark and spend an amount of Rs. 16.74 (Say Rs. 17.00 Lacs) towards capital cost and Rs. 0.2.00 lacs as annual recurring cost for various environmental protection measures and implementation of various activities under Environmental Management Plan.
- iv The PP shall earmark and spend an amount of Rs. 05.00 Lacs per year for CSR for the next three years totaling to Rs. 15.00 Lacs.
- v The total water consumption shall be limited to 213.5 KLD. The source of the water through tanker near by Village. For withdrawing ground water from bore wells, if any, prior approval from the Central Ground Water Authority shall be obtained.
- vi The PP shall achieve the stack emission standards and ambient air standards as notified under E. P. Rules 86 and its subsequent amendments.
- vii The height of the stack for disbursement of the process emissions shall not be less than 30.00 Mtrs. from ground level.
- viii The PP shall obtain the approval from the concerned SE of AVVN Ltd. for the draw/distribution scheme of electricity.
- ix The PP shall operate its unit with prior Consent to Establish and Consent to Operate under the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.
- x The particulate matter and gaseous emissions (SO_x, NO_x, CO, CO₂, etc) from various processes/units/storages shall conform to the standards prescribed by the State Pollution Control Board /Central Pollution Control Board or under the Environment (Protection) Rules' 86 from time to time.
- xi At no time, the emissions shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the units, the unit shall immediately put off operation and shall not restart until the control measures are rectified to achieve the desired efficiency.
- xii Ambient air quality monitoring stations shall be set up in the down wind direction as well as where maximum ground level concentration of PM₁₀ & PM_{2.5}, SO_x, NO_x, CO, CO₂, and F (Total) are anticipated in consultation with Rajasthan State Pollution Control Board.
- xiii The project proponent shall carry out regular monitoring of air emissions of HF, F etc (at source, work environment and ambient air) and assessment of performance of Air pollution control arrangements.
- xiv Portholes and sampling facilities shall be provided for the stacks emissions monitoring as per the CPCB guidelines. Stack emissions shall be monitored in consultation with RPCB.
- xv The PP shall draw the Safety, Health & Environment (SHE) Plan and submit to RPCB.
- xvi As committed, the PP shall earmark & spend a total amount of Rs. 2.32 Crore capital cost and Rs 3.48 Crore recurring cost per year for CSR activities.
- xvii Data on ambient air quality and stack emissions shall be submitted to RPCB, once in six months carried out by MOEF/NABL/CPCB/ Govt. approved lab.
- xviii The PP shall provide separate drainage and outlets with the precaution that the storm water shall not come into contact with waste sludge.

- xix The unit shall obtain proper authorization from Rajasthan State Pollution Control Board, if it generates any waste which falls under the purview of HWMHR-2008.
- xx Handling, manufacture, storage and transportation of hazardous chemicals shall be in accordance with the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 (amended till date).
- xxi Adequate measures for the control of noise shall be taken so as to keep the noise levels below 85 dB (A) in the work environment. Persons working near the machines shall be provided with well-designed ear muffs/plugs and other personnel protective equipments.
- xxii Suitable alarm system and standard procedure for transmitting the information on the occurrence of an accident to the proper focal point shall be established.
- xxiii Efforts shall be made to increase green belt all around the premises. Native plant species shall be selected for this purpose in consultation with the local Forest Department A green belt development plan be prepared and implemented so as to cover at least 33% area of the plot size.
- xxiv A qualified person in the field of environment or separate Environmental Management Cell to be established to implement and carry out various functions is set up under the control of a Senior Executive who will report directly to the head of the project.
- xxv The PP will ensure that no employee or worker remains on duty within the plant premises for more than 8 hours per day in one stretch. No residential facilities (even for security staff) within the factory premises will be provided.
- xxvi The funds earmarked for the environmental protection measures shall be kept in separate account and shall not be diverted for other purposes and year wise expenditure shall be reported to the Rajasthan State Pollution Control Board under the rules prescribed for environmental audit.
- xxvii Periodical medical check up of the workers shall be done in six months and records maintained and effects of fluorine on human health need to be taken into special consideration.
- xxviii The PP shall ensure taking necessary steps on urgent basis to improve the living conditions of the construction labour at site.
- xxix The PP shall ensure that, the EC letter as well as the status of compliance of EC conditions and the monitoring data are placed on company's website and displayed at the project site.
- xxx The SEIAA, Rajasthan reserve the right to add new conditions, modify/ annual any condition and/or to revoke the clearance if implementation of any of the aforesaid condition/other stipulations imposed by competent authorities is not satisfactory. Six monthly compliance status reports on project along with implementation of environmental measures shall be submitted to MoEF, Regional Office, Lucknow and RPCB.
- xxxi The PP shall take permission from C.G.W.A. for withdrawal of ground water.

Yours faithfully,

Sd/-
(Sankatha Prasad)
Member Secretary
SEIAA Rajasthan

Copy to following for information and necessary action:

1. Secretary, Ministry of Environment and Forest, Govt. of India, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi.
2. Addl. Chief Secretary, Environment Department, Rajasthan, Jaipur.
3. Smt. Alka Kala, Chairman, SEIAA, Rajasthan, 69-A, Bajaj Nagar Enclave, Jaipur
4. Shri Moti Lal Daima, Member, SEIAA, Rajasthan, 48/9, Moti Path, Mansarovar, Jaipur.
5. Member Secretary, Rajasthan State Pollution Control Board, Jaipur for information & necessary action and to display this sanction on the website of the Rajasthan State Pollution Control Board, Jaipur.
6. Secretary, SEAC Rajasthan.
7. The CCF, Regional Office, Ministry of Environment & Forests, RO(CZ), Kendriya Bhawan, 5th Floor, Sector 'H', Aliganj, Lucknow-226 020.
8. Environment Management Plan- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
- ✓ 9. Nodal Officer (Departmental Website), Department of Environment, Government of Rajasthan, Jaipur with the request to upload the copy of this environmental clearance on the website.

Sd/-
M.S. SEIAA (Rajasthan)