# State Level Environment Impact Assessment Authority, Rajasthan

4, Institutional Area, Jhalana Doongri, Jaipur-302004 Phone: 0141-2705633, 2711329 Ext. 361

File No. F1 (4)/SEIAA/SEAC-Raj/Sectt/Project/Cat(8(a)B2(555)/12-13

Jaipur, Dated: 17 SEP 2013

To, Mr. Davendra Singh Shekhwat, Plot no. B-21, Shakti Bhawan, Katipura Road, Jhotwara, Jaipur Rajasthan – 302012.

Sub:- E.C. for a proposed Group Housing Project promoted by Mr. Devendra Singh Shekhawat. Khasra no. 153, 155 Village Sirsi, Tehsil Jaipur, District Jaipur State Rajasthan.

Sir,

This has reference to your application dated 25.03.2013 seeking environmental clearances for the above project under Environment Management Plan Notification 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the Environment Management Plan Notification 2006 on the basis of the mandatory documents enclosed with the application viz. the questionnaire, Environment Management Plan, Environment Management Plan and additional clarifications furnished in response to the observation of the State Level Expert Committee Rajasthan, in its meeting held on 20-21.05.2013 & 25-26.07.13.

### 2. Brief details of the Project:

1.	Item No. in the list of Schedule / Category:							
2.	Location of Industry / project	Khasra	Khasra no. 153, 155 Village Sirsi, Tehsil & District Jaipur State Rajasthan.  Details					
3	Total Land Area	S. No.	Particular					
		1.	Total Plot Area	6469.7	6469.79 Sq. m.			
		2.	Gross Built Area	40,381	40,381.95 Sq. m.			
	* 1,1	3.	Built up Area		35,686.56 Sq. m.			
		4.		Permissible	Permissible 2.25+1 m.)		1=3.25 (21,026.82 Sq	
			Floor Area Ratio	Achieved	3.11 (2	(20,123.31 Sq. m.)		
		5.	Ground Coverage	Permissible	Sq. m.	30%+10%=40% (2,587.92 Sq. m.)		
			Ground Covorage	Achieved		.21% (2,342.71 Sq. m.)		
		6.	Height up to machine ro		50.65 m			
	l e le	7	Height up to Terrace Flo	42.90	42.90 m			
4.	Project Details		The state of the s	Flat Details			1	
4.	1 Toject Details	Floor	S	1 BHK	2 BHK	3 BHK	4 BHK	
13			1 <sup>st</sup> floor 4			10	2	
	2 <sup>nd</sup> 6 <sup>th</sup>		2 <sup>nd</sup> to 5 <sup>th</sup> floor		12	40	8	
			6 <sup>th</sup> floor 4		3	10	2	
			7 <sup>th</sup> to 11 <sup>th</sup> floor			50	10	
	* • •		floor (lower pent house		3	10	2	
	n = 2		loor (upper pent house)	15 E	15 Bedroom			
		Total 24			36	120	24	

	Area sta	atement		ŧ					1-7-4 (1984)
Lautrebell, doubt	Floor	Gross	Net	FAR	Lift	Stairs	Stor	Corri	Serv
The second section is a second		Built up	A PERSON NAMED OF STREET	(Sq. m.)	(Sq.	The second second second	1	B	100000000000000000000000000000000000000
		Area	Area			(Sq.	e	dor	ces
		(Sq. m.)		THE E SH	m.)	m.)	(Sq.	(Sq.	(Sq.
1905 0	Basem			1000	2107		m.)	m.)	m.)
3 7 1.	ent	0		1.2/1/4	34.85	2 V 1	5	-	-
	Groun d(stilt)	3835.51	2400.00	132.83	34.85	21.13		-	-
	1 <sup>st</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
dg sile repetium ren	2 <sup>nd</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
militar 1-41	3 <sup>rd</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
la never e e e e	4 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7	165.0	27.9
Selection (1 1 000 de se d Se de se de s	5 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7	165.0	27.9
Managaran ing Pangaran ing Pang	6 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7	165.0	27.9
an Llauge	7 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7	165.0	27.9
	8 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
	9 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
	10 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
ka just, st. ji in ki an ti ai	11 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
	12 <sup>th</sup>	2581.05	2343.10	1656.43	34.85	21.13	52.7 5	165.0	27.9
m 62 \$ 10	13 <sup>th</sup>	189	169.32	113.32	34.85	21.12		0	
alt profession	Terrac	122.20		113.32		21.13	- '	-	-
All printing	e	122.20	122.20	. 188	34.85	21.13		-	=
	Total	38,725. 50 +1656. 45	34,030.1 1+1656. 45	20,123.	557.60	316.9	633. 0	1980. 0	335.2
FC CLASS	Grand Total	40,381. 95	35686.5 6	1	·				
		oss Built u	•						
			^	Tiali	T~				
	S. no.		loors	Polyaki		s built-u	p area	(sq. m.)	
	$1_{i}(0,\mu)$		Ground (stil	t)	268.	05			6
All Williams and the	2		st floor		231.4	40		E1	
	3	2	nd floor	1 16 4	231.4				
	4		rd floor	77.1	231.4			200	
	5		th floor	- <u>1714 - 5 - </u>	231.4				
	6		th floor	3 76 11					
- 33 3		3	th a	10 E "1 pr	231.4			•	
1.1	7	. 6	<sup>th</sup> floor		231.4	40			
1			`otal	11 11 11 11 11	1656				

5 []	Expected Cost	Rs. 54.29	) Crore						
7	Water Requirement	During construction phase water requirement will be 20 KLD which will be met							
	& Source:	from authorized water suppliers.							
,	0.3	During p	ost construction phase daily water re	quirement	will b	e about 1	51.7 KLD.		
	(C)	During post construction phase daily water requirement will be about 151.7 KLD 101.8 KLD fresh water from PHED supply.							
	8 BL 1	49.9 KLD recycled water from STP.							
7.	Fuel & Energy	During c	During construction phase : 20 KW						
/.	ruci & Energy	During operation phase; 1155 KW							
	7 7 36	The nov	ver will be received form JVVNL	at 11 KV s	uppl	y voltage	e, it will be		
	1984	stenned	down to 0.433 KV through one 2000	kVA trans:	forme	er.			
		One D (	3. set of capacity 160 kVA is propos	facilities	to cater for				
1	•		ntial load only.		14	el i			
8	Environment	(Rs. in L		1		V. 10 - 11 - 12 - 12 - 12 - 12 - 12 - 12 -			
	Management Plan:	S. no.	Description	Capital	cost	Recurr	ing cot / year		
	Ivialiagement i ian.	1	STP	25.00		3.50			
	F7.	2	Landscaping	5.00		3.00			
	M <sub>1</sub> is	3	Ground water recharge structure	7.00		0.60	. 1		
		4	Acoustic enclosure	3.00	M. (1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	1			
		5	Dual Pluming system	28.00	ll.				
		6	Solar energy utilization application	15.00	15-35-35-3	3.00			
		7	Energy efficient lighting	5.00		2.00			
		8	Solid Waste Management	2.00	X	0.60			
		9	Efficient Fixtures	15.00	1	51 <u> </u>			
		10	Monitoring of Air, Water, Noise & So	il		2.20			
		11	Insulation of walls & roof	25.00		£			
		12	2 Tractors mounted tankers	10.00		3.00			
			Total	140.00	T nd	17.90	ard		
9	CSR Activities	S. N.	Particulars			year	3 <sup>rd</sup> year		
		1	The proponent proposed to buy	1 nos.		los.			
	. 14		ambulance and donate it to Red	10.00	10.		X X		
			Cross.	Lacs	Lac				
		2	The proponent wishes to adopt	10.00	10.	.00	10.00 Lacs		
			primary school is vicinity and	Lacs	La	cs'			
			upgrade their basic facilities and	er e					
			infrastructure like:						
	900 -		1. Donating books, school bags,						
	# -74 # -74	stationary & dress.				-			
	8 - 6 - 9		2. Construction of toilets,						
			boundary wall & verandas.			- Ar			
			3. Installation of fans & lights.						
			4. Changing blackboard &						
	, 10	1 21 1	furniture.						
1			Total	20.00 lacs	20	.00 lacs	10.00 lacs		
		Total	Rs. 50.00 lacs proposed to spent for			1			
				ODIC WOLL	3	Section 1997			
10	Budgetary Breaku	p Fixed explicit Investment					Fixed capital (in Rs.)		
	for Labour	S. No.	Activity II	50 nos @		Rs. 12,50,000			
		1	1 2 NO POLICE 1.5 NO POLICE 1.				e color		
		25000 2 Common toilet 10 nos @ 10 000				Rs. 1,00,000			
	a Mi	2. Common toilet – 10 nos. @ 10,000				Rs. 1,00,000			
i i	6 168		3 Bathing Area - 10 Nos. @ 10,000			Rs. 1,00,000			
	1 1 1	4	Stoves to each family – 50 Nos. @ 2000						
		5	health checkups and medical aid	for which	one	1.0. 20,000			
		doctor and Compunder will be hired.							
		A medical room will be provided for regular health checkups and medical aid for which one doctor and Compunder will be hired.				ar Rs. 25,000			

	*	6	RO Plant (50 lpm) – 2 nos.	Rs. 1,00,000			
			Total	Rs. 16,75,000			
	e de la	Running	Expenses per month				
		S. No.	Activity	Running Capital (In Rs.)			
	EMD &	1	Kerosene Oil to workers – 40 l/month/family @ Rs. 35	Rs. 70000			
	. 8	2	Medical Facility (1 Doctor + 1 Compunder) on visit basis	Rs. 38,000			
		3	Electricity and general expenses	Rs. 10,000			
	Mor from a	4	Proponent will encourage labour to send their children to nearby school for which financial support will be made.	Rs. 25,000			
di e	face acceptance	La La Carriera	Total	Rs. 143000			
11	Green Belt	Achieved Landscaped Area – 970.46 sq. m. (15% of total plot area) Canopy Area per large tree – 25 sq. m.					
alm		Number of large trees = Achieved landscaped area » Canopy area Number of large trees = 970.46 » 25 = 38.81 say 39 trees Provision made 40 trees.					
12	STP	STP based on SBR technology capacity 125.54 M3/day					

3. The SEAC Rajasthan after due considerations of the relevant documents submitted by the project proponent and additional clarifications/documents furnished to it have recommended for Environmental Clearance with certain stipulations. The SEIAA Rajasthan after considering the proposal and recommendations of the SEAC Rajasthan hereby accord Environmental Clearance to the project as per the provisions of Environmental Impact Assessment Notification 2006 and its subsequent amendments, subject to strict compliance of the terms and conditions as follows:

#### PART A: SPECIFIC CONDITIONS

#### I. CONSTRUCTION PHASE

- i. Consent to Establish" shall be obtained from RPCB before start of any construction work at the site.
- ii. The PP shall obtain a "No objection certificate for height clearance for the envisaged level from the Airports Authority of India.
- iii. No Mobile tower shall be installed.
- iv. The P.P. shall comply with the guide lines for High Rise Buildings as per Office Memorandum no. 21-270/2008-IA.III dt. 07.02.2012 and amendments made therein.
- v. As envisaged, the P.P. shall invest at least an amount of Rs. 140 lacs as capital cost & Rs. 17.9 lacs as annual recurring cost for implementing various environmental protection measures.
- vi. The PP has proposed an amount of Rs 50 lacs spread over 3 years (20.00 lacs for 1st year, 20.00 lacs for 2nd year, 10.00 lacs for 3rd year) under CSR. The expenditure on these activities shall be reflected in the books of account when presented for auditing of accounts. The proposal should contain provision for toilets for girls in nearby schools. The proposal should contain provision for monthly medical camps, distribution of medicines and improvement in educational facilities in the nearby schools. Detailed action plan of CSR activities shall be submitted by the PP to RSPCB at the time of applying for "Consent to Establish".
- vii. Green belt should be developed in 970.46Sq. m as proposed.
- viii. That the grant of this E.C. is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry / unit / project proponent. Any appeal against this environmental

clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.

For conservation of electricity and to reduce energy losses the management shall ensure ix. that the electrical voltage is stepped down from 33 KV to 11 KV and distributed at this level and finally brought to 440 volts.

The PP shall obtain approval of drawings of laying electrical lines from the concerned X. SE of RRVPNL/ JVVNL and comply with the provisions as per Terms and Conditions

for Supply of Electricity-2004 of JVVNL.

The PP shall full fill the requirements of energy regulatory commission. xi.

Road width and bend should be adequate for easy movement of fire fighting vehicles. xii.

The P.P. shall ensure taking necessary steps on urgent basis to improve the living xiii.

conditions of the labour at site and provide

The proposed Budgetary provision of Rs. 16,75,000 capital and 1,43,000 recurring xiv. shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as health facility, sanitation facility, fuel for cooking, along with safe drinking water, medical camps, and toilets for women, crèche for infants. The housing may be in the form of temporary structures to be removed after the completion of the project. Details of provisions should be submitted to RPCB at the time of obtaining CTE.

STP of capacity 150 KLD shall be constructed. XV.

The drains should be of adequate capacity and be lined till the final disposal points.

xvi. Provision for disinfection of waste water after treatment and before reuse maybe xvii. ensured.

All required sanitary and hygienic measures shall be in place before starting xviii. construction activities. The safe disposal of waste water and solid waste generated during the Construction phase shall be ensured.

All the laborers engaged for construction shall be screened for health and adequately xix. treated before engaging them to work at the site.

All the topsoil excavated during the construction shall be stored for use in XX. horticulture/landscape development within the project site.

Disposal of muck during construction phase shall not create any adverse effect on the xxi. neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of the people, only in approved sites with the approval of competent authority.

Soil and ground water samples will be tested to ascertain that, there is no threat to the xxii. ground water quality by leaching of heavy metals and other toxic contaminants.

Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such material must xxiii. be secured so that they do not leach into the ground water.

The diesel generator sets to be used during and post construction phase shall be of lowsulphur-diesel type and shall conform to Environment (Protection) Rules for air and xxiv. noise emission standards.

Vehicles hired for bringing construction material and laborers to the site shall be in good conditions and shall conform to applicable air and noise emission standards and XXV. shall be operated during non-peak/approved hours.

Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality shall be closely xxvi. monitored during construction phase.

Fly ash shall be used as building material in the construction as per the provisions of xxvii. Fly Ash notification of September, 1999 and amended as on August, 2003.

Ready mixed concrete shall be used in building construction. xxviii.

NOC shall be obtained from National State Disaster Management Authority, wherever xxix. applicable.

Provision for storm water control and its re-use as per CGWA and BIS standards for various applications should be implemented.

xxxi. Guidelines issued by concerned Ministry for water scarce areas may be followed.

Water demand during construction shall be reduced by the use of pre-mixed concrete, curing agents and other best practices.

xxxiii. Total domestic water requirement shall not exceed 20 KLD construction stage and 101.8 KLD post construction phase. The source of fresh water should be from authorised water supplyer.

exxiv. Permission to draw ground water shall be obtained from CGWA prior to construction/operation of project. It will be the responsibility of P.P to ensure availability of water from a legal source prior to allotment of flats for residential and commercial use.

xxxv. Separation of grey and black water shall be done by the use of dual plumping line

xxxvi. Treatment of 100% grey water by decentralized treatment shall be done.

xxxvii. Building Plan shall be got approved from the competent Authority.

xxxviii. The P.P. should ensure compliance of the order of the Hon'ble Rajasthan High Court, Jodhpur, in D. B. Civil writ petition no. 1536 of 2003 in the matter of Abdul Rahman vs. State of Rajasthan and others.

Adequate measures shall be taken to reduce air and noise pollution during construction as per CPCB norms.

xl. Fixtures for showers, toilet flushing and drinking shall be of low flow either by use of aerators of pressure reducing devices or sensor based control.

xli. Use of glass may be reduced by up to 40% to reduce the electricity consumption and load in air-conditioning. If necessary, use high quality double glass with special reflective coating windows.

xlii. Roofing should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.

xliii. Opaque walls shall meet prescriptive requirement as per Energy Conservation Building Code for all air-conditioned spaces, whereas, for non- air-conditioned spaces, by use of appropriate thermal insulation material to fulfill the requirement.

xliv. Provision of solar water heating /chilling/street lighting etc shall be explored and implimented.

xlv. Review and revise the requirement of DG set capacities for 100% power back up through optimization of power back up in case of power failure and emergency.

xlvi. A First Aid Room should be provided at the project site, both, during construction and operation phase of the project.

xlvii. Any hazardous waste generated during construction phase shall be disposed off as per applicable rules and norms with necessary authorization of the RPCB.

xlviii. The approval of the competent authority shall be obtained for structural safety of the building due to earthquake, adequacy of fire fighting equipments, etc as per National Building Code 2005 including protection measures from lightening etc.

xlix. Regular supervision of the above and other measures for monitoring shall be in place throughout the construction phase, so as to avoid nuisance to the surroundings.

1. During construction phase and Post construction / operation phase of the project, the project proponent shall be responsible for implementation of EIA/EMP. Commitment of proponent in this regard shall be submitted to RPCB at the time of applying for CTE.

li. The project proponent shall fulfill in letter and spirit, all the commitments given/submitted to the SEAC office.

#### II OPERATION PHASE

An independent expert shall certify the installation of the Sewage Treatment Plant (STP) and a report in this regard shall be submitted to the RPCB, before the project is commissioned for operation. Discharge of treated sewage shall conform to the norms & standards of the Rajasthan State Pollution Control Board.

- i Re-cycled water to match standards for cooling water system. MPN should be less than 5/100 ml in case of reuse of water of landscaping and flushing.
- ii Adequate measures shall be taken to prevent odor from solid waste processing and STP.

iii Proper system of channelizing excess storm water shall be provided.

- iv Rain Water harvesting (RWH) for roof top run-off and surface run-off, as planned shall be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The Rain Water Harvesting plan shall be as per GoI manual.
- v The proposals on the energy conservation measures confirming to energy conservation norms finalized by Bureau of Energy Efficiency shall be implemented.

vi The power factor shall be maintained near unity.

- vii Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for a portion of the apartments shall be provided.
- viii Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking shall be fully internalized and no public space shall be utilized.
- ix Regular and periodic mock drills shall be undertaken by the fire department at least once in a year.
- x The D. G. sets to be operated with stack height as per EP Act, 1986 along with acaustic elclosure.
- xi Incremental pollution loads on the ambient air quality noise and water quality shall be periodically monitored after commissioning of the project and report to be submitted to RPCB.
- xii The solid waste generated shall be properly collected & segregated before disposal to the City Municipal Facility. The in-vessel bio-conversion technique may be used for composting the organic waste.
- xiii Any hazardous waste including biomedical waste shall be disposed of as per applicable Rules & norms with necessary approvals of the Rajasthan State Pollution Control Board.
- xiv The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open space inside the plot shall be suitably landscaped and covered with vegetation of indigenous variety.

xv Trees and shrubs of local species shall be planted to allow habitat for birds with appropriate distance from the boundary.

xvi The SEIAA, Rajasthan reserve the right to add new conditions, modify/ annual any condition and/or to revoke the clearance if implementation of any of the aforesaid condition/other stipulations imposed by competent authorities is not satisfactory. Six monthly compliance status report of the project along with implementation of environmental measures shall be submitted to MoEF, Regional Office, Lucknow, SEIAA, Rajasthan & RPCB, Jaipur.

# PART - B. GENERAL CONDITIONS (For Construction Projects)

i. The environmental safeguards contained in Form 1-A shall be implemented in letter and spirit.

ii. Officials of the RPCB, who would be monitoring the implementation of environmental safeguards, shall be given full cooperation facilities and documents/data by the PP during their inspection. A complete set of all the documents submitted to SEIAA, Rajasthan shall be forwarded to Rajasthan State Pollution Control Board.

iii. In case of any change(s) in the scope of the project, the PP requires a fresh appraisal by SEIAA/SEAC, Rajasthan.

iv. The SEIAA/SEAC, Rajasthan reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the

environmental clearance under the provisions of the Environment (Protection) Act-1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

v. All the other statutory clearances such as the approvals for storage of diesel from the Chief Controller of Explosives, Fire department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (protection) Act, 1972 etc. shall be obtained, as may

be applicable, by PP from the competent authority.

vi. The PP shall ensure advertising in at least two local news papers widely circulated in the region, one of which shall be in vernacular language that, the project has been accorded environmental clearance and copies of the clearance letters are available with SEIAA, Rajasthan and the Rajasthan State Pollution Control Board and may also be seen on the website of the Board at www.rpcb.nic.in. The advertisement shall be made within 7(seven) days from the date of issue of the environmental clearance and a copy shall also be forwarded to the SEIAA, Rajasthan and Regional Office, Jaipur(S) of the Board.

vii. These stipulations would also be enforced amongst the others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability

(Insurance) Act, 1991 and EIA Notification' 06.

viii. Environment clearance is subject to final order of the Honb'le Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition(Civil) No. 460 of the year 2004 as may be applicable to this project.

Yours faithfully,

Member Secretary SEIAA Rajasthan

### Copy to following for information and necessary action:

1. Secretary, Ministry of Environment and Forest, Govt. of India, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi.

2. Addl. Chief Secretary, Environment Department, Rajasthan, Jaipur.

3. Smt. Alka Kala, Chairman, SEIAA, Rajasthan, 69-A, Bajaj Nagar Enclave, Jaipur

4. Shri Moti Lal Daima, Member, SEIAA, Rajasthan, 48/9, Moti Path, Mansarovar, Jaipur.

5. Member Secretary, Rajasthan State Pollution Control Board, Jaipur for information & necessary action and to display this sanction on the website of the Rajasthan State Pollution Control Board, Jaipur.

6. Secretary, SEAC Rajasthan.

7. The CCF, Regional Office, Ministry of Environment & Forests, RO(CZ), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector 'H', Aliganj, Lucknow-226 020. 8. Environment Management Plan- Division, Monitoring Cell, MoEF, Paryavaran Bhavan,

CGO Complex, Lodhi Road, New Delhi-110003.

9. Nodal Officer (Departmental Website), Department of Environment, Government of Rajasthan, Jaipur with the request to upload the copy of this environmental clearance on the website.

M.S. SEIAA (Rajasthan)